THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm. is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas Some applications of a theorem of G. H. Hardy would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like

$\exp\left\{z^2\sin\theta/(1+y^2)\right\}$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as $o, O, O, O, O; x, X, X; \phi, \Phi, \emptyset; l, 1; \epsilon, \epsilon; \kappa, k$.

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign I may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or greenlined graph paper, or tracing cloth or paper. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- J. F. ADAMS. On the non-existence of elements of Hopf invariant one. Ann. of Math. (2) 72 (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT, Sheaves and logic. In Applications of Sheaves, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. Stone Spaces. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

Mathematical Proceedings of the Cambridge Philosophical Society

MPCPCO 107 (Pt 2) 193-416 (1990) 0305-0041 March 1990

CONTENTS

The second set of the second	PAGE
VAVILOV, N. A. A note on the subnormal structure of general linear groups	193
KORNHAUSER, DANIEL M. On small solutions of the general nonsingular quadratic	
Diophantine equation in five or more unknowns.	197
BAKER, R. C. & HARMAN, G. Sequences with bounded logarithmic discrepancy.	213
TURULL, ALEXANDRE. Groups of automorphisms and centralizers	227
BRYCE, R. A. Subgroups like Wielandt's in finite soluble groups	220
KROPHOLLER, P. H. A note on centrality in 3-manifold groups	261
MELKERSSON, LEFF. On asymptotic stability for sets of prime ideals connected with the	201
movers of an ideal	007
ZHOU BORONG A note on Morits context functors	201
Court D. VICTABLA Completely right pure monoids on which # is a right completely right	273
BEDRAUS LA HUMBALWS C. B. Almost foliobas on which a list a right congruence .	275
JERNAC, S. J. & HULJSMANS, C. D. Almost J-algebras and d-algebras.	287
DUNTON, JOHN. The Morava A theories of wreath products	309
KUDOLPH, LEE. A congruence between link polynomials	319
JAKOBSCHE, W. & REPOVS, D. An exotic factor of $S^3 \times \mathbb{R}$.	329
PALACIOS, ANGEL RODRIGUEZ. Automatic continuity with application to C*-algebras	345
ARCHBOLD, R. J. & SOMERSET, D. W. B. Quasi-standard C*-algebras	349
MIRA, JOSÉ ANTONIO CUENCA, MARTÍN, AMABLE GARCÍA & GONZÁLEZ, CÁNDIDO MARTÍN.	
Structure theory for L*-algebras.	361
ASTALA, KARI & TYLLI, HANS-OLAV. Seminorms related to weak compactness and to	
Tauberian operators	367
BJON, STEN, The Schwartz property and nuclearity of spaces of smooth and holomorphic	
functions in infinite dimensions	377
RYNNE, BRYAN P. A lower bound for the Hausdorff dimension of sets of singular a tunks	297
EDWARDS D A A note on stochestic interretors	201
CLENDINVING PAUL Topological conjugation of Lorenze have by the state	395
Considered units, 1 web. Topological conjugation of Lorenz maps by p -transformations .	401
	415

© The Cambridge Philosophical Society 1990

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 IRP

40 WEST 20TH STREET, NEW YORK, NY 10011, USA

IO STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £23.00 net (USA and Canada US \$54.00)

Subscription price £65.50 per volume (£131.00 per annum) net post free (US \$139.00 per volume (US \$278 per annum) in USA and Canada)

Printed in Great Britain by the University Press, Cambridge