
Genetical Research

EDITORIAL BOARD ARTHUR CHOVNICK BRUCE HOLLOWAY D. ISH-HOROWICZ ALEC J. JEFFREYS MARY F. LYON ANNE McCLAREN M. VAN MONTAGU R. NÖTHIGER J. PAUL W. J. PEACOCK PETER A. PETERSON R. H. PRITCHARD R. RILEY A. ROBERTSON N. S. WILLETTS ALLAN C. WILSON

EXECUTIVE EDITOR E. C. R. REEVE

ASSISTANT EXECUTIVE EDITORS DAVID J. FINNEGAN TRUDY F. C. MACKAY

Volume 50 1987



CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE New York New Rochelle Melbourne Sydney Published by The Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 32 East 57th Street, New York, NY 10022 10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1987

Printed in Great Britain by the University Press, Cambridge

Contents

No. 1 (August 1987)

LEONARDI, A., DAMERVAL C. and DE VIENNE, D. Inheritance of protein amounts:	
comparison of two-dimensional electrophoresis patterns of leaf sheaths of two maize	
lines (Zea mays L.) and their hybrids	1
VIVI HUNNICKE NIELSEN, B. and ANDERSEN, SØREN. Selection for growth on normal and	
reduced protein diets in mice. I. Direct and correlated responses for growth	7
JOHN, HUW A. and PURDOM, IAN F. Heterogeneity of human haptoglobin α chains detected	
by two-dimensional gel electrophoresis	17
ZAKIAN, S. M., KULBAKINA, N. A., MEYER, M. N., SEMENOVA, L. A., BOCHKAREV, M. N.,	
RADJABLI, S. I. and SEROV, O. L. Non-random inactivation of the X-chromosome in	
interspecific hybrid voles	23
LYON, MARY F. and ZENTHON, JOANNA. Differences in or near the responder region of	
complete and partial mouse <i>t</i> -haplotypes	29
BARTON, N. H. The probability of establishment of an advantageous mutant in a subdivided population	35
STEPHAN, WOLFGANG. Quantitative variation and chromosomal location of satellite DNAs	
	41
SLATKIN, MONTGOMERY. Heritable variation and heterozygosity under a balance between	
mutations and stabilizing selection	53
WRIGHT, A. J. Additive variance and average effect with partial selfing	63
NISHIOKA, YUTAKA. Y-chromosomal DNA polymorphism in mouse inbred strains	69
SIMMONS, GAIL, M. Short Paper. Sterility-mutability correlation. On the correlation between	
sterility and mutability during P-M hybrid dysgenesis in Drosophila melanogaster	73
ERRATUM	77
BOOK REVIEWS	79
BOOKS RECEIVED	85

No. 2 (October 1987)

AL-DOORI, ZAINAB. Heterospecific transcription of the Escherichia coli rpoB-3 allele in	
Gram-negative bacteria	87
FORSTER, B. P., READER, S. M., FORSYTH, S. A., KOEBNER, R. M. D., MILLER, T. E., GALE,	
M. D. and CAUDERON, Y. An assessment of the homoeology of six Agropyron intermedium	
chromosomes added to wheat	91
IZAABEL, H., RONSSERAY, S. and ANXOLABÉHÈRE, D. Temporal stability of P-M cytotype	
polymorphism in a natural population of Drosophila melanogaster	99
HAGIWARA, N., NAKAMURA, E., MATSUURA, E. T. and CHIGUSA, S. I. Hybrid dysgenesis in natural populations of <i>Drosophila melanogaster</i> in Japan. II. Strains which cannot	
induce P-M dysgenesis may completely suppress functional P element activity	105
NÖTHIGER, R., LEUTHOLD, M., ANDERSEN, N., GERSCHWILER, P., GRÜTER, A., KELLER,	
R., LEIST, C., ROOST, M. and SCHMID, H. Genetic and developmental analysis of the	
sex-determining gene 'double sex' (dsx) of Drosophila melanogaster	113
FOSTER, G. G. and MADDERN, R. H. Correlation of compound autosome segregation and	
sex-chromosome disjunction in female Lucilia cuprina (Wied.) (Diptera: Calliphoridae)	125
SINCLAIR, A. H., WRIGLEY, J. M. and MARSHALL GRAVES, J. A. Autosomal assignment of	

Contents

OTC in marsupials and monotremes: implications for the evolution of sex	
chromosomes	131
GOLUBIĆ, M., BUDIMIR, O., SCHOEPFER, R., KASAHARA, M., MAYER, W. E., FIGUEROA, F. and KLEIN, J. Nucleotide sequence analysis of class II genes borne by mouse t	
chromosomes	137
BURNS, J. E. and KACSER, H. Genetic effects on susceptibility to histidine induced	
teratogenesis in the mouse	147
WATTERSON, G. A. Estimating the proportion of neutral mutants	155
ERRATUM	165
BOOK REVIEWS	167
BOOKS RECEIVED	171

No. 3 (December 1987)

SLAVICEK, JAMES M. and KRIDER, HALLIE M. The organization and composition of the	
ribosomal RNA gene non-transcribed spacer of D. busckii is unique among the	
drosophilids	173
CARIOU, MARIE LOUISE. Biochemical phylogeny of the eight species in the Drosophila	
melanogaster subgroup, including D. sechellia and D. orena	181
MONTCHAMP-MOREAU, CATHERINE and KATZ, MARIANO. Linkage disequilibrium in	
experimental populations of Drosophila simulans: a test of the random drift hypothesis	187
NISHIOKA, YUTAKA and LAMOTHE, ESTELLE. The Mus musculus musculus type Y	
chromosome predominates in Asian house mice	195
BARNETT, S. A. and DICKSON, R. G. Hybrids show parental influence in the adaptation of	
wild house mice to cold	199
HUNT, SUZAN, E. and MITTWOCH, URSULA. Y-chromosomal and other factors in the	
development of testis size in mice	205
MIDDLETON, RICHARD J., WILLIAMSON, KATHLEEN and BULFIELD, GRAHAME. A new	
allele of the testosterone-responsive gene, Hdc-a, in the histidine decarboxylase gene	
complex of the mouse	213
FAVOR, JACK, STRAUSS, P. GÜNTER and ERFLE, VOLKER. Molecular characterization of a	
radiation-induced reverse mutation at the dilute locus in the mouse	219
SCHNEIDER, J., ERICKSON, R. P. and HANASH, S. Mouse testicular protein variants,	
including tubulin, detected by isoelectrofocusing two-dimensional gel electrophoresis	225
RUVINSKY, A. O., AGULNIK, S. I., AGULNIK, A. I. and BELYAEV, D. K. The influence of	
mutations on chromosome 17 upon the segregation of homologues in female mice	
heterozygous for Robertsonian translocations	235
BULFIELD, GRAHAME, BALL, SIMON T. and PETERS, JOSEPHINE. An allele at the triose	
phosphate isomerase, Tpi-1 locus on chromosome 6 recovered from feral mice	239
HUDSON, RICHARD R. Estimating the recombination parameter of a finite population	
model without selection	245
ERRATA	251
BOOK REVIEWS	253
BOOKS RECEIVED	261
INDEX	263

NOTES TO CONTRIBUTORS

GENETICAL RESEARCH publishes original work on all aspects of genetics, or in any field of research which has an important bearing on genetics. Reviews of topical interest will also be considered. Papers will be submitted to referees, and will generally be printed in order of acceptance. Short papers (see below) will be given priority in publication.

CONTRIBUTIONS are welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to one of the Executive Editors (see addresses inside front cover), or to a member of the Editorial Board with a particular interest in that area of genetics. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers should be as concise as clarity permits, and illustrations should be restricted to the *minimum needed*.

SHORT PAPERS This category is designed for concisely written reports of work for which rapid publication is considered desirable. Such papers will normally be published within three months of receipt in acceptable form. They should not exceed 4 pages of print in length, and should include a summary.

TYPESCRIPTS A top copy and two other copies should be submitted. The top copy should be typed with double-spacing on one side of good quality paper, leaving margins of about $1\frac{1}{2}$ inches at the left-hand side and at the top and bottom of each sheet. Each copy should include a complete set of illustrations. The title should ordinarily identify the organism. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper, and changes of address may be added in footnotes. A footnote to the title page should also give the name and address to whom reprint requests may be made. Sources of financial support should be included with other acknowledgements at the end of the text. The title page of the typescript should include a short title for running headlines (limited to 50 letters and spaces), and the name and address of the author (or his proxy) to whom the proofs are to be sent, under the heading: Proofs to be sent to ... Main headings should be typed in capitals and (except summary and references) numbered consecutively. Subheadings should be typed in lower case, and underlined except for those words and symbols which would be italicized in the text. Subheadings should be numbered (i), (ii), etc., within each main heading. Numeral 1 and letter el: if your typewriter uses one symbol for both, please make clear to the Printer which is intended in formulae, gene symbols, etc.

SUMMARY The summary will be printed at the beginning of the paper. It should give a concise abstract of the significant content and conclusions of the paper, in a form suitable for abstracting journals to use, and should not exceed 250 words.

ILLUSTRATIONS The separate category of Plates no longer applies in the new format. All illustrations, including photographs, diagrams, graphs etc. are to be labelled consecutively Figure 1, 2... according to their relative positions in the text. Each figure should have a legend to be printed underneath it. Photographs should be supplied as unmounted glossy prints, with a sketch or separate set to show the arrangement required when several photographs are to form one figure. The names of the authors and the orientation of the figure should be indicated on the back of each photograph. *Diagrams* should be about twice the size of the printed figure, but not larger than 12×8 inches, unless exceptionally complicated, and the thick ness of lines and size of points should be determined accordingly. They may be submitted as glossy photographic prints or be drawn in indian ink on white Bristol-board, tracing linen or graph paper ruled in pale blue (but not other colours). The lettering on drawings should be lightly inserted *in soft pencil only*, so that the printer can put in the finished lettering. Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back.

TABLES Each table should be typed on a separate sheet of paper and its approximate position in the text indicated on the typescript. Each should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion. Table footnotes should ordinarily employ the symbols *, \dagger , \ddagger , \$, \parallel , \P , **, etc., in that order.

SYMBOLS Gene and mathematical symbols should generally be printed in italics. Please underline those to be italicized when they appear in the text and tables. Bold letters add to printing costs and should only be used where they are necessary to avoid confusion. The author must assume responsibility for the accurate printing of complex mathematical formulae submitted in typewritten form, by differentiating between letters and numbers which are open to misinterpretation, and identifying all Greek, Hebrew and script letters by means of marginal notes at their first appearance. Note that Greek symbols cannot be italicized and that '+' as the symbol for a wild-type allele should not be italicized.

NOMENCLATURE Wherever possible, standardized nomenclature should be employed. The author should refer to the following publications for guidance: Novick *et al.* (*Bacteriological Reviews* **40**, 168–189) for plasmids; O'Brien (Ed.), *Genetic Maps 3*, Cold Spring Harbor 1984, for recent information on most species and recent gene lists.

REFERENCES should follow the normal usage in the journal. In the list of references at the end of the paper, *both titles of articles and names of periodicals* should be written out in full.

PROOFS Two sets of single-sided page proofs, together with the typescript of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor, together with the typescript. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

OFFPRINTS Fifty offprints of each paper, or short paper, are provided free of charge. Additional offprints may be ordered in the form sent out with proofs, provided this is returned within fourteen days of receipt.

Volume 50 No 3 December 1987

Genetical Res., Camb.

Genetical Research

Contents

- 173 SLAVICEK, JAMES M. and KRIDER, HALLIE M. The organization and composition of the ribosomal RNA gene non-transcribed spacer of *D. busckii* is unique among the drosophilids
- **181** CARIOU, MARIE LOUISE. Biochemical phylogeny of the eight species in the *Drosophila melanogaster* subgroup, including *D. sechellia* and *D. orena*
- **187** MONTCHAMP-MOREAU, CATHERINE and KATZ, MARIANO. Linkage disequilibrium in experimental populations of *Drosophila simulans*: a test of the random drift hypothesis
- **195** NISHIOKA, YUTAKA *and* LAMOTHE, ESTELLE. The *Mus musculus musculus* type Y chromosome predominates in Asian house mice
- **199** BARNETT, S. A. and DICKSON, R. G. Hybrids show parental influence in the adaptation of wild house mice to cold
- **205** HUNT, SUZAN E. *and* MITTWOCH, URSULA. Y-chromosomal and other factors in the development of testis size in mice
- 213 MIDDLETON, RICHARD J., WILLIAMSON, KATHLEEN and BULFIELD, GRAHAME. A new allele of the testosterone-responsive gene, *Hdc-a*, in the histidine decarboxylase gene complex of the mouse
- **219** FAVOR, JACK, STRAUSS, P. GÜNTER *and* ERFLE, VOLKER. Molecular characterization of a radiation-induced reverse mutation at the dilute locus in the mouse
- SCHNEIDER, J., ERICKSON, R. P. and HANASH, S. Mouse testicular protein
 variants, including tubulin, detected by isoelectrofocusing two-dimensional gel electrophoresis
- 235 RUVINSKY, A. O., AGULNIK, S. I., AGULNIK, A. I. and BELYAEV, D. K. The influence of mutations on chromosome 17 upon the segregation of homologues in female mice heterozygous for Robertsonian translocations
- **239** BULFIELD, GRAHAME, BALL, SIMONT. *and* PETERS, JOSEPHINE. An allele at the triose phosphate isomerase, *Tpi-1* locus on chromosome 6 recovered from feral mice
- **245** HUDSON, RICHARD R. Estimating the recombination parameter of a finite population model without selection
- 251 ERRATA
- 253 BOOK REVIEWS
- 261 BOOKS RECEIVED
- 263 INDEX

© Cambridge University Press 1987

Cambridge University Press

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 32 East 57th Street, New York, NY 10022, USA 10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge