

APRIL, 1920.

THE
**JOURNAL OF LARYNGOLOGY,
 RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE

RELATING TO


THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T.,
 Anæsthetist, Sussex County Hospital, and 2nd Eastern
 General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case £3 8s. 3d.
Rigby's Chloroform Bottle only £1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910.



Gold Medal Allahabad 1910.

Manufactured by
DOWN BROS., LTD.,

Surgical Instrument Makers,

21 & 23, ST. THOMAS'S ST., LONDON, S.E.

(opposite Guy's Hospital.)

Telegrams:
 "DOWN, LONDON."

Telephone:
 Hop. 4400 (4 Lines)

Prepaid Annual Subscription, 40s. post free.

Single Copies, Four Shillings.

ENTERED AT STATIONERS' HALL.

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** and **NORRIS WOLFENDEN**.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D., Brig.-Gen. C.A.M.C. (Montreal).	Sir StCLAIR THOMSON, M.D., F.R.C.S. (London). (Pres. Laryng. Sect. Internat. Cong.)
A. BROWN-KELLY, D.Sc., M.D. (Glasgow).	HERBERT TILLEY, M.D., F.R.C.S. (London). (Pres. Otol. Sect. R.S.M.)
A. CHEATLE, F.R.C.S. (Pres. Otol. Sect. Internat. Cong.)	LOGAN TURNER, M.D. (Edinburgh).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).	E. B. WAGGETT, D.S.O., M.B. Pres. Laryng. Sect. R.S.M.)
WILLIAM HILL, M.D. (London).	P. WATSON-WILLIAMS, M.D. (Bristol).
J. MACINTYRE, M.B., C.M. (Glasgow).	MACLEOD YEARSLEY, F.R.C.S. (London).
Sir W. MILLIGAN, M.D., M.Ch. (Manchester).	

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),

ABSTRACTS EDITOR:

W. D. HARMER, M.C.(Cantab.), M.B., F.R.C.S.(London).

SUB-EDITOR:

ARCHER RYLAND, F.R.C.S.E.(London).

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), BRADY (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), J. K. MILNE DICKIE (Edinburgh),
DONELAN (London), CLAYTON FOX (London), J. S. FRASER (Edinburgh),
PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool), A. HUTCHISON (Brighton),
J. D. LITHGOW (Edinburgh), A. MCCALI (Bournemouth),
CHICHELE NOURSE (London), KNOWLES RENSHAW (Manchester),
LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham),
C. E. WEST (London), G. HAROLD L. WHALE (London),
WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DRs. J. BARR (Glasgow),
GRAZZI (Florence), A. BROWN KELLY (Glasgow),
E. LAW (London), HOLGER MYGIND (Copenhagen), D. PATERSON (Cardiff),
URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork),
SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen),
E. WAGGETT (London), SIR R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

DR. WATSON-WILLIAMS.	MR. SEYMOUR JONES.	DR. A. J. BRADY.
MR. DOUGLAS GUTHRIE.	DR. J. K. MILNE-DICKIE.	DR. H. CLAYTON FOX.
MR. THOMAS GUTHRIE.	DR. A. J. HUTCHISON.	DR. J. S. FRASER.
DOCENT DR. A. REJTÖ.	MR. MACLEOD YEARSLEY.	
MR. G. A. M'ARTHUR.	DR. PERRY GOLDSMITH.	

CONTENTS.

Special Articles—	PAGE
Latent Sphenoidal Sinusitis in Children with Recurrent Adenoids and Appendicitis.—P. WATSON-WILLIAMS	97
Notes on Thirteen Cases of Aural Tuberculosis in Infants.—DOUGLAS GUTHRIE	99
A Method of Suturing the Pillars of the Fauces.—THOMAS GUTHRIE ...	102
On the Origin of the Quick Phasis of the Vestibular Nystagmus.—DOCENT DR. A. REJTÖ	103
Reports for the Year 1918 from the Ear and Throat Department of the Royal Infirmary, Edinburgh. Part V.—Statistical Tables.—G. A. M'ARTHUR	107
Clinical Note—	
Cases Illustrative of the Value of Treatment of Papilloma of the Larynx by Radium and by X Rays.—SEYMOUR JONES	113
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—	
LARYNGOLOGICAL SECTION (<i>continued from p. 89</i>).—Communications by W. DOUGLAS HARMER, A. C. STEVENSON, H. J. BANKS-DAVIS, IRWIN MOORE	114
Abstracts—	
PHARYNX.—Can Granular Pharyngitis be the Cause of "Febricula"? ...	121
NOSE.—Acute Suppurative Hypophysitis as a Complication of Purulent Sphenoidal Sinusitis.—Sphenoidal Empyema and Epidemic Cerebro-spinal Fever.—Congenital Occlusion of the Choanæ	121
LARYNX.—The Prognostic Importance of Tuberculosis of the Larynx.—A Large Cyst of the Larynx	123
TONSILS.—Tonsillitis and Pharyngitis as a Result of Oral Sepsis.—Tonsillectomy in Adults: The Advantage of Operating with Local Anæsthetic	124
ŒSOPHAGUS.—Foreign Bodies in the Œsophagus requiring Œsophagotomy in Children	125
EAR.—Outline of the Pathological Physiology of Otitic Sclerosis.—Chloroma Simulating Mastoid Disease	126
MISCELLANEOUS.—Meningo-encephalitis as the only Manifestation of Mumps: Report of Three Cases.—Enlarged Thymus Gland and some Remarks on Status Lymphaticus... ..	127
Review—	
Compendium of Medico-Legal Oto-Rhino-Laryngology.—CIBO CALDEBA and ALBERTO BALLA	127
Notes and Queries	128
Book Received	128

Immunisation against Hay Fever.

THE DEPARTMENT FOR THERAPEUTIC INOCULATION, ST. MARY'S HOSPITAL, LONDON, W., prepares for supply to the Medical Profession through the agency of Messrs. Parke, Davis & Co.

"POLLACCINE" (POLLEN VACCINE FOR HAY FEVER)

to be administered subcutaneously for the production of immunity to pollen toxin BOTH AS A PROPHYLACTIC AND CURATIVE OF HAY FEVER.

A HAY FEVER REACTION OUTFIT is also supplied, which affords a means of determining

- (a) whether a patient is susceptible to pollen toxin,
- (b) the degree of such susceptibility,
- (c) the dosage of "Pollaccine" suited to any case.

N.B.—The winter and early spring are the best seasons for administering prophylactic injections.

Further particulars will be supplied on request by

PARKE, DAVIS & Co., 50, Beak St., Regent St., LONDON, W. 1.

ROGERS' STANDARD SPRAYS


have earned a world-wide reputation ON THEIR MERITS.

They are the outcome of many years' experience of the requirements of Laryngologists, Rhinologists and Otologists; they have received the unqualified approval of eminent specialists by whom they are constantly used and prescribed.


They comprise a series of absolutely reliable Sprays, scientifically designed and perfectly made.



ROGERS' MINIATURE POST-NASAL SPRAY
(made also for Nose or Throat and for Laryngeal use).



ROGERS' CRYSTAL NEBULIZER.



ROGERS' No. 1 SPRAY
for Nose or Throat.

(Made also in Laryngeal & Post-Nasal forms.)

Enquiries invited on any matter pertaining to Sprays, Atomizers, etc.

ROGERS' STANDARD SPRAYS ARE MADE IN LONDON BY

FRANK A. ROGERS,

PHARMACIST,

327, OXFORD ST., LONDON, W. 1.

Telephones :
4142 Gerrard.
4246 Gerrard.

Telegrams :
"Pharyngeal,
Wesdo, London."

CENTRAL LONDON THROAT AND EAR HOSPITAL

GRAY'S INN ROAD (Near King's Cross Stations.)

Large Out-Patient Clinics. Over 12,000 new patients last year.

In-Patient Department, 43 beds.

The work carried on at this Hospital comprises :

1. *The Daily Out-Patient Clinic.*

Monday, Wednesday, Thursday, Friday, Saturday, 2 p.m.

Tuesday, 5 p.m.

Conducted by

DR. ABERCROMBIE

DR. ATKINSON

DR. NICOL RANKIN

MR. STUART LOW

DR. DAN MCKENZIE

MR. ARCHER RYLAND

DR. ANDREW WYLIE

MR. HAROLD KISCH

2. *The Minor Operations.*

These are performed at 9 a.m. on Monday, Tuesday, Wednesday, Thursday, Friday.

3. *The In-Patient Department. Major Operations.*

These take place at 2 o'clock on Monday, Tuesday, Wednesday, Thursday, Friday.

The list of operations is to be seen on the notice board in the Out-patient Consulting Room.

4. *Lectures and Demonstrations.*

Courses of Practical Instruction are given throughout the year by Members of the Staff, on Tuesdays and Fridays, at 3 p.m. punctually.

The Courses consist of two classes twice a week devoted to Anatomy, Pathology, Diagnosis and Treatment of the special diseases dealt with at the Hospital. They may be joined at any time.

A **Surgical Anatomy and Operative Surgery Class** is held when desired. The teaching is practical and demonstrative, and is illustrated by diagrams, models, specimens and instruments.

5. *The Pathological Laboratory*

Is at all times available to students. Dr. Wyatt Wingrave, Pathologist to the Hospital, is in attendance Monday, Wednesday, Friday, 3 p.m.

Clinical Assistants

Are appointed from among those gentlemen who have enrolled themselves for attendance on the practice of the Hospital.

Further particulars may be had on application to the Dean.

Fees.

For attendance on the practice of the Hospital (Clinical Assistants)—

Three months	...	5 guineas.
Six	"	8 "
Perpetual ticket	...	10 "
Operative Surgery Class		5 "

Clinical Assistants are admitted to the Lectures and Demonstrations free.

HAROLD KISCH, F.R.C.S.,
Dean.

RICHARD KERSHAW,
Secretary Superintendent.