DECEMBER, 1919.

THE

JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY:

A RECORD OF CURRENT LITERATURE

RELATING TO


THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T.,
Anæsthetist, Sussex County Hospital, and 2nd Eastern
General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case Rigby's Chloroform Bottle only £3 8s. 3d. £1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910.

Gold Medal Allahabad 1910.

Manufactured by

DOWN BROS., LTD.,

Surgical Instrument Makers, 21 & 23, ST. THOMAS'S ST., LONDON, S.E.

(opposite Guy's Hospital.)
Telegrams: Teleph
"DOWN, LONDON." Hop,

Telephone: Hop. 4400 (4 Lines)

Prepaid Annual Subscription, 30s. (8 dollars) post free.

Single Copies, Three Shillings.

일)

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—British Medical Journal, May 3, 1890.

LISTERINE

A safe, non-poisonous, unirritating antiseptic solution

- LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.
- LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.
- LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constitutents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.
- **LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.
- LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhea occurring in infants and adults.
- LISTERINE literature, including special pamphlets upon Respiratory
 Diseases, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D.,
Brig.-Gen. C.A.M.C. (Montreal).
A. BROWN-KELLY, D.Sc., M.D. (Glasgow).
A. CHEATLE, F.R.C.S.
(Pres. Otol. Sect. Internat. Cong.).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).
WILLIAM HILL, M.D. (London).
J. MACINTYRE, M.B., C.M. (Glasgow).
Sir W. MILLIGAN, M.D., M.Ch. (Manchester).

Sir StCLAIR THOMSON, M.D., F.R.C.S.(London). (Pres. Laryng. Sect. Internat. Cong.)
HERBERT TILLEY, M.D., F.R.C.S. (London). (Pres. Otol. Sect. R.S.M.)
LOGAN TURNER, M.D. (Edinburgh).
E. B. WAGGETT, D.S.O., M.B. (Pres. Laryng. Sect. R.S.M.)
P. WATSON-WILLIAMS, M.D. (Bristol).
MACLEOD YEARSLEY, F.R.C.S. (London).

EDITOR:

DAN McKENZIE, M.D., F.R.C.S.E. (London),

ABSTRACTS EDITOR:

W. D. HARMER, M.C.(Cantab.), M.B., F.R.C.S.(London).

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), BRADY (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), J. K. MILNE DICKIE (Edinburgh),
DONBLAN (London), CLAYTON FOX (London), J. S. FRASER (Edinburgh),
PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool), A. HUTCHISON (Brighton),
J. D. LITHGOW (Edinburgh), A. MCCALL (Bournemouth),
CHICHELE NOURSE (London),

KNOWLES RENSHAW (Manchester), ARCHER RYLAND (London), LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham), C. E. WEST (London), G. HAROLD L. WHALE (London), WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DRS. J. BARR (Glasgow),
GRAZZI (Florence), A. BROWN KELLY (Glasgow),
E. LAW (London), HOLGER MYGIND (Copenhagen), D. PATERSON (Cardiff),
URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork),
SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen),
E. WAGGETT (London), SIR R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

DR. JAMES DONELAN.
DR. W. S. SYME.
DR. J. S. FRASER.
DR. W. T. GARRETSON.

DR. RUSSELL WEBBER.
CAPT. J. K. MILNE-DICKIE.
DR. DUNDAS GRANT.
MR. NORMAN PATTERSON.
MR. THOMAS GUTHRIE.

CONTENTS.

Special Articles—	PAGE
Tongue Holder and Depressor for Tonsillectomy.—James Donelan	477
A Series of Cases of Maxillary Antral Disease: Some Points of Interest. —W. S. Syme	478
Reports for the Year 1918 from the Ear and Throat Department of the Royal Infirmary, Edinburgh. Part I.—The Complications of Chronic Middle-ear Suppuration. Indications for, Technique and Results of the Radical and Modified Radical Mastoid Operations; Details Regarding the Labyrinthine and Intracranial Complications of Chronic Middle-ear Suppuration (Continued from p. 444).—J. S. Fraser and W. T. Garresson	; ; f
Reports for the Year 1918 from the Ear and Throat Department of the Royal Infirmary, Edinburgh. Part II.—A Case of Aural Bacteræmia —Russell Webbee	•
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—	
Otological Section.—Communications by Herbert Tilley J. Dundas Grant and Dan McKenzie	***
Abstracts—	
PHARYNX.—The Clinical Value of the Sign of Garel.—Tonsillectomy with the La Force Hemostat Tonsillectomes.—Surgical Treatment of Cancer of the Tonsil	f
Nose.—Some Experiences of Maxillary Sinusitis.—Cerebral Abscesses of the Frontal Lobe Originating from the Frontal Sinus and other Intracranial Complications Resulting from Inflammatory Processes of the Nasal Accessory Sinuses.—Subluxation of Inferior Turbina in the Treatment of Nasal Obstruction.—Idiopathic Epilepsy due to	r s 1
Empyema of the Antrum of Highmore; Operation; Recovery LARYNX.—Stammering and Voice Defects.—Two Unusual Cases of Foreign Body lodged in the Upper Respiratory Tract.—Malignan Tumour of the Larynx: Operation by Direct Laryngoscopy.—Stereo	. 508 f t
scopic Photography of the Larynx.—Bilateral Paralysis of th	e
Recurrent Laryngeal Nerve	509 a
EAR.—Studies of the Ear as a Motion-Sensing Organ.—Ear Diseases an Lumbar Puncture.—Primary Fibro-myxo-angio-endothelioma of the Middle Ear.—Otitic Meningitis, with Recovery.—Primary Diphtheri of the Middle Ear.—Obliteration of the Lateral Sinus in Trauma of the Basis Cranii.—Aural Suppuration in Early Childhood: its Prevention and Treatment.—An Original Test for the Pathologic Great toe Sign.—Our Experience at Fort Oglethorpe, Ga., with Acut Affections of the Middle Ear following Measles MISCELLANEOUS.—Some Clinical Manifestations of Influenza in Children—Contributions to the Pathology of Tuberculosis of the Bronchis Glands.—Some Eye and Neck Muscle Reflexes in the New-born.—Investigations Concerning Ulcus Neuroticum Mucosæ Oris.—Pathology of (Mustard?) Gas Inhalation.—The Klebs-Löffle Bacillus.—Some Unusual Cases met with in Ear, Nose and Thros Service in a Base Hospital.—The Importance of More Intimat Co-operation between the Various Specialists who see Neurosurgic Cases.—Amyloid Tumours of the Upper Air-Passages.—Surgery of the Upper Air	e a a f f f f f f f f f f f f f f f f f
the Trifacial Nerve.—Blood Examinations in the Surgery of the Nose and Throat.—A Definite Solution of the Stammering Problet —Naso-Pharyngeal Conditions, tending to Prolong Meningococcu Carriage	ne n.
List of Original Papers	., 522
The Medical Annual: A Year Book of Treatment, and Practitioner	's
Index for 1919 (thirty-seventh year)	523
Injuries to the Head and Neck.—Lawson Whale Some Questions of Phonetic Theory. Chapter V: The Perception	524 of
	524
Notes and Queries	524
Book Received	524

Immunisation against Hay Fever.

THE DEPARTMENT FOR THERAPEUTIC INOCULATION. St. MARY'S HOS-PITAL, LONDON, W., prepares for supply to the Medical Profession through the agency of Messrs. Parke, Davis & Co.

"POLLACCINE" (POLLEN VACCINE FOR HAY FEVER)

to be administered subcutaneously for the production of immunity to pollen toxin BOTH AS A PROPHYLACTIC AND CURATIVE OF HAY FEVER.


A HAY FEVER REACTION OUTFIT is also supplied, which affords a means of determining

- (a) whether a patient is susceptible to pollen toxin,
- (b) the degree of such susceptibility,
 (c) the dosage of "Pollaccine" suited to any case.

N.B.—The winter and early spring are the best seasons for administering prophylactic injections.

Further particulars will be supplied on request by

PARKE, DAVIS & Co., 50, Beak St., LONDON, W. 1.



KINESIPHONE

:: Dr. MAURICE ::

FOR THE

Treatment of the

DEAF

BY THE

Re-education of the Hearing Faculties

(used by numbers of Medical Specialists of all Nations).

For further particulars & scientific literature on the subject

Apply to-

M. LARCHER -Rue de Bellefond 1, PARIS.

NOW READY.

Fully Illustrated in Colours and Black and White.

Price 20/- net.

MEDICAL ANNUAL, 1919.

A YEAR-BOOK OF TREATMENT, AND PRACTITIONER'S INDEX:

Being a Review of the World's Progress in Medicine and Surgery. Arranged in Alphabetical Order for Easy Consultation.

Contributors:

E. WYLLYS ANDREWS, A.M., M.D., Chicago. JOSEPH BLOMFIELD, B.A., M.D. FRANCIS J. CHARTERIS, M.D., B.CH. JOHN D. COMRIE, M.D., F.R.C.P. CAREY F. COOMBS, M.D., F.R.C.P. W. H. DOLAMORE, M.R.C.S., L.D.S.R.C.S. W. E. FOTHERGILL, M.A., M.D. JOHN S. FRASER, M.B., F.R.C.S. HERBERT FRENCH, M.A., M.D. EDWARD W. GOODALL, M.D., B.S. MAJOR E. W. HEY GROVES, R.A.M.C.(T.). C. THURSTAN HOLLAND, M.R.C.S., L.R.C.P. J. RAMSAY HUNT, M.D., New York. ROBERT HUTCHISON, M.D., F.R.C.P. CECIL A. JOLL, M.S., M.B. FREDERICK LANGMEAD, M.D., F.R.C.P.

ARTHUR LATHAM, M.A., M.D., F.R.C.P.
E. G. GRAHAM LITTLE, M.D., F.R.C.P.
C. F. MARSHALL, M.D., F.R.C.S.
R. FOSTER MOORE, M.A., F.R.C.S.
CAPT. MAURICE NICOLL, R.A.M.C.
HERBERT S. PENDLEBURY, M.A., F.R.C.S.
BEDFORD PIERCE, M.D., F.R.C.P.
JOSEPH PRIESTLEY, B.A., M.D., D.P.H.
SIR LEONARD ROGERS, Lt.-Col. 1.M.S., M.D.
F.R.C.S.

- J. D. ROLLESTON, M.A., M.D.
- A. RENDLE SHORT, M.D., B.S., F.R.C.S.
- J. W. THOMSON WALKER, F.R.C.S.
- W. I. DE COURCY WHEELER, F.R.C.S.
- P. WATSON WILLIAMS, M.D.
- S. A. KINNIER WILSON, M.A., M.D., F.R.C.P.

Associate Editors:

(Medicine) CAREY F. COOMBS, M.D., F.R.C.P.; (Surgery) A. RENDLE SHORT, M.D., B.S., F.R.C.S.

THE new volume of the *Medical Annual* is of unusual value and interest. The experiences gained by the War have produced advances in medical science and practice which, under ordinary conditions, would have required many years to reach.

This progress will be found chronicled in the Annual, and adapted in every way possible to

the requirements of the practitioner.

From Press Notices.

British Medical Journal.—"Good reading, and an excellent investment."

Lancet.—"A valuable addition to the library of the Medical Practitioner; contains in one volume a practical summary of the progress of medicine during the past year."

Last year's volume was exhausted soon after publication, and, to avoid disappointment, early application advised for this issue.

Bristol: JOHN WRIGHT & SONS LTD. London: SIMPKIN, MARSHALL & CO. LTD.