

Supplement to *Journal of Paleontology*
(ISSN 0022-3360)
JPALAZ 55(3) II 1-46, MAY 1981

Volume 55

MAY 1981

Supplement to No. 3

Part II of II

JOURNAL OF PALEONTOLOGY

**THE PALEONTOLOGICAL SOCIETY
MEMOIR 11**

Pennsylvanian-Permian Cheiloceratacean Ammonoid
Families Maximitidae and Pseudohaloritidae

T. J. FREST, BRIAN F. GLENISTER and W. M. FURNISH



Memoirs of the Paleontological Society are occasional publications consisting of monographs and symposia that are too extensive for publication in the *Journal of Paleontology* as part of the regular issues. Ordinarily, memoirs are published as supplements to a regular issue of the *Journal*. Inquiries concerning submittal of manuscripts for inclusion in the Memoir Series may be made to the Editors of the *Journal* for the Paleontological Society.

Communications concerning the cost and availability of back numbers of the Memoir Series should be addressed to the Society of Economic Paleontologists and Mineralogists, P.O. Box 979, Tulsa, Oklahoma 74101.

OFFICERS OF THE PALEONTOLOGICAL SOCIETY

For the year ending November 1981

President

ARTHUR J. BOUCOT, Corvallis, Oregon

President-Elect

ERLE G. KAUFFMAN,
Boulder, Colorado

Past-President

WARREN O. ADDICOTT, Menlo Park,
California

Secretary

WALTER C. SWEET
Department of Geology & Mineralogy
The Ohio State University
125 So. Oval Mall
Columbus, Ohio 43210

Treasurer

J. A. FAGERSTROM, Lincoln, Nebraska

Program Coordinator

ROGER D. K. THOMAS, Lancaster,
Pennsylvania

Journal Co-Editors

ALAN H. COOGAN and
RODNEY M. FELDMANN, Kent, Ohio

Paleobiology Editor

JAMES A. HOPSON,
Chicago, Illinois

Councilors

PHILIP D. GINGERICH, Ann Arbor, Michigan
LEIGH VAN VALEN, Chicago, Illinois

Section Chairpersons

North-Central: WAYNE I. ANDERSON,
Cedar Falls, Iowa

Northeastern: ROGER D. K. THOMAS,
Lancaster, Pennsylvania

Pacific Coast: CAROLE J. HICKMAN,
Berkeley, California

Southeastern: FRANK, K. MCKINNEY,
Boone, North Carolina

The Paleontological Society

MEMOIR 11

**PENNSYLVANIAN-PERMIAN CHEILO CERATA CEAN
AMMONOID FAMILIES
MAXIMITIDAE AND PSEUDOHALORITIDAE**

T. J. FREST, BRIAN F. GLENISTER and W. M. FURNISH

Department of Geology
University of Iowa
Iowa City, Iowa 52242

Copyright © 1981 by
THE PALEONTOLOGICAL SOCIETY, INC.
MAY 1981

CONTENTS

| | |
|---|----|
| ABSTRACT | 1 |
| INTRODUCTION | 1 |
| PHYLOGENY | 3 |
| NOTES ON MORPHOLOGY | 6 |
| NEPIONIC CONSTRICTION | 6 |
| MATURE MODIFICATIONS | 6 |
| DORSAL SIPHUNCLE | 7 |
| REPOSITORIES | 7 |
| SYSTEMATIC PALEONTOLOGY | 8 |
| SUPERFAMILY CHEILO CERATAEAE FRECH | 8 |
| FAMILY MAXIMITIDAE RUZHENTSEV | 8 |
| Genus <i>Maximites</i> Miller and Furnish | 8 |
| <i>Maximites cherokeensis</i> (Miller and Owen) | 10 |
| <i>Maximites alexanderi</i> Nassichuk | 11 |
| <i>Maximites oklahomensis</i> n. sp. | 11 |
| FAMILY PSEUDOHALORITIDAE RUZHENTSEV | 14 |
| SUBFAMILY PSEUDOHALORITINAE RUZHENTSEV | 14 |
| Genus <i>Pseudohalorites</i> Yabe | 14 |
| <i>Pseudohalorites subglobosus</i> Yabe | 16 |
| <i>Pseudohalorites arabicus</i> Miller and Furnish | 16 |
| <i>Pseudohalorites mapesi</i> n. sp. | 16 |
| <i>Pseudohalorites? celestris</i> (Yabe) | 17 |
| <i>Pseudohalorites? densistriatus</i> (Zhao) | 17 |
| SUBFAMILY SHOUCANGOCERATINAE ZHAO AND ZHENG | 18 |
| Genus <i>Neoaganides</i> Plummer and Scott | 19 |
| <i>Neoaganides grahamensis</i> Plummer and Scott | 19 |
| <i>Neoaganides multiseptatus</i> (Zhao) | 22 |
| <i>Neoaganides nesenensis</i> n. sp. | 23 |
| <i>Neoaganides paulus</i> Zhao, Liang and Zheng | 23 |
| <i>Neoaganides rectilobatus</i> Ruzhentsev | 23 |
| <i>Neoaganides tabantalensis</i> Ruzhentsev | 23 |
| <i>Neoaganides</i> sp. 1 | 23 |
| <i>Neoaganides</i> sp. 2 | 25 |
| Genus <i>Sosioceras</i> n. gen. | 26 |
| <i>Sosioceras pygmaeum</i> (Gemmellaro) | 27 |
| Genus <i>Shouchangoceras</i> Zhao and Zheng | 31 |
| <i>Shouchangoceras shouchangense</i> Zhao and Zheng | 33 |
| <i>Shouchangoceras subglobosum</i> Zhao and Zheng | 33 |
| <i>Shouchangoceras reticulatum</i> Zhao and Zheng | 33 |
| <i>Shouchangoceras multinodosum</i> Zhao and Zheng | 33 |
| <i>Shouchangoceras americanum</i> n. sp. | 33 |
| Genus <i>Shangraoceras</i> Zhao and Zheng | 36 |
| <i>Shangraoceras robustum</i> Zhao and Zheng | 37 |
| <i>Shangraoceras falcoplicatum</i> Zhao and Zheng | 37 |
| Genus <i>Sangzhites</i> Zhao and Zheng | 39 |
| <i>Sangzhites aberrans</i> Zhao and Zheng | 40 |
| <i>Sangzhites nodosus</i> Zhao and Zheng | 40 |
| Genus <i>Elephantoceras</i> Zhao and Zheng | 40 |
| <i>Elephantoceras spinonodosum</i> Zhao and Zheng | 40 |
| <i>Elephantoceras nodosum</i> Zhao and Zheng | 40 |
| Genus <i>Erinoceras</i> Zhao and Zheng | 41 |
| <i>Erinoceras ellipticum</i> Zhao and Zheng | 41 |
| <i>Erinoceras lineatum</i> Zhao and Zheng | 41 |

| | |
|--|----|
| SUBFAMILY LANCEOLOBOCERATINAE ZHAO | 41 |
| Genus <i>Lanceoloboceras</i> Zhao | 42 |
| <i>Lanceoloboceras reticulatum</i> Zhao | 42 |
| <i>Lanceoloboceras hunanense</i> Zhou | 42 |
| SUBFAMILY YINOCERATINAE RUZHENTSEV | 42 |
| ACKNOWLEDGMENTS | 43 |
| REFERENCES | 43 |
| APPENDIX 1—GEOGRAPHIC AND STRATIGRAPHIC DISTRIBUTION OF THE MAXIMITIDAE AND PSEUDOHALORITIDAE | 45 |

ILLUSTRATIONS

| | | |
|------------|--|----|
| TEXT-FIGS. | 1—Phyletic relations of the Cheilocerataceae and related ammonoids | 2 |
| | 2—Mature sutures of cheiloceratacean genera <i>Imitoceras</i> (Prionoceratidae), <i>Maximites</i> (Maximitidae), <i>Neoaganides</i> and <i>Sosioceras</i> (Pseudohaloritidae) in stratigraphic order | 2 |
| | 3—Mature modifications in Upper Permian Pseudohaloritidae from South China | 3 |
| | 4—External sutures of Pseudohaloritidae from the Permian of South China | 3 |
| | 5—Diagrammatic cross sections of cheilocerataceans <i>Imitoceras</i> (Prionoceratidae) and <i>Sosioceras</i> (Pseudohaloritidae) to show siphuncle position | 4 |
| | 6—Nepionic constrictions in <i>Maximites</i> and <i>Neoaganides</i> | 6 |
| | 7—Diagrammatic cross sections of <i>Maximites</i> species | 9 |
| | 8—Sutures of <i>Maximites</i> species | 9 |
| | 9—Cross section of mature specimen of <i>Maximites cherokeensis</i> Miller and Owen | 10 |
| | 10—Partial whorl and sutural ontogeny of <i>Maximites oklahomensis</i> n. sp. | 10 |
| | 11—Suture diagrams of <i>Pseudohalorites</i> species showing variation | 15 |
| | 12—Profiles of <i>Pseudohalorites</i> species showing position of siphuncle | 16 |
| | 13—Sutures of <i>Pseudohalorites mapesi</i> n. sp. | 21 |
| | 14—Mature sutures of <i>Neoaganides</i> and <i>Sosioceras</i> species | 22 |
| | 15—Apertural, left lateral, right lateral, and ventral views of <i>Neoaganides</i> sp. 2 | 25 |
| | 16—Bar graph showing size at maturity (based on development of constricted aperture) of available complete specimens of <i>Sosioceras pygmaeum</i> (Gemmellaro) | 27 |
| | 17—Representative sutures of ?Lower-Upper Permian pseudohaloritid genera (subfamily Shouchangoceratinae) from South China | 32 |
| | 18—Sutures of <i>Shouchangoceras americanum</i> n. sp. | 35 |
| | 19—Sutures of Lanceoloboceratinae and Yinoceratinae | 36 |
| | 20—?Upper Permian (“middle Maokouian”) Yinoceratinae and Lanceoloboceratinae from South China (Hunan) | 37 |
| TABLES | 1—Dimensions (mm) and conch proportions of <i>Maximites</i> | 13 |
| | 2—Dimensions (mm) and conch proportions of <i>Pseudohalorites</i> and <i>Shouchangoceras</i> | 16 |
| | 3—Dimensions (mm) and conch proportions of <i>Neoaganides</i> species | 19 |
| | 4—Dimensions (mm) and conch proportions of <i>Sosioceras pygmaeum</i> (Gemmellaro) | 27 |
| PLATES | 1— <i>Maximites oklahomensis</i> n. sp. | 12 |
| | 2— <i>Maximites</i> and <i>Neoaganides</i> | 20 |
| | 3— <i>Neoaganides</i> | 24 |
| | 4— <i>Sosioceras pygmaeum</i> (Gemmellaro) | 28 |
| | 5—Representative species of <i>Sosioceras</i> , <i>Neoaganides</i> and <i>Pseudohalorites</i> | 30 |
| | 6—Pseudohaloritidae | 34 |
| | 7—Pseudohaloritidae from the Lower-Upper Permian (Roadian-Wordian) of South China | 38 |