

British Mosses and Liverworts

Second Edition

E. V. WATSON

The second edition includes over sixty new species and features thirty-three new illustrated descriptions of more common species, a complete rearrangement of the liverworts to follow the current check list, and a major revision of the keys.

Comment on the first edition:

'Dr Watson has succeeded admirably in his aim of providing a sound introductory flora of the British bryophytes.' Nature 80s. net

CAMBRIDGE UNIVERSITY PRESS

THE NEW PHYTOLOGIST

FOUNDED BY SIR ARTHUR TANSLEY IN 1902

EDITED BY

J. H. BURNETT J. L. HARLEY D. C. SMITH R. G. WEST

JANUARY 1970

Vol. 69, No. 1

The immediate response of the quiescent centre to X-rays. By F. A. L. CLOWES Effects of fruiting on the growth of apple trees on four rootstock varieties. By D. J. AVERY

Light-induced changes in succinyl-CoA synthetase in barley seedlings. By A. K.

STOBART and N. J. PINFIELD

Movement of ¹⁴C-photosynthate into the roots of wheat seedlings and exudation of 14C from intact roots. By Barbara M. McDougall

A colorimetric method for the estimation of certain indoles. By A. Anthony and H. E. STREET

Ether-soluble indoles from seedling roots of wheat. By Patricia Woodruffe, A. Anthony and H. E. Street

The effect of leaf hairs of *Verbascum thapsus* on leaf energy exchange. By James E.

Nitrogen metabolism in lichens. II. The partition of cephalodial-fixed nitrogen between the mycobiont and phycobionts of *Peltigera aphthosa*. By K. A. Kershaw and J. W. MILLBANK

Nutritional requirements of the edaphic ecotypes in Melitotus alba Medic. III. Interference between the calcareous and acidic populations in the two soil types. By P. S. RAMAKRISHNAN

Effects of growth regulating substances and water potential on the development of wound callus in Fraxinus. By D. Doley and L. Leyton

The effects of Sycophaga sycomori L. on the structure and development of the synconia in Ficus sycomorus L. By J. Galil, R. Duhlberger and D. Rosen

The tropical forest and Sporne's advancement index. By D. Wood Observations on the cytology and seed-proteins of various African species of Crotalaria L. (Leguminosae). By D. Boulter, E. Derbyshire, J. A. Frahm-

LELIVELD and R. M. POLHILL Cavitation and osmotic potentials of Sordaria ascospores. By JOHN A. MILBURN Lime chlorosis as a factor in seedling establishment on calcareous soils. II. The development of leaf water deficits in plants showing lime-chlorosis. By T. C. HUTCHINSON

Metabolic changes of polyamines during the germination of *Phaseolus vulgaris*. By N. BAGNI

Hormonal regulation of nitrate reductase activity in leaves. Nurit Roth-Bejerano and S. HERMAN LIPS

Natural and experimental hybridization in Potentilla. By B. MATFIELD, J. K. JONES and J. R. ELLIS

Sugar content in floral and extrafloral exudates of orchids: pollination, myrmecology and chemotaxonomy implication. By DAVID C. JEFFREY, JOSEPH ARDITTI and HAROLD KOOPOWITZ

Phosphate absorption by plants from habitats of different phosphate status. II. Absorption and incorporation of phosphate by intact plants. By H. NASSERY Photosynthesis and zonation of freshwater macrophytes. I. Depth distribution and shade tolerance. By D. H. N. SPENCE and JEAN CHRYSTAL

Photosynthesis and zonation of freshwater macrophytes. II. Adaptability of species

of deep and shallow water. By D. H. N. Spence and Jean Chrystal


The subscription price per annual volume of four parts is 300s net, post free

BLACKWELL SCIENTIFIC PUBLICATIONS OXFORD AND EDINBURGH

HANDBOOK of PALYNOLOGY

MORPHOLOGY · TAXONOMY · ECOLOGY

An Introduction to the Study of Pollen Grains and Spores by G. ERDTMAN, Professor and Director, Palynological Laboratory, Solna, Sweden



468 pages, 50 figures, 125 plates. D.kr. 180.00 (£10/10/0. DM 90.00)
Distributed in U.S.A. by Hafner Publishing Co., New York.

Palynology, the study of pollen grains and spores, like other advancing frontiers of knowledge, has many contacts with other scientific disciplines. In the wider definition—as used in the present HANDBOOK OF PALYNOLOGY—it comprises the study not only of pollen grains and spores, but also of certain microfossils, such as cysts or cyst-like bodies of algae or of unknown origin. The descriptions of the pollen analytical methods have mainly been concentrated upon some of their theoretical aspects.

The greater part of the present book is devoted to basic palynological research, especially pollen and spore morphology and its systematic significance.

Short chapters are also devoted to some of the applied aspects of pollen and spore research such as: geopalynology (with, inter alia, some pages on the history of the weeds), aeropalynology, and forensic palynology.

This fascinating subject is far from easy and the intricate details of the terminology might dishearten the beginner. When words are insufficient, illustrations are, however, resorted to: palynograms, photomicrographs, electromicrographs, etc.

Dr. W. A. S. Sarjeant, Nottingham, has contributed a chapter on microfossils other than pollen grains and spores.

The discussion of the techniques of electron microscopy etc. was written by Anita Dunbar, Palynological Laboratory, Solna.

MUNKSGAARD

47 Prags Boulevard. DK-2300 Copenhagen S. Denmark.

THE BRYOLOGIST

THE BRYOLOGIST is the American Bryological and Lichenological Society's quarterly journal devoted to the study of lichens and bryophytes. Regular membership in the Society is \$8.00 per year, but students currently enrolled in a college or university can join for \$5.00. All members receive THE BRYOLOGIST. Institutional subscriptions are \$12.00 per year. Applications for personal memberships and institutional subscriptions, accompanied by payment, should be sent to William D. Reese, Secretary-Treasurer, Department of Biology, University of Southwestern Louisiana, Lafayette, Louisiana 70501, USA.

Back Issues of THE BRYOLOGIST

All volumes are offered unbound and in parts as originally issued. Some issues have been reprinted by photo-offset. Prices are strictly net and postage is additional.

Volumes 1-4 (1898-1901)—\$2.00 per volume; single numbers, \$0.50. Volumes 5-36 (1902-1933)—\$3.00 per volume; single numbers, \$0.75. Volume 37 (1934)—\$5.00; single numbers, \$1.00. Volumes 38-49 (1935-1946)—\$6.00 per volume; single numbers, \$1.50. Volumes 50-72 (1947-1969)—\$12.00 per volume; single numbers, \$3.50. Complete set of 72 volumes—\$457.00, with the 60-year index, \$462.00.

THE BRYOLOGIST: INDEX TO VOLUMES 1-60. A cumulative index for the years 1898-1957. 217 pages. \$5.00, postpaid.

THE AUTHORITIES FOR THE EPITHETS OF MOSSES, HEPATICS, AND LICHENS by Geneva Sayre, C. E. B. Bonner, and William Louis Culberson. \$0.75, postpaid.

- A THIRD CHECKLIST OF THE LICHENS OF THE CONTINENTAL UNITED STATES AND CANADA by Mason E. Hale, Jr., and William Louis Culberson. \$1.00, postpaid.
- A LIST OF THE MOSSES OF NORTH AMERICA by Howard Crum, William C. Steere, and Lewis E. Anderson. \$1.00, postpaid.

Send orders for publications to:

Lewis E. Anderson
Department of Botany
Duke University
Durham, North Carolina 27706, USA

NOTICE TO AUTHORS

Papers and short notes from contributors anywhere in the world are welcome, and may be on any aspect of lichenology. They should be sent to the Editor. They must be typewritten in double or treble spacing, and a summary should generally be included. Illustrations should be in black ink on white paper, preferably Bristol board.

In taxonomic papers dealing with a series of species it is convenient either to present them alphabetically or to number them serially in their genera.

Localities in Britain should, unless there is good reason to the contrary, follow the spelling given on the latest editions of the maps published by the Ordnance Survey. Localities abroad should follow the spelling in *The Times Atlas of the World*.

The citation of references should be based on the International Code of Botanical Nomenclature 1966: 73-75.

Titles of periodicals should be abbreviated as in the latest edition of the World List of Scientific Periodicals. Titles of books should be given in full at the end of papers but may be judiciously abbreviated in lists of synonyms. Editions other than the first should be indicated.

EXAMPLES:

In text: Watson (1932), (Watson, 1932), or Watson (1932, p. 292).

In the list at end of paper: Watson, W. (1932) The bryophytes and lichens of moorland. J. Ecol. 20: 284-313.

Or if a book: Crombie, J. M. (1894) A Monograph of Lichens Found in Britain. London. In list of synonyms: Candelariella xanthostigma (Ach.) Lett. in Hedwigia, 52: 196 (1912).

Or if a book: Pyrenotea lutea Leight., British Species of Angiocarpous Lichens: 68, tab. 29, fig. 4 (1851).

Twenty-five reprints of original articles are supplied free. More may be purchased, as may reprints of other contributions such as book reviews. Reprints *must* be ordered when the author returns the final proofs of his article.

MEMBERSHIP

Membership of the British Lichen Society is open to all persons interested in lichenology. Subscriptions, due on joining and thence on 1 January each year, are: ordinary members, £2; junior members, £1; family members, 5s. Details of membership and application forms may be obtained from the Secretary, Mr J. R. Laundon, Department of Botany, British Museum (Natural History), Cromwell Road, London, S.W.7.

Referees

The function of referees, whose names appear inside the front cover, is to assist members in the identification of lichens. Specimens submitted should be adequate in size and well documented, including details of country, county or vice-county, borough or parish, precise locality and grid reference, altitude, date, habitat and ecology, notes, name of collector and collecting number. Identification should be attempted before sending the specimens to a referee and details of spores and chemical reactions should be included where appropriate. Return postage should be enclosed.

THE LICHENOLOGIST

1970

Vol. 4 Part 3

Jahns, H. M.—Remarks on the taxonomy of the European and North American species of <i>Pilophorus</i> Th. Fr.	199–213
KERSHAW, K. A. and MILLBANK, J. W.—Isidia as vegetative propagule	s
in Peltigera aphthosa var. variolosa (Massal.) Thoms.	214-217
Swinscow, T. D. V.—Pyrenocarpous lichens: 14	218-233
KINRAIDE, W. T. B. and AHMADJIAN, VERNON—The effects of usnic acid on the physiology of two cultured species of the lichen alga	024 047
Trebouxia Puym.	234-247
HAWKSWORTH, D. L.—The chemical constituents of Haematomma ventosum	2
(L.) Massal, in the British Isles	248-255

FIELD AND STUDY NOTES

conizaeoides Nyl. ex Cromb.

256

Brenan, J. P. M. and Ross, R.—Reorganization of the cryptogamic

BAILEY, R. H.-Animals and the dispersal of soredia from Lecanora

collections at the Royal Botanic Gardens, Kew, and the British Museum
(Natural History)

© British Lichen Society 1970 c/o Department of Botany, British Museum (Natural History), Cromwell Road, London, S.W.7.

Published for the British Lichen Society by Blackwell Scientific Publications Ltd, 5 Alfred Street, Oxford

Price £2 (\$6.50). Free to members of the British Lichen Society.

Annual subscription £3 (\$10.00), post free

Published April 1970