May 1963

Vol. LXXVII No. 5

The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

HISTOCHEMICAL INVESTIGATION OF OTOSCLEROSIS WITH SPECIAL REGARD TO COLLAGEN DISEASE . M. ARSLAN and V. RICCI

RESPIRATION OF REISSNER'S MEMBRANE OF THE GUINEA PIG

JOHN T. Y. CHOU

THE CLINICAL SIGNIFICANCE OF MALIGNANT TUMOUR CELLS IN THE BLOOD

DEAFNESS IN HYPOTHYROIDISM

NEOPLASMS OF THE MIDDLE EAR

PRELIMINARY OBSERVATIONS ON SOME Aspergillus Species in Relation to Their Rôle as Pathogens of Aural Cavities . .

CLINICAL RECORDS-

SUDDEN DEAFNESS

SPEECH AUDIOMETRY

Myringoplasty Using a Meatal Pedicle Graft R. T. Raymond-Jones

GENERAL NOTES

London Headley Brothers

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13 https://doi.org/10.1017/50022215100060746 Published online by Cambridge University Press Monthly, 10/- net post free

A. HERRMANN

J. A. DE Vos

IVOR FREW and ROGER FINNEY

MARY P. ENGLISH

. . . A. S. DE B. Cocks

N. R. MERCHANT

ADVERTISEMENTS

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made. 2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days. 4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed. 7. Editorial communications may be addressed to THE EDITOR, Journal of

Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2. 8. The annual subscription is four guineas sterling (U.S.A. \$13) post free,

and is payable in advance.

9. Single copies will be on sale at 10s, od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England. D Journal of Laryngology and Otology, 1963

CONTENTS

HISTOCHEMICAL INVESTIGATION OF OTOSCLEROSIS WITH SPECIAL	
REGARD TO COLLAGEN DISEASE. M. Arslan and V. Ricci	
(Padua)	365
Respiration of Reissner's Membrane of the Guinea Pig.	
John T. Y. Chou	374
The Clinical Significance of Malignant Tumour Cells in the	
BLOOD. A. Herrmann (Munich)	381
Deafness in Hypothyroidism. J. A. De Vos (Bruges)	390
NEOPLASMS OF THE MIDDLE EAR. Ivor Frew and Roger Finney .	415
PRELIMINARY OBSERVATIONS ON SOME Aspergillus Species in	
Relation to Their Rôle as Pathogens of Aural	
CAVITIES. Mary P. English (Bristol)	422
Clinical Records-	
Sudden Deafness. A. S. De B. Cocks (Adelaide)	430
SPEECH AUDIOMETRY. N. R. Merchant (London)	437
Myringoplasty Using a Meatal Pedicle Graft.	
R. T. Raymond-Jones (Johannesburg)	443
General Notes	445

For Advertisement space in this Journal apply to: HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2



Fifteen hundred years ago, St. Augustine advised his readers to "hear the other side." Today, your patients with a hearing problem will welcome the same advice from you. Just mention Ingrams.

Ingrams can help your patients to "hear the other side," for they do not represent any one manufacturer and are thus able to give completely impartial advice about hearing aids.


Ingrams help your patient to choose from twenty-six different makes. This is the largest selection in the country —and some of the most modern aids are exclusive to Ingrams.

This is why you, like so many E.N.T. Specialists, can confidently advise your patients to hear the full story from Ingrams *before* they buy a hearing aid.

INGRAMS


THE INDEPENDENT HEARING AID CONSULTANTS

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1



BRENTFORD · MIDDLESEX · ENGLAND · Tel: ISLeworth 4111





ROYAL EAR HOSPITAL ULTRASONIC TRANSDUCER

(U.K. & U.S.A. patents applied for)

For the conservative surgery of Ménière's disease by the Arslan Technique.

This transducer will withstand sterilization in an autoclave.

Alternative applicators available:


2½ mm. diameter for Ménière's disease. 8 mm. diameter for irradiation of the whole pituitary in one application. GENERATOR & INTENSITY METER to complete equipment.

Made in England by

Friston Electronics Limited 25 Church Road, Richmond, Surrey

Sole Agents for U.S.A., Canada & Latin America. Scientific Research Corporation Inc.,

9-11 School Street, Annapolis, Md. U.S.A.



Please mention The Journal of Laryngology and Otology when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$15.00 per year Canada \$15.50 per year Foreign \$16.00 per year

Max A. Goldstein, M.D. Founder THEODORE E. WALSH, M.D. Editor

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.

ARCHIVES OF OTOLARYNGOLOGY

Chief Editor: GEORGE E. SHAMBAUGH, JR. 40 South Clay Street, Hinsdale, Ill.

The ARCHIVES OF OTOLARYNGOLOGY is published monthly by the American Medical Association and is an official publication of the Association.

The yearly rate of the ARCHIVES OF OTOLARYNGOLOGY is: United States, U.S. Possessions, and Canada, one year, \$8.00; two years, \$12.00; all other countries, one year, \$10.00; two years, \$16.00.

Subscription orders should be addressed to: American Medical Association, 535 North Dearborn Street, Chicago 10, Illinois.

THE MODERN WAY WITH EAR WAX

Only five drops of Cerumol are needed. In 10-30 minutes the softened or disimpacted wax can usually be removed with a probe tipped with cotton wool, or by gentle syringing. The results that have been obtained in hospitals and general practices throughout the country confirm that Cerumol is safe and reliable and is the modern way of dealing with ear wax. It avoids discomfort to the patient, inconvenience to the doctor and saves time for everyone. Indeed, in most cases patients can easily instil the drops themselves. The loosened wax then runs out of its own accord and further visits to the surgery are unnecessary.



Active constituents per 100 ml: p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P. 2.7 G., Chlorbutol B.P. 5 G., Ol. Terebinth 10 ml.

Pack for surgery use—dropper vial. Basic N.H.S. cost 2/8. Hospital Pack—2 oz. bottles. Literature will be gladly supplied on request.

LABORATORIES FOR APPLIED BIOLOGY LTD. 91 AMHURST PARK, LONDON, N.I6. Telephone: STAmford 2252/3



'PETERS' NEW CLINIC AUDIOMETER FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES :

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to 1 db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd. 152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS Ltd. VICTORIA WORKS, GELL STREET, SHEFFIELD 3

Please mention The Journal of Laryngology and Otology when replying to advertisements

ONLY **AMPLIVOX** provides a complete audiometric service!



Clinical Audiometers with narrow band masking for the highest accuracy and extended resolution.


Audiometer Booths

for ideal testing conditions in Hospitals, Clinics, Factories. Standard and special sizes available.

via records and tape, including new attachment for use with tape recorders.

Speech Audiometry Equipment

for the school screening service, ward use, etc.



'Diconal' Tablets for relief of intractable pain

Diconal' Tablets provide analgesia comparable with that produced by morphine. They are therefore of great value in carcinoma. Because the tablets are given by mouth and not by injection, the patient can be kept oblivious of the fact that his condition calls for so potent an analgesic.

Diconal' Tablets contain dipipanone and cyclizine. Dipipanone relieves severe pain; cyclizine appreciably reduces the incidence of nausea and vomiting, even in patients new to this type of therapy.



'Diconal' Tablets are:

Of high value in relief of pain due to neoplastic disease, and other conditions where narcotic drugs would be employed.



A balanced formulation which permits flexibility in dosage, according to the needs of each patient.



Often effective in morphine- and pethidine-resistant cases.

'Diconal' Tablets are subject to the D.D.A.



Each tablet contains dipipanone hydrochloride, B.P.C. 10 mgm., and cyclizine hydrochloride, B.P.C. 30 mgm. Coloured red and scored for easy division.

