

“PANMEDE”

the preferred basal medium for
the *in-vitro* cultivation of
* **parasitic protozoa** and other
fastidious micro-organisms

* Diamond's *Entamoeba histolytica* medium for axenic
mass cultivation and diagnostic antigen preparation.
J. Parasit. 54: 1047 (1968)
Am. J. Trop. Med. and Hyg. 18: 1 (1968)
Exp. Parasitol. 30: 132 (1971)

* McConnachie's axenic *Entamoeba invadens* medium.
Nature (Lond.) 194: 603 (1962).

Feinberg/Whittington mass cultivation *Trichomonas*
vaginalis medium J. Clin.Path. 10: 327 (1957)

Descriptive literature, representative formulae and price list from:
PAINES & BYRNE LIMITED, GREENFORD, MIDDLESEX, ENGLAND.

The Biology of Trematodes

DAVID E. ERASMUS

Trematodes are an important group of parasites and the aim of this text is to introduce the final Honours and first year postgraduate students already familiar with the basic characteristics of the group to recent discoveries and ideas developed through the use of modern techniques.

£7.50 net

The Behaviour of Nematodes

their activity, senses and responses

NEIL A. CROLL

In writing this book an attempt has been made to review existing knowledge for the convenience of students and researchers and to provide a background to indicate the relevance of further observations.

£2.25 net

The Membranes of Animal Cells

A. P. M. LOCKWOOD

'...an attractive book... shows a simplicity which must be the fruit of careful composition. It covers a wide field without confusion and ought to kindle interest in its readers.' *Quarterly Journal of Experimental Physiology*

Cloth £1.20 net

Paper 60p net

The Analysis of Biological Populations

MARK WILLIAMSON

The study of population biology is important to all those concerned with ecology, genetics and evolution and in this volume the author describes the ways of analysing populations and the basic theory that underlies these procedures.

Cloth £4 net

Paper £2 net

Edward Arnold

25 Hill Street, London W1X 8LL

(ii)

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to Dr H. D. Crofton, Department of Zoology, University of Bristol, Woodland Road, Bristol BS8 1UG.

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side of quarto paper leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the author's names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should where necessary be on separate sheets (see below).

SYMBOLS, SIGNS AND ABBREVIATIONS used should be those listed in the booklet *Symbols, Signs and Abbreviations recommended for British Scientific Publications* (The Royal Society, 1969).

PLATES should only be included where they are absolutely essential. Authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping). The area of a group cannot exceed 20 by 12.5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 20 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper or tracing paper; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Lettering should be limited to features essential to the understanding of the drawing or photograph, and abbreviations should be avoided wherever possible so that the details can be readily understood without reference to an explanatory key. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with graduations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification should be given along-

side the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs, avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the *International Rules of Nomenclature* in the names of organisms. When new names are introduced the recommendations of the *International Code of Zoological Nomenclature*, 1964, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal *in full*; volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter *a* being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W.1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Twenty-five offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of papers for Publication in the *Journal of Hygiene* and in *Parasitology*, *Parasitology* 32, 1-62 and *J. Hyg., Camb.* 40, 1-62. (Now out of print and also out of date in some respects.)

The Journal of Physiology (1966). Suggestions to Authors 182, 1-33, Cambridge University Press. THE ROYAL SOCIETY published a second edition of *General Notes on the Preparation of Scientific Papers* in 1965. (The Royal Society, 6 Carlton House Terrace, London S.W.1.)

PARASITOLOGY

Volume 64, Part 2, April 1972

CONTENTS

	PAGE
SMITH, K. and HARNESS, E. The ultrastructure of the adult stage of <i>Trichostrongylus colubriformis</i> and <i>Haemonchus placei</i> . (With 6 Plates)	173
ALPHEY, T. J. W. An <i>in vitro</i> study of the effect of oxygen tension upon the motility of <i>Nippostrongylus brasiliensis</i> . (With 1 Plate and 1 Figure in the Text)	181
STRANACK, F. R. The fine structure of the acanthor shell of <i>Pomphorhynchus laevis</i> (Acanthocephala). (With 4 Plates)	187
WILSON, R. J. M. and VOLLER, A. A comparison of malarial antigens from human and <i>Aotus</i> monkey blood infected with <i>Plasmodium falciparum</i> . (With 2 plates)	191
MAPES, C. J. and COOP, R. L. The development of single infections of <i>Nematodirus battus</i> in lambs. (With 13 Figures in the Text)	197
KELLER, R. and OGILVIE, BRIDGET M. The effects of drugs on worm expulsion in the <i>Nippostrongylus brasiliensis</i> infected rat: a discussion of the interpretation of drug action. (With 1 Figure in the Text).	217
CONNAN, R. M. The effect of host lactation on a second infection of <i>Nippostrongylus brasiliensis</i> in rats	229
SCHMIDT, G. D. and KUNTZ, R. E. Nematode parasites of Oceanica. XVI. <i>Cordonema venusta</i> gen. et. sp.nov., and <i>Skrjabinoclava</i> spp. (Acuariidae: Echinuriinae), from birds. (With 17 Figures in the Text).	235
HOCKLEY, D. J. <i>Schistosoma mansoni</i> : the development of the cercarial tegument. (With 3 Plates)	245
NARANG, H. K. The excretory system of nematodes: structure and ultrastructure of the excretory system of <i>Panagrellus redivivus</i> , <i>Ditylenchus myceliophagus</i> with some observations on <i>D. dipsaci</i> and <i>Heterodera rostochiensis</i> . (With 7 Plates and 3 Figures in the Text)	253
SCHMIDT, G. D. and KUNTZ, R. E. Nematode parasites of Oceanica. XVII. Schistorophidae, Spiruridae, Physalopteridae and Trichostrongylidae of birds. (With 20 Figures in the Text)	269
ROLL, N. A. and AL-HADITHI, I. Sensory basis of activity in <i>Ancylostoma tubaeforme</i> infective larvae. (With 11 Figures in the Text).	279
GALLIE, G. J. Development of the parasitic stages of <i>Nematodirus battus</i> in the laboratory rabbit. (With 6 Figures in the Text)	293
GIMENEZ, A. and ROCHE, M. Influence of male and female <i>Nippostrongylus brasiliensis</i> on each others' distribution in the intestine of the rat. (With 4 Figures in the Text)	305
MOSS, G. D. The effect of cortisone acetate treatment on the growth of <i>Hymenolepis microstoma</i> in mice. (With 8 Figures in the Text)	311
WILLIAMS, R. T. The distribution and abundance of the ectoparasites of the wild rabbit, <i>Oryctolagus cuniculus</i> (L.), in New South Wales, Australia. (With 1 Figure in the Text)	321
SPRENT, J. F. A. <i>Cotylascaris thylacini</i> : a synonym of <i>Ascaridia columbae</i>	331
GILBERT, B., DA ROSA, MARLENE N., BOROJEVIĆ, R. and PELLEGRINO, J. <i>Schistosoma mansoni</i> : <i>in vitro</i> transformation of cercariae into schistosomula	333
LIU, T. P. and DAVIES, D. M. Organization of frozen-etched <i>Thelohania bracteata</i> (Strickland, 1913) (Microsporida, Nosematidae) emphasizing the fine structure of the posterior vacuole. (With 3 Plates)	341
PROBERT, A. J., GOIL, M. and SHARMA, R. K. Biochemical and histochemical studies on the non-specific phosphomonoesterases of <i>Fasciola gigantica</i> Cobbold 1855. (With 2 Figures in the Text)	347

© Cambridge University Press, 1972

Printed in Great Britain at the University Printing House, Cambridge