Announcement

Psychological Medicine to increase publication in 2014

Psychological Medicine will publish four additional issues in 2014. This will increase publication from 12 to 16 issues for the year.

The additional issues will appear in January, April, July and October.

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In Olfaction and the Brain (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL Expanding the domain of the understandable in psychiatric		Intelligence and psychopathy: a correlation study on insane female offenders	
illness: an updating of the Jasperian framework of explanation and understanding		Spironelli C, Segrè D, Stegagno L & Angrilli A	111
Kendler KS & Campbell J REVIEW ARTICLES	1	Change in cannabis use, clinical symptoms and social functioning among patients with first-episode psychosis: a 5-year follow-up study of patients in the OPUS trial	
Systematic review and collaborative recalculation of 133693 incident cases of schizophrenia		Clausen L, Hjorthøj CR, Thorup A, Jeppesen P, Petersen L, Bertelsen M & Nordentoft M	117
van der Werf M, Hanssen M, Köhler S, Verkaaik M, Verhey FR, RISE Investigators, van Winkel R, van Os J & Allardyce J	9	Changes in prevalence of depression and anxiety following smoking cessation: results from an international cohort study	
Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention		(ATTEMPT) Shahab L, Andrew S & West R	127
Fusar-Poli P, Yung AR, McGorry P & van Os J	17	Towards the characterization and validation of alcohol use	
ORIGINAL ARTICLES		disorder subtypes: integrating consumption and symptom data	
The 5% difference: early sensory processing predicts sarcasm perception in schizophrenia and schizo-affective disorder		Jackson KM, Bucholz KK, Wood PK, Steinley D, Grant JD & Sher KJ	143
Kantrowitz JT, Hoptman MJ, Leitman DI, Silipo G & Javitt DC	25	Transdiagnostic and disorder-specific models of	
Trajectories of symptom dimensions in short-term response to antipsychotic treatment in patients with a first episode of		intergenerational transmission of internalizing pathology Starr LR, Conway CC, Hammen CL & Brennan PA	161
non-affective psychosis Pelayo-Terán JM, Diaz FJ, Pérez-Inglesias R, Suárez-Pinilla P, Tabarés-Seisdedos R, de León J & Crespo-Facorro B	37	Trends in suicidal ideation in England: the National Psychiatric Morbidity Surveys of 2000 and 2007 Spiers N, Bebbington PE, Dennis MS, Brugha TS, McManus S,	
Latent structure of psychosis in the general population:		Jenkins R & Meltzer H	175
results from the Singapore Mental Health Study Subramaniam M, Abdin E, Vaingankar JA, Verma S & Chong SA	51	Age of onset in obsessive-compulsive disorder: admixture analysis with a large sample Anholt GE, Aderka IM, van Balkom AJLM, Smit JH, Schruers K, van der Wee NJA, Eikelenboom M, De Luca V & van Oppen P	185
Under-reporting of drug use among individuals with schizophrenia: prevalence and predictors			100
Bahorik AL, Newhill CE, Queen CC & Eack SM	61	Using structural neuroanatomy to identify trauma survivors with and without post-traumatic stress disorder at the individual level	
Offspring psychopathology following preconception, prenatal and postnatal maternal bereavement stress		Gong Q, Li L, Tognin S, Wu Q, Pettersson-Yeo W, Lui S, Huang X, Marquand AF & Mechelli A	195
Class QA, Abel KM, Khashan AS, Rickert ME, Dalman C, Larsson H, Hultman CM, Långström N, Lichtenstein P & D'Onofrio BM	71	Trajectories of PTSD risk and resilience in World Trade Center responders: an 8-year prospective cohort study	
Altered cingulate and amygdala response towards threat and safe cues in attention deficit hyperactivity disorder Maier SJ, Szalkowski A, Kamphausen S, Feige B, Perlov E, Kalisch R, Jacob GA, Philipsen A, Tüscher O & Tebartz van Elst L	85	Pietrzak RH, Feder A, Singh R, Schechter CB, Bromet EJ, Katz CL, Reissman DB, Ozbay F, Sharma V, Crane M, Harrison D, Herbert R, Levin SM, Luft BJ, Moline JM, Stellman JM, Udasin IG, Landrigan PJ & Southwick SM	205
· ·	00	Acknowledgement to assessors	220
Neural responses to fearful eyes in children with conduct problems and varying levels of callous–unemotional traits Sebastian CL, McCrory EJ, Dadds MR, Cecil CAM, Lockwood PL,		Announcement	224
Hyde ZH, De Brito SA & Viding E	99	Erratum	173



