MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

of the Cambridge Philosophical Society

VOLUME 147





Published by the Press Syndicate of the University of Cambridge The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS The Edinburgh Building, Cambridge CB2 8RU, United Kingdom 32 Avenue of the Americas, New York, NY 10013–2473, USA 477 Williamstown Road, Port Melbourne, VIC 3207, Australia Ruiz de Alarcón 13, 28014 Madrid, Spain Dock House, The Waterfront, Cape Town 8001, South Africa

© Cambridge Philosophical Society 2009

Printed in the United Kingdom by the University Press, Cambridge

INDEX FOR VOLUME 147

	PAGE
Adamczewski, B. & Rivoal, T. Irrationality measures for some automatic real numbers	659
Annaby, M. H. & Mansour, Z. S. On the zeros of the second and third Jackson <i>q</i> -Bessel functions and their associated <i>q</i> -Hankel transforms	47
Beck, T., Brunotte, H., Scheicher, K. & Thuswaldner, J. M. Number systems and tilings over Laurent series	9
Bérczes, A., Győry, K., Evertse, JH. & Pontreau, C. Effective results for points on certain sub- varieties of tori	69
Berndt, B. C. & Xu, P. An Integral Analogue of Theta Functions and Gauss Sums in Ramanujan's Lost Notebook	257
Brändén, P. & Wagner, D. G. A converse to the Grace–Walsh–Szegő theorem	447
Buono, P–L., Helmer, M. & Lamb, J. S. W. On the zero set of G-equivariant maps	735
Cisinski, D.–C. Locally constant functors	593
Coquand, T. & Spitters, B. Constructive Gelfand duality for C*-algebras	339
Coulbois, T., Hilion, A. & Lustig, M. R-trees, dual laminations and compact systems of partial isometries	345
Gao, S., Jackson, S. & Seward, B. A coloring property for countable groups	579
Garner, R. A homotopy-theoretic universal property of Leinster's operad for weak ω -categories	615
Goedecke, J. & Van der Linden, T. On satellites in semi-abelian categories: Homology without projectives	629
Gruber, H. On knot polynomials of annular surfaces and their boundary links	173
Gudmundsson, S. & Svensson, M. Harmonic morphisms from solvable Lie groups	389
Harper, A. J. Two new proofs of the Erdös–Kac Theorem, with bound on the rate of convergence,	507
by Stein's method for distributional approximations .	95
Houston, K. Homotopy type of disentanglements of multi-germs	505
Ikegami, K. & Saeki, O. Cobordism of Morse maps and its application to map germs	235
Kamienny, S. Some remarks on a theorem of Parent and generalizing Ogg's conjecture	285
Keller, T. M. Lower bounds for the number of conjugacy classes of finite groups	567
Kesseböhmer, M. & Stratmann, B. O. Hölder-differentiability of Gibbs distribution functions	489
Knapp, M. P. On systems of diagonal forms II	31
Kucerovsky, D. Z. & Ng, P. W. Completely positive maps into corona algebras	323
LeBrun, C. Einstein metrics, complex surfaces, and symplectic 4-manifolds	1
Li, B. & Yao, G. On characterizations of sphere-preserving maps	439
Lodovici, S. D. B. & Manfio, F. Isometric immersions into a homogeneous Lorentzian Heisenberg group and rigidity	185
Maier, H. & Tenenbaum, G. On the normal concentration of divisors, 2	513
Martins, R. & Nuño-Ballesteros, J. J. Finitely determined singularities of ruled surfaces in \mathbb{R}^3	701
Matomäki, K. The distribution of αp modulo one	267
Mauldin, R. D., Szarek, T. & Urbański, M. Graph directed Markov systems on Hilbert spaces	455
Papadopoulos, A. & Troyanov, M. Weak Finsler structures and the Funk weak metric	419
Platis, I. D. The geometry of complex hyperbolic packs	205
Răsdeaconu, R. & Şuvaina, I. Smooth structures and Einstein metrics on \mathbb{CP}^2 #5, 6, $7\mathbb{CP}^2$.	409
Sato, M. The abelianization of a symmetric mapping class group	369
Schechter, M. Linking sandwich pairs	679
Teh, JH. Motivic integration and projective bundle theorem in morphic cohomology	295
Tolstykh, V. Infinitely generated free nilpotent groups: completeness of the automorphism groups	541
Walker, G. & Wood, R. M. W. Flag modules and the hit problem for the Steenrod algebra	143
Wall, C. T. C. Geometry of projection-generic space curves	115

INSTRUCTIONS TO AUTHORS

1. Preparation of Manuscripts

Two clear paper copies should be sent. Alternatively, a paper may also be submitted electronically to <u>mpeditor@hermes.cam.ac.uk</u> in pdf form together with the TeX file as attachment to an e-mail, i.e. not in the body of the e-mail. Authors are strongly encouraged to prepare their manuscripts in LaTeX 2e using the PSP class file. The class file. together with a guide, PSP2egui.tex, and sample pages, PSP2esam.tex, can be downloaded from ftp://ftp.cambridge. org/pub/texarchive/journals/latex/psp-cls in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

Papers produced in the recommended way can be printed directly from author-prepared electronic files: this substantially reduces errors at the printers. While the use of the PSP class file is preferred, other LaTeX or plain TeX files are also acceptable. In case standard electronic preparation is impossible papers may be typed, double-spaced, on one side of white paper (of which A4, 210 by 297mm is a suitable size). The pages must be numbered. Margins of 30mm should be left at the side and bottom of each page.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas, Some applications of a theorem of G. H. Hardy would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance n sub k is common usage, but avoid if possible using $c \operatorname{sub} n \operatorname{sub} k$. Fractions are generally best expressed by a solidus. Complicated exponentials like:

$$\exp\{z^2\sin\theta/(1+y^2)\}$$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as $o, O, o, O, 0; x, \vec{X}, \times; \phi, \Phi, \emptyset; l, 1; \epsilon, \vec{k}, \kappa, \vec{k}.$

Footnotes should be avoided.

Please use typewriter font for all addresses and email addresses.

Omit \Box from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (eg. (i) the absolute value . .)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

Figure 1 here

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. A basis for .

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

Heading for tables should be shown in the following way: Table

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in Mathematical Reviews. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. Ann of Math. (2) 72 (1960), 20-104.

[2] M. P. FOURAM and D. S. SCOTT. Sheaves and logic. In Applications of Sheaves Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.

[3] P. T. JOHNSTOFE. Stone Spaces. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).

[4] F. W. LAWVERE. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

6. Submission of papers accepted for publication

When a paper has been accepted for publication a hard copy of the final version, accompanied by the TeX file on a PC or Macintosh disk, should be sent to the Editor.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, nongovernmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information. https://doi.org/10.1017/S0305004109990314 Published online by Cambridge University Press

MATHEMATICAL PROCEEDINGS

of the

Cambridge Philosophical Society

VOLUME 147 PART 3, pages 513-763, November 2009

CONTENTS

MAIER, H. & TENENBAUM, G. On the normal concentration of divisors, 2	513
TOLSTYKH, V. Infinitely generated free nilpotent groups: completeness of the automorphism groups.	541
KELLER, T. M. Lower bounds for the number of conjugacy classes of finite	
groups	567
GAO, S., JACKSON, S. & SEWARD, B. A coloring property for countable groups	579
CISINSKI, DC. Locally constant functors	593
GARNER, R. A homotopy-theoretic universal property of Leinster's operad for weak <i>w</i> -categories.	615
GOEDECKE, J. & VAN DER LINDEN, T. On satellites in semi-abelian categories:	
Homology without projectives	629
ADAMCZEWSKI, B. & RIVOAL, T. Irrationality measures for some automatic real	650
numbers	659
SCHECHTER, M. Linking sandwich pairs	679
MARTINS, R. & NUÑO-BALLESTEROS, J. J. Finitely determined singularities of ruled	701
$\operatorname{surfaces} \operatorname{in} \mathbb{R}^3$	701
BUONO, P–L., HELMER, M. & LAMB, J. S. W. On the zero set of G-equivariant maps .	735
Proceedings of the meetings held during the session 2008–2009	757

© The Cambridge Philosophical Society 2009

Cambridge Journals Online For further information about this journal please go to the journal website at: journals.cambridge.org/psp



Mixed Sources Product group from well-managed forests and other controlled sources www.fsc.org Cert no. SA-COC-1527 © 1996 Forest Stewardship Council

