


#### Institute of Continuing Education

## Cambridge Neuropsychopharmacology Programme

23–25 June 2011, Madingley Hall, Cambridge



In June 2011, the University of Cambridge Institute of Continuing Education (ICE) will host an extraordinary event. For three days, some of the world's finest psychiatrists, both practitioners and academics, will give their time to speak on the most recent advances in the field of neuropsychopharmacology.

Held at historic Madingley Hall, this residential programme is led by world-renowned clinician and author **Dr Stephen Stahl** (*Essential Psychopharmacology*) and **Professor Peter B Jones**, Head of Psychiatry at the University of Cambridge School of Clinical Medicine.

Delegates will be invited to attend morning seminars, join discussion groups each afternoon and participate fully with speakers and colleagues.

The three-day residential course costs £1,850, to include room and board at Madingley Hall; book before 1 January 2011 for a £200 discount on the full price. Online booking is available at **www.ice.cam.ac.uk/cnp**.

#### Speakers include Dr Stephen M Stahl, Professor Peter Jones, Professor Barbara J Sahakian, Professor Trevor Robbins, Professor Ed Bullmore and Professor Phillip Cowen.

Topics covered at the course will include the major disease states and their neurobiology across the spectrum of mental illness and the mechanisms of action of the psychopharmacologic agents used to treat these conditions. Throughout the course, the application of these concepts and clinical skills will be illustrated with reference to a wide range of descriptive case studies. Full details can be found on **www.ice.cam.ac.uk/cnp**.

#### www.ice.cam.ac.uk/cnp

NEI NEUROSCIENCE EDUCATION INSTITUTE UNIVERSITY OF
CAMBRIDGE
Department of Psychiatry



#### INSTRUCTIONS FOR CONTRIBUTORS

**PAPERS** Papers for publication from Europe and Australasia, except those on genetic topics, should be addressed to the UK Editor, Professor Robin M Murray, Psychological Medicine Editorial Office, Cambridge University Press, University Printing House, Cambridge CB2 8BS, UK. Email: Ismith@cambridge.org. Papers from the Americas, Asia, Africa and the Middle East, and all papers dealing with genetic topics, irrespective of country, should be sent to the US Editor, Professor Kenneth S Kendler, MCV, PO Box 980126, Richmond, VA, 23298-0126, USA (Street address: Virginia Biotechnology Center One, Room 1-123, 800E Leigh Street, Richmond, VA, 23219, USA), Email: bherrmann@vcu.edu.

Submissions by email attachments are preferred. Alternatively contributors who wish may send one hard copy of the text, tables and figures, plus an identical copy on computer disk, giving details of format used (e.g. MS Word etc.). Authors should also accompany their submission with a list of 5 or more suggested suitable referees to aid the peer review process.

A covering letter signed by all authors should confirm agreement to submission. The letter should also give full mailing, fax and email contact details of the author who will handle correspondence. Submission of a paper will be held to imply that it contains original work that has not been previously published and that it is not being submitted for publication elsewhere. This should be confirmed in the letter of submission. When an article has been accepted for publication, the authors should email their final version or send a copy on computer disk (indicating format used, e.g. Mac/PC, MS Word/Word Perfect, etc.) together with one hard copy of the typescript and good quality copies of all tables, figures, etc. However, the publisher reserves the right to typeset the material by conventional means if an author's disk proves unsatisfactory.

The following information must be given on the first page (title sheet): (1) title and short title for running head (not more than 60 characters): (2) authors' names, (3) department in which the work was done, (4) word count of text excluding abstract, tables/figures and reference list. Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- If necessary, guidelines for statistical presentation may be found in: Altman DG, Gore SM, Gardner MJ & Pocock SJ (1983). Statistical guidelines for contributors to medical journals. British Medical Journal 286, 1489–1493.

**REFERENCES** (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179. Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/ Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

**FIGURES AND TABLES** Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour mode:** CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

**PROOFS AND OFFPRINTS** Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

# PSYCHOLOGICAL MEDICINE

### CONTENTS

REVIEW ARTICLE Psycho-educational interventions designed to prevent deployment-related psychological ill-health in Armed Forces personnel: a review		Linkage scan of nicotine dependence in the University of California, San Francisco (UCSF) Family Alcoholism Study Gizer IR, Ehlers CL, Vieten C, Seaton-Smith KL, Feiler HS, Lee JV, Segall SK, Gilder DA & Wilhelmsen KC	799
Mulligan K, Fear NT, Jones N, Wessely S & Greenberg N ORIGINAL ARTICLES Prospective risk factors for new-onset post-traumatic stress disorder in National Cuard Soldiers deployed to log	673	Mental and personality disorders and abstinence from alcohol: results from a National Household Survey Skogen JC, Mykletun A, Ferri CP, Bebbington P, Brugha T, Coid J, Meltzer H & Stewart R	809
disorder in National Guard Soldiers deployed to Iraq Polusny MA, Erbes CR, Murdoch M, Arbisi PA, Thuras P & Rath MB Battlefield-like stress following simulated combat and	687	Undue influence of weight and shape: is it distinct from body dissatisfaction and concern about weight and shape? Wade TD, Zhu G & Martin NG	819
suppression of attention bias to threat Wald I, Lubin G, Holoshitz Y, Muller D, Fruchter E, Pine DS, Charney DS & Bar-Haim Y Sexual abuse and psychiatric disorder in England: results	699	Memory performance in acute and weight-restored anorexia nervosa patients Nikendei C, Funiok C, Pfüller U, Zastrow A, Aschenbrenner S, Weisbrod M, Herzog W & Friedrich H-C	829
from the 2007 Adult Psychiatric Morbidity Survey Jonas S, Bebbington P, McManus S, Meltzer H, Jenkins R, Kuipers E, Cooper C, King M & Brugha T	709	Neurocognitive functioning in bulimia nervosa: the role of neuroendocrine, personality and clinical aspects Galderisi S, Bucci P, Mucci A, Bellodi L, Cassano GB,	029
The death(s) of close friends and family moderate genetic influences on symptoms of major depressive disorder in adolescents	704	Santonastaso P, Erzegovesi S, Favaro A, Mauri M, Monteleone P & Maj M Life events and borderline personality features: the influence	839
Gheyara S, Klump KL, McGue M, lacono WG & Burt SA Vital exhaustion and cardiovascular prognosis in myocardial infarction and heart failure: predictive power of different trajectories	721	of gene–environment interaction and gene–environment correlation Distel MA, Middeldorp CM, Trull TJ, Derom CA, Willemsen G & Boomsma DI	849
Smith ORF, Kupper N, Denollet J & de Jonge P Universal prevention of depression in women postnatally: cluster randomized trial evidence in primary care	731	The relationship between ADHD and key cognitive phenotypes is not mediated by shared familial effects with IQ Wood AC, Rijsdijk F, Johnson KA, Andreou P, Albrecht B,	
Brugha TS, Morrell CJ, Slade P & Walters SJ Familial factors and suicide: an adoption study in a Swedish National Cohort	739	Arias-Vasquez A, Buitelaar JK, McLoughlin G, Rommelse NNJ, Sergeant JA, Sonuga-Barke EJS, Uebel H, van der Meere JJ, Banaschewski T, Gill M, Manor I, Miranda A, Mulas F, Oades RD, Roeyers H, Rothenberger A, Steinhausen HC, Faraone SV,	
von Borczyskowski A, Lindblad F, Vinnerljung B, Reintjes R & Hjern A Young men's intimate partner violence and relationship functioning: long-term outcomes associated with suicide attempt and aggression in adolescence	749	Asherson P & Kuntsi J Including information about co-morbidity in estimates of disease burden: results from the World Health Organization	861
Kerr DCR & Capaldi DM Personal debt and suicidal ideation Meltzer H, Bebbington P, Brugha T, Jenkins R, McManus S &	759	World Mental Health Surveys Alonso J, Vilagut G, Chatterji S, Heeringa S, Schoenbaum M, Bedirhan Üstün T, Rojas-Farreras S, Angermeyer M, Bromet E, Bruffaerts R, de Girolamo G, Gureje O, Haro JM, Karam AN, Kovess V, Levinson D, Liu Z, Medina-Mora ME, Ormel J,	
Dennis MS The impact of the Val <sup>158</sup> Met catechol-O-methyltransferase genotype on neural correlates of sad facial affect processing	771	Posada-Villa J, Uda H & Kessler RC BOOK REVIEWS	873
in patients with bipolar disorder and their relatives Lelli-Chiesa G, Kempton MJ, Jogia J, Tatarelli R, Girardi P, Powell J, Collier DA & Frangou S	779	<i>Neuroscience and Philosophy: Brain, Mind, and Language</i> Pillion TJ & Gala G	887
Neural correlates of trait anxiety in fear extinction Sehlmeyer C, Dannlowski U, Schöning S, Kugel H, Pyka M, Pfleiderer B, Zwitserlood P, Schiffbauer H, Heindel W,	700	Secondary Schizophrenia, 2nd edition Fanous AH	888 890
Arolt V & Konrad C	789	Correspondence	090

Cambridge Journals Online For further information about this journa please go to the journal web site at: journals.cambridge.org/psm



Mixed Sources Product group from well-managed forests and other controlled source www.fsc.org Cert no. SA-COC-152 © 1996 Forest Stewardship Council

