

cuments. Their mechanisms are machined to within one millionth of an inch. Therefore, if even the most minute particles get into the hydraulic control system, a failure could occur when the missile is fired. Consequently, microfiltration of the hydraulic fluid is essential and, as a check on its efficiency, increasing use is now being made of Oxoid Membrane Filters

These filters, made of Cellulose Acetate, have a pore size of 0.5 to 1.0 micron and will permit rapid filtration of fluids and gases.

Oxoid Membrane Filters were primarily developed for the bacteriologist and are widely used for the bacteriological examination of fluids and in sterility testing. A range of special Oxoid culture media for the membrane filtration technique will shortly be available.

FOR PROGRESSIVE LABORATORIES



MEMBRANE FILTERS

For information about OXOID Membrane Filters and the new OXOID range of membrane filtration media in tablet form, write to: The Oxoid Division of Oxo Limited, Thames House, Queen Street Place. London, E.C.4. (Central 9781)

Hygiene, 58, 2

(i)

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Vol. 22, No. 3

June 1960

- Perret, C. J. A new kinetic model of a growing bacterial population.
- GREER, S. B. Studies on ultraviolet irradiation of Escherichia coli containing 5-bromouracil in its DNA.

 DOETSCH, R. N. and WILLIAMS, P. P. Microbial dissimilation of Galactomannan.
- Marshall, J. H. The production of anaerobic conditions with chromous salts.
- CHATTAWAY, F. W., THOMPSON, C. C. and BARLOW, A. J. E. Carbohydrate metabolism in *Microsporum*
- CALLAO, V. and Montoya, E. The use of dyes to distinguish between species of the genus *Azotobacter*. GRIGG, G. W. The control of conidial differentiation
- in Neurospora crassa.

 GRIGG, G. W. Temperature sensitive genes affecting conidiation in Neurospora.
- conidiation in Neurospora.

 Bergersen, F. J. Incorporation of ¹⁵N₂ into various fractions of soybean root nodules.

 Buxton, E. W. Effects of pea root exudate on the antagonism of some Rhizosphere micro-organisms towards Fusarium cxysporum F. pisi.

 Gottschalk, A. and Fazekas de St Groth, S. On the relationship between the indicator profile and pros-

- thetic group of mucoproteins inhibitory for influenza virus Haemagglutinin.
- EDWARDS, D. C. The growth and toxin production of Corynebacterium diphtheriae in submerged culture.
- EDWARDS, D. C. and SEAMER, P. A. The uptake of iron by Corynebacterium diphtheriae growing in submerged culture.
- WRIGHT, D. E. The metabolism of carbon dioxide by Streptococcus bovis.
- ROSENBERGER, R. F. and ELSDEN, S. R. The yields of Streptococcus faecalis grown in continuous culture.
- DAVIS, G. H. G. The interpretation of certain morphological appearances in a species of *Streptomyces*.
- Norris, J. R. and Watson, D. H. An electron microscope study of sporulation and protein crystal formation in *Bacillus cereus* var. *alesti*.
- HARRIS, K. and BRADLEY, D. E. A taxonomic study of Mallomonas.
- SISTROM, W. R. A requirement for sodium in the growth of *Rhodopseudomonas spheroides*.
- Wiesundera, S., Cross, M. J. and Woods, D. D. Vitamin Be and glycine in the synthesis of methionine by suspensions of *Escherichia coli*.

The subscription rate is 90s. net per volume of 3 parts. Single parts 35s. each, plus postage. Two volumes will be issued each year. Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. I

The Quarterly Journal of Medicine

Edited by D. H. BRINTON, W. D. W. BROOKS, A. M. COOKE, D. M. DUNLOP, R. B. HUNTER, H. L. MARRIOTT, M. L. ROSENHEIM

CONTENTS

NEW SERIES. Vol. XXIX. No. 113. JANUARY 1960

Primary Iron-Deficiency Anaemia in Young Men. By W. BRUMFITT.

The Marfan Syndrome. By R. J. G. Sinclair, A. H. Kitchin and R. W. D. Turner. With Plates 1 to 7.

Hodgkin's Disease With and Without Alcohol-Induced Pain. By A. H. JAMES. With Plate 8.

The Surgical Treatment of Internal Carotid Artery Occlusion. By C. H. EDWARDS, N. S. GORDON and C. ROB. With Plate 9.

The Rate of Calcium Turnover in Bone. By R. Fraser, M. Harrison and K. Ibbertson.

Ocular Changes in Graves' Disease. By I. B. HALES and F. F. RUNDLE.

Gout, Familial Hyperuricaemia, and Renal Disease. By H. Duncan and A. St J. Dixon. With Plate 10.

Amyloid Disease of the Kidney and Renal Vein Thrombosis. By G. P. T. BARCLAY, H. MACD. CAMERON and LAVINIA W. LOUGHRIDGE. With Plates 11 to 13.

> Single Numbers 20s. net each Subscription 60s. per annum

OXFORD UNIVERSITY PRESS, LONDON E.C. 4

CONTENTS

(All rights reserved)

	PAGE
Bentley, E. W. and Greaves, J. H. Some properties of fluoracetamide as a rodenticide	125
Postlethwaite, R. and Maitland, H. B. The eclipse phase of vaccinia virus growing in chick embryo cell monolayers and some technical procedures which affect its	133
demonstration	100
Chadwick, P. and Slade, J. H. R. Identification of bacteria by specific antibody conjugated with fluorescein isothiocyanate. (With Plate 1)	147
McQuade, A. B. and Sutherland, W. J. A. Animproved device for sampling bacterial populations on blankets. (With Plates 1 and 2)	157
Hurst, A., Stuttard, L. W. and Woodroffe, R. C. S. Disinfectants for use in barsoaps.	159
DAVIES, D. G. The influence of temperature and humidity on spore formation and germination in <i>Bacillus anthracis</i>	177
HUYGELEN, C. Antirabic immunity in guinea-pigs induced by high egg passage Flury virus. The influence of the route of administration on the resistance to cerebral and extraneural challenge	187
SLOAN, R. S., WILSON, H. D. and WRIGHT, HELEN A. The detection of a carrier of multiple phage-types of Salmonella paratyphi B.	193
Bernstein, A. Laboratory investigations of a carrier of multiple phage types of Salmonella paratyphi B	201
ROBERTSON, MURIEL. The antigens of <i>Trichomonas foetus</i> isolated from cows and pigs (With Plate 1)	207
GRAY, D. F., GRAHAM-SMITH, HEATHER and NOBLE, J. L. Variations in natural resistance to tuberculosis	215
Datta, Naomi and Pridie, R. B. An outbreak of infection with Salmonella typhimurium in a general hospital	229
DAVIES, M. ELIZABETH. Observations on leptospiral antibodies occurring in pig sera	243
PIERCE, A. E. and Johnson, P. Ultracentrifuge and electrophoretic studies on the proteinuria of the new-born calf. (With Plates 1 and 2)	247

The Journal of Hygiene is issued in four parts to a volume.

Quotations can be given for back volumes on application.

Papers for publication should be sent to Lt.-Col. H. J. Bensted, c/o Lister Institute of Preventive Medicine, Chelsea Bridge Road, London, S.W. 1. Other communications should be addressed to the University Press, Cambridge.

Papers forwarded to the Editor for publication are understood to be offered to *The Journal of Hygiene* alone, unless the contrary is stated.

Contributors receive fifty copies of their paper free. Additional copies may be had at cost price: these should be ordered when the final proof is returned.

The subscription price is £4. 10s. per volume (post-free), payable in advance; single numbers 30s. net. Subscriptions may be sent to any Bookseller, or to The Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1.

The subscription price in the U.S.A., is \$17.50. Single parts \$5.00. Enquiries should be addressed to the American Branch of the Press at 32 East 57th Street, New York, 22.

 $Printed\ in\ Great\ Britain\ at\ the\ University\ Press,\ Cambridge\ (Brooke\ Crutchley,\ University\ Printer)$