The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

AUDITORY ADAPTATION CLINICAL EVALUATION .

TAUNO PALVA and ANTTI PALVA

PATHOLOGY OF THE EAR IN THE CARDIOAUDITORY SYNDROME OF JERVELL AND LANGE-NIELSEN (RECESSIVE DEAFNESS WITH ELECTROCARDIOGRAPHIC ABNORMALITIES)

I. FRIEDMANN, G. R. FRASER and P. FROGGATT

HUMAN STAPES AND ITS VARIATIONS. H. FOOTPLATE :

RAMJI DASS,

B. S. GREWAL and S. P. THAPAR

BEHCET'S DISEASE

A. YASSIN and

ISRANDER H. GIRGIS INTRATURBINATE USE OF STEROIDS IN NASAL ALLERGY

A. G. D. MARAN B. S. GILL

MICHAEL M. PAPARELLA and WERNER D. CHASIN

CLINICAL RECORDS-

BICKERSTAFF'S ENCEPHALITIS . UNUSUAL FEATURES OF SCLEROMA

THE CAUSES OF DEAFNESS IN CHILDHOOD

OTOSCLEROSIS AND VERTIGO .

THE MANAGEMENT OF NASOPHARYNGEAL CHOR-DOMA BY REPEATED IRRADIATION

HISTIOCYTOSIS OF THE TEMPORAL BONE BLINDNESS DUE TO OTITIC HYDROCEPHALUS

AN EXTENSIVE DENTIGEROUS CYST WITH ANTRO-CUTANEOUS FISTULA A Case of Muco-Procele of the Maxillary ANTRUM SIMULATING MALIGNANT NEOPLASM

A. G. D. MARAN A. YASSIN and F. SAFWAT

T. M. Boyle and H. G. FRANK N. K. APTE

KENNETH G. MALCOMSON

P. N. AGARWAL

S. K. DE

GENERAL NOTES

London

Headley Brothers

100 Kingsway WC2

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- . Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two teprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
- 7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.
- 8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.
- 9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.
- 10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

@ Journal of Laryngology and Otology, 1966

CONTENTS

	PAGE
Auditory Adaptation Clinical Evaluation. Tauno Palva and Antti Palva (Oulu, Finland)	
Pathology of the Ear in the Cardioauditory Syndrome of Jervell and Lange-Nielsen (Recessive Deafness with Electro-cardiographic Abnormalities). I. Friedmann (London),	437
G. R. Fraser (Oxford) and P. Froggatt (Belfast)	45 ¹
B. S. Grewal and S. P. Thapar (Patiala)	47 ¹
Behçet's Disease. A. Yassin and Iskander H. Girgis (Cairo)	481
THE CAUSES OF DEAFNESS IN CHILDHOOD. A. G. D. Maran (Edinburgh). Intraturbinate Use of Steroids in Nasal Allergy. B. S. Gill	495
(Chandigarh, India)	506
Werner D. Chasin (Boston, Mass.)	511
CLINICAL RECORDS—	
Bickerstaff's Encephalitis. A. G. D. Maran (Edinburgh)	520
Unusual Features of Scleroma. A. Yassin and F. Safwat (Cairo) The Management of Nasopharyngeal Chordoma by Repeated	524
IRRADIATION. T. M. Boyle and H. G. Frank (Leeds)	533
HISTIOCYTOSIS OF THE TEMPORAL BONE. N. K. Apte (Bombay) BLINDNESS DUE TO OTITIC HYDROCEPHALUS. Kenneth G. Malcomson	536
(Bristol)	540
P. N. Agarwal (Kanpur)	544
MALIGNANT NEOPLASM. S. K. De (Glasgow)	548
GENERAL NOTES	553

For advertisement space in this journal

apply to

HEADLEY BROTHERS
LIMITED

109 Kingsway London WC2

THE PHONETIC TEST AND MEASUREMENTS IN AUDIOLOGY

by Jean-Claude Lafon, Institut d'Audiophonologie, Faculté de Medecine, Lyon

A work in two parts, the first concerned with hearing sounds and words, and the second with the phonetic test and the identification of speech. The author clarifies the difficulties involved in the measurement of hearing, especially the spoken word, and critically classifies the audiometric methods actually used.

57s 6d

240 pages 28 illustrations

published by

MACMILLAN

Little Essex Street London WC2

For the longestlasting, gentlest relief of HAY-FEVER

A combination of a long-acting yet gentle decongestant with a topically-effective antihistamine, to provide prompt and sustained relief in all seasonal and perennial nasal allergies. One application at bedtime will usually maintain clear nasal airways until the morning.


Nasal Spray or Drops: ½ fl. oz. Basic NHS price 3s.8d.

Otrivine Antistin

xylometazoline hydrochloride 0.05% antazoline sulphate 0.5%



OA/I



Triominic

for oral relief of rhinorrhoea and nasal congestion

Formula per Timed-Release Tablet Phenylpropanolamine-HCI 50 mg. Mepyramine maleate B.P. 25 mg. Pheniramine maleate 25 ma.

Formula per 4 ml. Syrup Phenylpropanolamine-HCI 12.5 mg. Mepyramine maleate B.P. 6.25 mg. 6.25 mg. Pheniramine maleate [4 ml. (1 teaspoonful) = 1 Tablet] **S**7

Triotussic

for colds complicated by cough

Formula per	
Timed-Release Tablet	
'Triominic'	25 mg.
Noscapine B.P.	20 mg.
Terpin hydrate B.P.C.	90 mg.

'Triominic' Noscapine B.P. Terpin hydrate B.P.C. Paracetamol B.P. [4 ml. (1 teaspoonful) = 1 Tablet] S7

Formula per 4 ml. Suspension

Triogesic

for relief of painful sinus and otitic congestion

Formula per Tablet	
'Triominic'	25 mg.

Paracetamol B.P.

Paracetamol B.P. 500 mg.

Formula per 5 ml. Elixir

'Triominic' Paracetamol B.P. Alcohol (95%)

125 mg. 0.5 ml.

6 mg.

25 mg. 20 mg.

90 mg.

160 mg.

S7


Literature and samples gladly sent on request

S7

M431C

A. WANDER LIMITED · 42 UPPER GROSVENOR ST · LONDON W.1

160 mg.



Please mention The Journal of Laryngology and Otology when replying to advertisements

NEW SYSTEMIC HAEMOSTATIC HAEMOSTATIC ENSURES A CLEAR FIELD FOR SURGERY




Clinical studies of DICYNENE have shown its efficacy in the prevention and treatment of haemorrhage due to the rupture of small vessels. DICYNENE exhibits low toxicity. The drug is well tolerated and there are no known contra-indications. For further details write to BAXTER LABORATORIES LTD., Thetford, Norfolk. Tel. Thetford 2081



KAMPLEX AUDIOMETRIC EQUIPMENT

AUDIOMETERS



CLINIC AUDIOMETER DA1

SCREENING PORTABLE TA16
DIAGNOSTIC PORTABLE TA15

CLINIC AUDIOMETER
DOUBLE CHANNEL


DA1 DA2

AUTOMATIC AUDIOMETER
AB1

ACOUSTIC IMPEDANCE APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE APPARATUS RA4



SOUND LEVEL METER GA6
VISIBLE SPEECH APPARATUS
AUDITORY TRAINERS

Write for full catalogue and detailed descriptions to:

ALFRED PETERS & SONS LTD 51 GELL STREET, SHEFFIELD 3







AUDITORY TRAINING UNIT

PROFESSIONAL MODEL

- ★ Robust Construction—high grade components
- ★ Portable, Battery Operated
- ★ Modern transistor circuitry
 ★ Versatile with many
- facilities

 Improved Performance
- ★ Treble and Bass Tone Controls
- ★ Loop Drive
- * Reasonably priced—£55 Ex. Works

AN R·N·I·D-TESTED AID Nº 6449

Full report available from The Royal National Institute for the Deaf-105 Gower St., London W.C.1. For further details please write to:

G. C. JOHNSON, LEYTON INSTRUMENT CO. LTD., 54 ALBERT ROAD,

CAVERSHAM, READING, BERKS.

Telephone: READING 72293

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT


Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896


THEODORE E. WALSH, M.D. EDITOR

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.



Please mention The Journal of Laryngology and Otology when replying to advertisements

BÉKÉSY ACCESSORY



For the very first time a fully automatic unit is being made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to:

ALFRED PETERS & SONS LIMITED 51 GELL STREET, SHEFFIELD 3

ONLY **AMPLIVOX**provides a complete audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




Clinical Audiometers

with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.






PLUS An efficient and speedy calibration service

please write for technical literature to meet your needs

AMPLIVOX

. HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888



Staphylococci cannot live with **Orbenin**

Cells of Staphylococcus
aureus (phage type 80), a
typical penicillinase-producing organism, are illustrated
befo'e and after exposure to
10 µg'ml. of Orbenin (cloxacillin
sodium). These photoelectron
micrographs are magnified 25,000 times.

Orbenin (cloxacillin sodium B.P.) is one of the BRL semi-synthetic 'tailor-made' penicillins, developed specifically for the treatment of resistant staphylococcal infections. It has the two important qualities of penicillin, being bactericidal and of low toxicity. It is acid-stable and so can be given in the convenient oral form as well as by intramuscular injection, giving effective serum and tissue levels by either route.

Orbenin is also indicated in the treatment of mixed Gram-positive infections, as it is active against all Gram-positive bacteria normally sensitive to penicillin.

Availability: Capsules, syrup and vials for injection.



Orbenin is a product of British research at Beecham Research Laboratories Brentford, England. Telephone: ISLeworth 4111



OPERATING CHAIR-STOOL

HYDRAULIC, FOOT OPERATED

ADJUSTABLE HEIGHT 24 to 33 in.

ADJUSTABLE BACK REST

FOOT OPERATED BRAKE

FOOT RAIL

MAXIMUM MANŒUVERABILITY

CAN BE ELEVATED AND LOCKED BY SURGEON WHILST SEATED

THIS CHAIR-STOOL IS OF
SPECIAL VALUE IN PROLONGED
OPERATIONS SUCH AS
STAPEDECTOMY AND
OPHTHALMIC SURGERY



DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada

410 Dundas Street West, Toronto, 2B, Canada

'Otosporin' for ears and ears and ears...

'Otosporin' drops rapidly destroy virtually all organisms commonly found in infections of the ear, reduce irritation, inflammation and pain.

'Otosporin' brand Drops

contain polymyxin B sulphate, neomycin sulphate and hydrocortisone. Issued in bottles of 5 ml.

