## The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

#### Contents

| THE PELYCOSAUR, THE WHALE AND THE GOLDEN MOLE   | I. A. TUMARKIN   |
|---|--|
| Observations upon the Nerve Fibre Deafness of Multiple Sclerosis, with Particular Reference to the Phenomenon of Loudness Recruitment |  |
| FACIAL PAIN IN ASSOCIATION WITH TEMPORO-MANDIBULAR JOINT DYSFUNCTION  | D. VERO  |
| CORTICAL THROMBOPHLEBITIS AND OTOGENOUS INTRA-<br>CRANIAL HYPERTENSION  |  |
| CLINICAL RECORDS—   |  |
| A Case of Glosso-Pharyngeal Neuralgia   | J. A. KERSLEY  |
| THE RETRACTED TYMPANIC MEMBRANE WITH VERTIGO  | A C A CONTRACTOR OF THE CONTRA |
| Nystagmus and Vertigo Produced by Mech-<br>anical Irritation of the Temporomandi-<br>bular Joint-Space—A Case Report .                |  |
| A SELF-RECORDING AUDIOMETER IN A HOSPITAL HEARING-AID CLINIC  |  |
| MAXILLARY SINUS XANTHOGRANULOMA   |  |
| Unusual Radiological Presentation of an Antral Polyp  |  |
| Societies' Proceedings—   |  |
| THE SOUTH-WESTERN I APPRICATORICAL ASSOCI-  | the state of the s |

ATION

London

#### Headley Brothers

109 Kingsway WC2

## The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

#### G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original physicographs.

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of fro per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of

Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

#### United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

O Journal of Laryngology and Otology, 1965

#### CONTENTS

| 1   | PAGE            |
|---|-----------------|
| The Pelycosaur, the Whale and the Golden Mole. I. A. Tumarkin (Liverpool)   | 667             |
| Observations upon the Nerve Fibre Deafness of Multiple Sclerosis, with Particular Reference to the Phenomenon of Loudness Recruitment. M. R. Dix (London) | 695             |
| Facial Pain in Association with Temporo-Mandibular Joint Dysfunction. D. Vero (Preston)   | 707             |
| CORTICAL THROMBOPHLEBITIS AND OTOGENOUS INTRACRANIAL HYPERTENSION. W. J. Newlands (Edinburgh)   | 724             |
| Clinical Records—   |                 |
| A Case of Glosso-Pharyngeal Neuralgia. J. A. Kersley (Preston)  | 734             |
| The Retracted Tympanic Membrane with Vertigo. A. C. Arulpragasam (Jaffna, Ceylon)   | 73 <sup>8</sup> |
| Nystagmus and Vertigo Produced by Mechanical Irrita-<br>tion of the Temporomandibular Joint-Space—A Case<br>Report. P. Jordan and Y. Ramon (Israel)       | ~               |
| A Self-Recording Audiometer in a Hospital Hearing-Aid Clinic. Norman W. MacKeith (Southampton)  | 744<br>749      |
| Maxillary Sinus Xanthogranuloma. S. R. K. Malik, P. K. Kakar, G. C. Sood and D. K. Gupta  |                 |
| Unusual Radiological Presentation of an Antral Polyp. Kenneth G. Malcomson (Bristol)  | 755             |
| Societies' Proceedings—   |                 |
| The South-Western Laryngological Association  | 758             |

## The Hallpike Operating Headlamp





This Operating Headlamp is based on designs and experimental constructions by Mr. C. S. Hallpike, F.R.C.S., F.R.S., of the Otological Research Unit, Medical Research Council, at the National Hospital Queen Square.

Its lightweight optical system incorporates a heat absorbing filter and projects a brilliant homogeneous circle of light which may be reduced by means of a built-in iris diaphragm.

Location of the reflector between the surgeon's eyes ensures that his visual axes lie close to the light beam, thus providing good optical penetration when working in narrow cavities. The light beam is adjustable for direction, and the carefully designed headband ensures perfect fit and comfort during long operations.

#### KEELER


21-27 MARYLEBONE LANE, LONDON, W.I

## The references speak volumes for **PENBRITIN**

| nfectio <b>ns</b> _     | Number<br>of Papers | Indications  | Infecting<br>Organisms  | Authors' Dos   | age Schemes                              | Number<br>of Patients | Results F                 | ulfy Repo | orted   |
|-------------------------|---------------------|--|---|--|--|-----------------------|---------------------------|-----------|---------|
|                         |                     |  |   | Dose<br>Range  | Duration<br>(days)                       |                       | Cured or<br>Much Improved | Improved  | Failure |
| Respiratory             | 17                  | Chronic Bronchitis<br>(Routine Dosage),                      | Mainly H influenzati<br>and prinumococci.                     | 250-500mg,<br>q.i.d.                                   | 5-20                                     | 221                   | 122                       | 74        | 25      |
|                         | 3                   | Chronic Bronchitis<br>(High Dosage).                         | Mainly H. influenzae<br>and pneumococci.                      | 1g. q.i.d.   | 7-21                                     | 44                    | 29                        |           | 15      |
|                         | 21                  | Pneumonia, Acute Bron-<br>chitis, Tonsillitis, etc.          | Various Gram-positive and Gram-negative.                      | 250mg-1g.<br>q.i.d.                                    | up to 30                                 | 451                   | 342                       | 60        | 36      |
| Urinary                 | 12                  | Acute.   | Various Gram-positive<br>and Gram-negative.                   | 1-3g. daily  | 3-42                                     | 202                   | 156                       | 13        | 3       |
|                         | 26                  | Chronic and<br>Post-operative,                               | Various Gram-positive and Gram-negative,                      | 1-6g. daily  | 5-84                                     | 453                   | 220                       | 82        | 13      |
| Gastro-<br>Intestinal   | 14                  | Typhoid (Acute).   | S. typhi.   | 250mg2g.<br>g.i.d.                                     | 3-36                                     | 81                    | 40                        | 23        | 1       |
| incomma.                | 13                  | Typhoid (Carriers).  | S. typhí,   | 250mg - 2g.  | 7-90                                     | 54                    | 32                        | 1         |         |
| 1                       | 6                   | , Paratyphoid.   | S. paratyphi B  | 500mg2g.   | 5.14                                     | 102                   | 58                        | 6         | ו       |
|                         | 3                   | Dysentery.   | Shigella: Balantidium coli.                                   | 250mg1g.<br>q.i.d.                                     | 5-1930                                   | 38                    | 37                        | 1         |         |
|                         | 22                  | Enteritis, Cholangitis & Cholecystitis, Colitis,             | Mainly Salmonella<br>and Shigella.                            | 250mg2g.<br>q.i.d.                                     | م الم الم الم الم الم الم الم الم الم ال | 251                   | 193                       | 21        | 3       |
| Skin and<br>Soft Tissue | 9                   | Abscesses and<br>Wound Infections.                           | Various Gram-positive and Gram-negative.                      | 500 g.i.d.   | 4-15 2. 2                                | 25                    | 13                        | 7         |         |
|                         | 17                  | Boils, Carbuncles,<br>Whitlows, etc.                         | Gram-positive.  | 250mg1g.   | 10 14                                    | of o                  | 191                       | 32        |         |
|                         | 5                   | Otitis Media.  | Marry Same and Ve.  | 250-900000   | up to 8                                  | \$b /₽                | 16                        |           |         |
| Vonereal<br>Disease     | 7                   | Gonorrhoea.  | N. gonorrhoea.  | 1g.<br>(single (pse)                                   | over.                                    | 684                   | 487                       |           | 5       |
|                         | 2                   | Other Bacterial<br>Urethritis.                               | Not specified.  | Mark.  | 3-8                                      | 45                    | 36                        |           |         |
| Miscell-<br>aneous      | 8                   | MenIngitis,  | Streptococci<br>Meningococci<br>H. influence and              | Dosages used wo<br>on age, organism<br>administration, |  | 75                    | 58                        | 12        |         |
|                         | 14                  | Osteomyelitis,<br>Septicaemia and<br>Bacterial Endocarditis, | other Com-negative.  various Gram-positive and Gram-negative. | 250mg1.5g.<br>q.i.d.<br>(various routes)               | up to 56                                 | 37                    | 22                        | 5         | 1       |
|                         | •                   | •  | •   | •  | •  | 3,011                 | 2.052                     | 337       | 35      |

This summary of published clinical papers well illustrates Penbritin's outstanding success rate in respiratory diseases, infections of the urinary and gastro-intestinal tracts, skin and soft tissues, venereal diseases and typhoid which may be attributed to its high activity and bactericidal action.

Over 400 publications from 29 countries endorse Penbritin (Ampicillin) as a broad-spectrum antibiotic. A full list of references is available.



Availability: capsules, paediatric tablets, syrup and vials for injection.


Usual Dosage: 250mg. to 500mg. q.i.d. In severe cases and in certain conditions the dosage should be increased.

The black and red capsule contains 250mg, ampicillin B.P.



 $\textbf{PENBRITIN}_{\text{(regd.)}} \text{ is a product of British research at}$ 

**Beecham Research Laboratories** 



# WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.


15 branch offices with while-you-wait service.

FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY AMPLIVOX

## **AMPLIVOX**

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1



## It is a Zenith solid-state circuit containing 22 components -16 resistors and 6 transistors

THIS TINY SOLID-STATE circuit contains 22 components—16 resistors and 6 transistors. Development of solid-state circuits by leading scientists, for use in American space-probes, led to the application of a solid-state circuit by Zenith, for use in hearing aids. Obvious benefits aside (smaller, lighter aids, easier to wear), the circuit can give 500% more reliability than the conventional

components which it replaces. Amplification, too, is much smoother.

The Zenith Arcadia hearing aid, with solid-state circuit, is a proven development from today's leading research laboratories for the hard of hearing. All Zenith hearing clarifiers are exclusive, in Britain, to Ingrams. When your patient has a hearing problem, you can confidently recommend a visit to us.



the firm with the different makes to choose from

INGRAMS · 2 SHEPHERD STREET · SHEPHERD MARKET · LONDON W1 · HYDE PARK 9041



Orbenin is recommended for the immediate treatment of all Hospital Staphylococcal infections

Orbenin, an oral penicillin stable to penicillinase, is bactericidal to resistant and sensitive staphylococci




Orbenin (regd.) (cloxacillin sodium) is a product of British research at

Beecham Research Laboratories



#### presents

#### FIBRE OPTIC OTOSCOPE



### DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

#### Showrooms

32 New Cavendish Street London, W.1 England

#### In Canada

410 Dundas Street West Toronto, 2B Canada

#### THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.

For advertisement space in this Journal apply to

#### HEADLEY BROTHERS LTD.

109 Kingsway London WC2

## ROENTGENOGRAPHY AND ROENTGENOLOGY OF THE MIDDLE EAR AND MASTOID PROCESS

By Lewis E. Etter, Univ. of Pittsburgh. With the collaboration of Lawrence C. Cross and Merle J. Stuart, both of Western Psychiatric Institute and Clinic. All of Pittsburgh, Pa. An atlas-type presentation with a minimum of descriptive text . . . designed for teamwork between the radiologist and his technologist. The author demonstrates how a routine acceptable X-ray examination of the temporal bone, middle ear, and mastoid process can be performed using six pairs of films, properly exposed by precision roentgenography, to show all that is needed to arrive at a diagnosis of disease in these structures. This unique atlas will challenge the radiologic technologist to arise above mere automation and understand the anatomic structures he is trying to demonstrate.

1965 89.75

DISORDERS

168 pp.  $(8\frac{1}{2} \times 11)$ 157 il.

NEUROLOGICAL ASPECTS OF AUDITORY AND VESTIBULAR

Eleventh Annual Scientific Meeting of the Houston Neurological Society. Compiled and edited by William S. Fields and Bob R. Alford, both of Baylor Univ., Houston, Texas. (With 16 Contributors.) For neurologists, otologists, audiologists, and all those engaged in aerospace medicine . . . new and provocative information and techniques for the diagnosis and treatment of the auditory and vestibular mechanisms. Each section of this volume contains new information and careful appraisal of diagnostic and therapeutic procedures. Strict criteria for diagnosis before institution of therapy are stressed. Attention is focused on both new and recently modified surgical techniques.

1964 \$12.50 400 pp. 210 il. 5
IMPORTANT
NEW
BOOKS
IN
OTOLOGY
AND
LARYNGOLOGY

#### EXTERNAL OTITIS: Diagnosis and Treatment

By Edley H. Jones, Univ. of Mississippi, Jackson, Miss. (Ret.). Heretofore unpublished clinical investigations are presented including a particularly effective study on the prevention of "swimming pool ear". Clinical findings are correlated with pathology and well illustrated with photomicrographs. Basic principles of general and local therapy which apply to all forms of external otitis are fully discussed with specific discussion of traumatic, infectious, allergic, seborrheic, and neurogenic external otitis and their various complications. In conclusion the author reviews the pathogenesis of external otitis and the physician's role in protecting his patient by prescribing preventive measures.

1965 89.50 264 pp., 89 il. (26 in colour), 19 tables

#### THE HUMAN LARYNX

By Mervin C. Myerson, Cedars of Lebanon Hosp., Los Angeles, Calif. Offers concise, comprehensive coverage of all phases of the larynx and its diseases. A new feature is introduced in the discussion of laryngeal manifestations of systemic disease. Special sections deal with general considerations, lymphatics, pathology, carcinoma-in-situ, method of spread, and voice after laryngectomy.

1964 \$14.50 408 pp. 191 il., 17 tables

#### ABSORBABLE GELATIN (GELFOAM) SPONGE: An Annotated Bibliography, 1945-1965

By H. A. Tucker, The Upjohn Company, Kalamazoo, Mich. The abstracts included in this volume are representative of the best published literature on the remarkable versatility of various gelatin sponge products. They involve articles which cover applications of gelatin sponge in many areas of medicine and surgery...including otolaryngology and thoracic surgery.

1965 8**4.**50

140 pp.

CHARLES C THOMAS · PUBLISHER · 1301 - 327 EAST · SPRINGFIELD · ILLINOIS · U.S.A.

#### ONLY AMPLIVOX

## provides a complete audiometric service!



#### **Transistor Audiometers**

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




#### **Clinical Audiometers**

with narrow band masking for the highest accuracy and extended resolution.

#### **Audiometer Booths**

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.






PLUS An efficient and speedy calibration service

please write for technical literature to meet your needs

**AMPLIVOX** 

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888



## **OTOSPORIN'**

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

"OTOSPORIN" BRAND Drops ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON