


Animal Science — additional guidance for authors

Illustrations

1. Diagrams should be drawn in black ink on white paper or card, or on stout tracing paper or plastic film. Photographed diagrams are also accepted as are diagrams produced from laser printers.
2. It is recommended that the width of diagram submitted should be either 150 mm or 100 mm including the legend at the side.
3. No lettering should be submitted on the figure. This is to enable lettering to be added in a consistent style rather than every figure being lettered with a different font. Lettering for inside the framework of the diagram and marginal lettering should be submitted on a fly-leaf or on a separate copy.
4. Captions for figures should be typed on a sheet of paper separate from the body of the text and should be sufficiently detailed to allow the figure to be understood without reference to the text.
5. An indication of where a figure should appear should be given within the text. Diagrams and plates are referred to within the text as Figure 1, etc., and the captions begin with Figure 1, etc.
6. An example is shown below. In choosing ornaments, solid symbols should be used before open, and continuous lines before dotted or dashed. Bear in mind that symbols must still be recognizable when figures are reduced to approx. 60 mm width. When reduced, open symbols may appear closed and small dashes may not be distinguishable from dots.



7. Photographs intended for half-tone reproduction should be on glossy paper and will be accepted by the editors only if found necessary. Colour plates are unlikely to be accepted unless the authors bear the cost. No lettering should be stuck to the photographs.

Tables: should be simple. Each table should be typed on a separate sheet and the heading for each table should be fully descriptive of the contents.

Illustrations. The same material should not normally be presented in tables and figures. Legends should be typed on a separate sheet.

- a) Diagrams should be drawn in black ink, about twice the size of the finished block, on white paper or card, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf.
- b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the editors.
- c) Colour plates are unlikely to be accepted unless the authors bear the cost.

Tables should be as simple and as few as possible. Each table should be typed on a separate sheet.

Abstract. Every paper should have a short abstract (not more than 250 words) complete in itself and understandable without reference to the paper. The abstract will be printed at the beginning of the paper and preferably should be in the format of unnumbered short paragraphs.

Keywords. Up to a maximum of five keywords selected from the *CAB Thesaurus* (1988) or from an equivalent reference volume should be listed at the end of the Abstract.

References. Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Science*; details are given in the notes for guidance.

Proofs are supplied once and must be returned corrected to the editors within 3 days. Only essential corrections should be made.

Reprints. Twenty-five reprints of each paper will be supplied free of charge to authors on request. Further copies may be purchased if the order is sent at the proof-stage.

Annual subscription is £140.00 (or \$255.00 in the USA and Canada) and the price for a single part is £24.00 (or \$43.00) net.

Abstracts of papers presented at British Society of Animal Science winter meeting are published as a separate section in the June issue of *Animal Production*.

Correspondence regarding subscriptions and sales (current and back numbers of the Journal) and any other enquiries, including those concerning copyright, should be addressed to: Durrant Periodicals, Winton Lea, Pencaitland, East Lothian, Scotland EH34 5AY.

Senior editor

T. L. J. Lawrence, University of Liverpool, UK

Editors

J. A. M. van Arendonk, University of Wageningen, The Netherlands

W. Haresign, University of Nottingham, UK

J. W. James, University of New South Wales, Australia

C. L. Johnson, University of Leeds, UK

I. J. Lean, Wye College, University of London, UK

C. A. Morgan, Scottish Agricultural College, Edinburgh, UK

J. D. Oldham, Scottish Agricultural College, Edinburgh, UK

E. Owen, University of Reading, UK

A. J. F. Webster, University of Bristol, UK

J. D. Wood, University of Bristol, UK

J. A. Woolliams, Roslin Institute, Edinburgh, UK

Technical editors

Hilary Davies, Liverpool, UK

Marie C. Pitkethly, Perth, UK

Notes to users in the USA. The appearance of the fee codes in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use on the following conditions. The copier must pay the stated per-copy fee through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, Massachusetts 01970, USA, for copying beyond that permitted by sections 107 and 108 of the US Copyright Law. For territories outside north America, permission should be sought direct from the copyright holder. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising and promotional purposes, for creating new collective works or for resale.

Contents — continued

Stern, S., Lundeheim, N. and Andersson, K. Growth and carcass traits in pigs after selection for lean tissue growth rate on low and high protein diets	341
Cameron, N. D. and Curran, M. K. Responses in carcass composition to divergent selection for components of efficient lean growth rate in pigs	347
Wright, M. M., Lean, I. J., Herrera, E. and Dodds, P. F. Changes in the composition of plasma very low density lipoprotein during pregnancy and lactation in genetic lines of pigs	361
Broom, D. M., Mendl, M. T. and Zanella, A. J. A comparison of the welfare of sows in different housing conditions	369
Xiccato, G., Parigi-Bini, R., Dalle Zotte, A., Carazzolo, A. and Cossu, M. E. Effect of dietary energy level, addition of fat and physiological state on performance and energy balance of lactating and pregnant rabbit does	387
Amici, A., Finzi, A., Mastroiacono, P., Nardini, M. and Tomassi, G. Functional and metabolic changes in rabbits undergoing continuous heat stress for 24 days	399
Cuddeford, D., Pearson, R. A., Archibald, R. F. and Muirhead, R. H. Digestibility and gastro-intestinal transit time of diets containing different proportions of alfalfa and oat straw given to Thoroughbreds, Shetland ponies, Highland ponies and donkeys	407
Morris, P. C., Davies, S. J. and Lowe, D. M. Qualitative requirement for B vitamins in diets for the gilthead seabream (<i>Sparus aurata</i> L.)	419
García-Gallego, M., Bazoco, J., Suárez, M. D. and Sanz, A. Utilization of dietary carbohydrates by fish: a comparative study in eel and trout	427
Morris, P. C. and Davies, S. J. The requirement of the gilthead seabream (<i>Sparus aurata</i> L.) for nicotinic acid	437
Morris, P. C. and Davies, S. J. Enhanced pyridoxine supplementation for diets for gilthead seabream (<i>Sparus aurata</i> L.)	445

NOTICE OF MEETING



XVIII International Grasslands Congress

June 8-19, 1997

Winnipeg, Manitoba and
Saskatoon, Saskatchewan

Canada

For more information contact:

International Grasslands Congress Office
Box 4520, Station C
Calgary, Alberta
Canada T2T 5N3

Telephone: (403) 244-4487

Fax: (403) 244-2340

Contents

Page

Woolliams, J. A. and Mäntysaari, E. A. Genetic contributions of Finnish Ayrshire bulls over four generations	177
Veerkamp, R. F., Hill, W. G., Stott, A. W., Brotherstone, S. and Simm, G. Selection for longevity and yield in dairy cows using transmitting abilities for type and yield	189
Gordon, F. J., Patterson, D. C., Yan, T., Porter, M. G., Mayne, C. S. and Unsworth, E. F. The influence of genetic index for milk production on the response to complete diet feeding and the utilization of energy and nitrogen	199
Ferrer Cazcarra, R. and Petit, M. The effect of winter feeding level on subsequent grazing behaviour and herbage intake of Charolais heifers	211
Sinclair, K. D., Broadbent, P. J. and Hutchinson, J. S. M. Naloxone evokes a nutritionally dependent LH response in post-partum beef cows but not in mid-luteal phase maiden heifers	219
Villanueva, B., Simm, G. and Woolliams, J. A. Genetic progress and inbreeding for alternative nucleus breeding schemes for beef cattle	231
Corva, P. M., Villarreal, E. L., Mezzadra, C. A. and Melucci, L. M. Reproductive traits of Angus, Criollo and reciprocal crossbred females in the temperate area of Argentina	241
Haresign, W., Cooper, A. C., Khalid, M. and Hanrahan, J. P. Patterns of gonadotropin secretion in cyclic Finn ewes selected for and against high ovulation rate	251
Greeff, J. C., Bouwer, L. and Hofmeyr, J. H. Biological efficiency of meat and wool production of seven sheep genotypes	259
Wilkinson, R. G. and Greenhalgh, J. F. D. Prediction of the body composition of lambs from the composition of their non-carcass components	265
Chestnutt, D. M. B. and Wylie, A. R. G. The effects of frequency of feeding of supplementary concentrates on performance and metabolite and IGF-1 status of ewes given silage in late pregnancy	269
MacRae, J. C., Bruce, L. A. and Brown, D. S. Efficiency of utilization of absorbed amino acids in growing lambs given forage and forage:barley diets	277
Rooke, J. A. The effect of increasing the acidity or osmolality of grass silage by the addition of free or partially neutralized lactic acid on silage intake by sheep and upon osmolality and acid-base balance	285
Jensen, M. T., Cox, R. P. and Jensen, B. B. Microbial production of skatole in the hind gut of pigs given different diets and its relation to deposition in backfat	293
Yan, T., Longland, A. C., Close, W. H., Sharpe, C. E. and Keal, H. D. The digestion of dry matter and non-starch polysaccharides from diets containing plain sugar-beet pulp or wheat straw by pregnant sows	305
Dalby, J. A., Forbes, J. M., Varley, M. A. and Jagger, S. The requirements of weaned piglets for a training period prior to a choice-feeding regime	311
Kirkwood, R. N., Soede, N. M., Dyck, G. W. and Thacker, P. A. The effect of immunoneutralization of PMMSG at a gonadotropin-induced oestrus on the duration of ovulation and reproductive performance of sows	321
Lundström, K., Karlsson, A., Håkansson, J., Hansson, I., Johansson, M., Andersson, L. and Andersson, K. Production, carcass and meat quality traits of F ₂ -crosses between European Wild Pigs and domestic pigs including halothane gene carriers	325
Brameld, J. M., Weller, P. A., Pell, J. M., Buttery, P. J. and Gilmour, R. S. Ontogenic study of insulin-like growth factor-1 and growth hormone receptor mRNA expression in porcine liver and skeletal muscle	333

Contents continued overleaf