The JOURNAL of THE INSTITUTE OF NAVIGATION

OL. 22, NO. 3	July	196
The Revision of the Collision Regulations		285
Why the Rules Need Chang P. C. H. CLISSOLD	ring	286
A Programme for Revision G. V. PARMITER		291
Rules for Today's Circumsta	ATICOS	293
Rules for Use with Radar W. Burger and A. G. Corbet		296
Unitized Cargo Transportation A. VAN DE REE		311
Wave Climatology J. M. Kipper, Jr. and E. J. Joseph		326
An Inquiry into Traffic Separation at Sea A REPORT		342
Pilotage or Conning Radar J. P. STEWART		350
Engineering and Economic Aspects of Inertial Navigation F. J. Sullings		360
Reduction of the Effect of Navigation Systems S. G. Smith	Component Errors in Inertial	365
Collision Avoidance in the Air I. M. Hunter		381
The Terminal Area Problem J. H. BRIGGS	n at London	395
	FORUM	
The Metrication of Navigation G. J. A. Whits		409
'The Master is Responsible' P. R. J. RAWLINSON		411
The Schuler Pendulum's Fatal F F. C. Bell	Flaw	412
Reviews		414

THE INSTITUTE OF NAVIGATION

AT THE ROYAL GEOGRAPHICAL SOCIETY
1 KENSINGTON GORE LONDON SW7

JOHN MURRAY (PUBLISHERS) LTD., 50 ALBEMARLE STREET, LONDON WI

THE INSTITUTE OF NAVIGATION

Patron

H.R.H. THE PRINCE PHILIP DUKE OF EDINBURGH, K.G., K.T., O.M.

OFFICERS AND COUNCIL 1968-9

President A. Stratton

Vice-Presidents

Air Vice Marshal D. C. McKinley, C.B., C.B.E., D.F.C., A.F.C., R.A.F. (Ret.) Rear Admiral G. S. Ritchie, C.B., D.S.C.

> Honorary Treasurer Mr. F. A. Haworth

Chairman of the Technical Committee Dr. G. E. R. Deacon, C.B.E., F.R.S.

Chairman of the Membership and Fellowship Committee Mr. D. H. Sadler, O.B.E.

Other Members of Council

Air Commodore D. Bower, O.B.E., A.F.C.,

Mr. W. O. Broughton

Mr. W. J. Charnley Captain C. H. Cotter

Captain R. Hart, C.B.E., D.S.O., D.S.C., R.N. (Ret.).

Captain G. A. B. King

Captain F. L. Main

Commander G. V. Parmiter, R.N. (Ret.).

Mr. H. E. Smith

Mr. R. Whalley

Executive Secretary: M. W. Richey

The Journal of the Institute of Navigation

THE Journal is published quarterly by the Institute and is edited by M. W. RICHEY. It contains original papers contributing to the science of navigation, including those presented at meetings of the Institute together with the ensuing discussion. In addition the Journal includes a record of current navigational work, reviews of important books, and other matters of concern to those interested in navigation. The views expressed in the Journal are not necessarily those of the Institute, or of any organization or department to which the authors may belong. In the case of some papers Crown Copyright may be reserved.

The Journal is issued free to all members of the Institute. It is sold to the public at thirty shillings per copy or, by subscription, at one hundred and twenty-five shillings per annum (post free) and may be obtained through all booksellers and John Murray (Publishers) Ltd., 50 Albemarle Street, London W1.

Contributions, which are welcomed from both members and non-members, should be addressed to the Editor.


Enquiries for advertising space should be addressed to the Institute offices.

The postal address of the Institute is:

The Institute of Navigation, at The Royal Geographical Society, 1 Kensington Gore, London SW7

Telephone: 01-589 5011

TEPERRY RAND



RM. S. Aquitania 1919

For Poritain's finest ships the finest Navigational Equipment

Half-a-century ago, RMS Aquitania made history by becoming the first British merchant vessel to navigate by gyro compass. Since 1919 she and every Cunarder after her, have depended on Sperry equipment.

RMS Queen Elizabeth 2, for example, relies on a twin system of Sperry gyro compasses and Sperry automatic steering. Sperry are the world's largest manufacturers of marine navigational systems.



GYROSCOPE DIVISION BRACKNELL BERKSHIRE ENGLAND

'Electronic Chernikeeff'

The ideal Log for all Mercantile purposes—backed by almost 50 years actual experience in the design and manufacture of Impeller Logs.

Log makers to the British Admiralty and Overseas Navies for more than 40 years.

- I Accurate and dependable at all speeds down to 'bare steerage way'.
- 2 Suitable for Ship's Side or Bottom Mounting—no loss of accuracy.
- 3 The Retractable Log Tube can be fitted with remotely controlled 'raising and lowering' mechanism.
- 4 Has outputs for True-Motion Radar, Data Logging Systems, Decca ISIS.
- 5 Lower installation costs—simple maintenance.

MARCONI-MARINE world wide service is available to users.

Sole Makers

The Submerged Log Company (1962) Limited, 565/569 High Road, Chiswick, London, W.4, England

Telephone: CHISWICK 01-9946685/6 Telegrams: CHERLOG LONDON W.4

THE COMPLETE NAUTICAL ASTRONOMER Charles H. Cotter

This volume offers a complete, up-to-date text on nautical astronomy proper, introducing a little historical background, and bringing together all the essentials not elsewhere to be found in so compact a form.


352 pages Illustrated with diagrams 63s

'It is a book of very high standard, and will surely become the principal work of reference on this subject.'

TIMES EDUCATIONAL SUPPLEMENT

HOLLIS & CARTER

PHOTOPLOT INSTANT ASSIMILATION



* Instant assimilation of radar information. * Direct viewing in daylight. * 24" Direct Plotting P.P.I.* Digital computer for True Motion Feed * Fully Transistorised.

The combination of the Series 21 Photoplot and 21/16P True Motion Radar provides the most advanced commercial radar system ever.

KELVIN HUGHES

A DIVISION OF SMITHS INDUSTRIES LIMITED NEW NORTH ROAD, HAINAULT, ILFORD, ESSEX.





'NAVIGATION,

Navigation, the quarterly Journal of the American Institute of Navigation, is available to members of this Institute at a reduced subscription of £2 a year. Volume 16, No. 1 (Spring 1969) contains the following

CHANNEL NAVIGATION AND DOCKING OF SUPERTANKERS.

Jack Kritz and Morton J. Howard

MARINE COLLISION AVOIDANCE: HUMAN FACTOR CONSIDERATIONS FOR THE

DEVELOPMENT AND OPERATION OF AN EFFECTIVE MERCHANT MARINE RADAR

Thomas D. Mara LONGITUDE WITHOUT TIME

Bruno Ortlepp

NAVIGATING TO THE NORTH POLE — A SURFACE TRAVERSE Major Gerald R. Pitzl, U.S.M.C.R.
YACHT NAVIGATION

Ben Warriner
A BENCH MARK NAVIGATION SYSTEM FOR SURFACE AND SUB-SURFACE VESSELS

Gilbert Fain
SMALL CRAFT OPERATION ON THE INTRACOASTAL WATERWAY OF THE GULF AREA PIC George K. Holland, N, U.S.P.S.

EXPANDED APPLICATIONS OF NAVY NAVIGATION SATELLITE SYSTEM IN MARINE AND AIR NAVIGATION
Captain Edward F. Gallagher, U.S.N.

EVALUATION OF LORAN C SYSTEM BY A MANUAL RECEIVER-INDICATOR: ACCURACY OF TIME DIFFERENCE READINGS AND ITS POSITION LINES
Y. Yonezawa, H. Shinomiya, T. Kobayashi and Y. Nishitani
ACCURACY OF OMEGA/VLF RANGE-RATE MEASUREMENTS
Tulion Wright.

ACCURACY OF OMEGRIVER RANGE-RATE MEASUREMENTS
Julian Wright
NIGHT VISION NAVIGATION
G. D. Dunlap and Oliver J. Edwards
THE NATIONAL PLAN FOR NAVIGATION
Captain Alton B. Moody, U.S.N.R.
NAVIGATIONAL EQUIPMENT IN THE SUPERSONIC CONCORDE IN 1970

Jean de Lagarde

EFFECT OF RELEASE ERRORS IN LEVEL BOMBING

Lt.-Colonel Robert G. Smith, U.S.A.F.

THE INSTITUTE'S PROFESSIONAL FILE

Reviews of Recent Books

ROYAL GEOGRAPHICAL SOCIETY

Just published:


The first map produced by automatic cartography

THE BATHYMETRY OF THE GULF OF ADEN

Scale 1:2M at latitude 33° Mercator projection. Contours in metres Sheet size: 76.3×85.8 cm

Contours and soundings compiled by the National Institute of Oceanography, Automatic Cartography by the Experimental Cartography Unit of the Royal College of Art.

A limited supply of this interesting map is available from the Office of the Society, I Kensington Gore, London, S.W.7, price, inclusive of postage and packing, Inland 13s od, Overseas 14s od (U.S.\$1.75).



Portrait of a happy marriage

Barometric airspeed indication and servoed digital mach read-out are happily united in this Combined Mach Airspeed Indicator—another contribution by Smiths Industries Aviation Division to clearer and more compact instrumentation.

The display includes large 3 digit mach counter, single airspeed pointer and maximum safe operating airspeed (Vmo) pointer. Autothrottle coupling facilities and, if required, adjustable speed index 'bugs' can be provided. Variants with

alternative mach and airspeed ranges and metric calibration are available. The instrument has TSO.C46 approval. The comprehensive range of Smiths airspeed displays also includes conventional Mach Airspeed Indicators. These barometric instruments have Vmo pointers and autothrottle coupling facilities. Smiths Mach Airspeed Indicators are housed in 3ATI cases, have integral lighting and are being supplied to Boeing for 707 and 737 aircraft.

FLIGHT DECK INSTRUMENTS

PRODUCTS OF SMITHS INDUSTRIES LIMITED AVIATION DIVISION

Cheltenham Road, Bishops Cleeve, Cheltenham, Gloucestershire. Telephone: Bishops Cleeve 3333

THE INTERNATIONAL HYDROGRAPHIC BUREAU

Avenue Président J. F. Kennedy, MONACO

publishes

twice a year, in January and July, an English and a French edition of

THE INTERNATIONAL HYDROGRAPHIC REVIEW

This publication contains articles of topical interest on hydrography, hydrographic surveying and related subjects.

Each number contains an average of 160 pages, 18×27 cm., and numerous illustrations.

Price per number 50/- or \$6 (U.S.), post free in Europe.

Orders should be sent direct to the Bureau's Headquarters in Monaco, but payments can be made to the Bureau's account at Barclays Bank Ltd., Chief Foreign Branch, 152–156 Upper Thames Street, London, E.C.3. Specify English or French edition when ordering.

A reduction of 25% on the price quoted is allowed to booksellers. A reduction of 30% is granted to naval or merchant marine officers of the Bureau's Member States, provided the order is sent direct to the Bureau.

USEFUL BOOKS ON NAVIGATION

AND SHIPPING LAW

NICHOLLS'S SEAMANSHIP AND NAUTICAL KNOWLEDGE

By CHARLES H. BROWN, F.R.S.G.S., Extra Master 55/-

Per post 59/6

BASIC SEAMANSHIP (FOR BEGINNERS AT SEA)

By COMMANDER PETER CLISSOLD, R.N.R. (Rtd.) 21/-

/- Per post 22/2

RADAR OBSERVER'S HANDBOOK

By WILLIAM BURGER, M.Sc. (Wales), Extra Master 34/-

Per post 35/6

BUSINESS AND LAW FOR THE SHIPMASTER

By CAPTAIN F. N. HOPKINS, M.I.N., Extra Master

90/-

Supplement 5/-

Per post 94/6 Per post 5/6

MERCHANT SHIPPING ACTS

Revised by CAPTAIN W. V. J. CLARKE, D.S.C.

44/-

Per post 47/-

SHIPBROKERS AND THE LAW

By E. J. EDWARD, LL.B. (Lond.)

30/-

Per post 31/4

LAW AND PRACTICE OF SEA TRANSPORT

By CAPTAIN L. F. H. STANTON, A.M.Inst.T.

63/-

Per post 66/-

Catalogue "N", giving further titles and details, free on request.

BROWN, SON & FERGUSON, LTD.,

https://doi.org/10.1017/S03735230DARNISEYnliSTREET,UnGItASGOW, S.1.

TORAN TORAN TORAN

hydrography
oceanography
oceanography
dredging control
airborne surveys
airborne surveys
geophysical operations



DIVISION RADIOLOCALISATION

50, Rue Fabert - Paris 7° - France
Tél: (1) 468-46-24

Decca/Omnitrac-pictorial navigation in three dimensions

Only Decca/Omnitrac provides accurate three dimensional navigation. The system incorporates a closed-loop servodriven display head providing a track trace on conventional charts and is the first system to offer vertical guidance readout.

Closed loop

Digital servos continuously compare navaid position co-ordinates with corresponding outputs from the computer/display system, not only eliminating the need for manual chart setting, but ensuring complete integrity since the display will reset and update itself, automatically, without error, even after interruption in the drive to the display head. Ordinary, or 'open loop' displays can, without warning to the pilot give false position indication, arising from malfunction due, for example, to increased friction or handling.

Track trace

One glance at the track trace on the Decca display head tells the pilot not only where he is, but also where he's come from, and the rate at which he is approaching his desired track. He can thus determine navigational trends without the need to integrate successive plot indications. After use the track trace can be quickly erased or photo-printed for the record. With the Decca track trace after only one or two practice runs pilots make smooth, accurate instrument approaches to within one mile of touchdown.

Vertical guidance

Vertical guidance is programmed into the Omnitrac computer, for display on the Flight Director. When altitudes required at waypoints along the route are set into the computer, information is displayed in one of two ways:

EN ROUTE Commands for climb or descent are displayed until the programmed altitude is attained.

APPROACH The difference in altitude and distance between two successive waypoints is used to define a flight path or 'glide slope'. In this way multiple routes free the pilot from point to point navigation and an extremely accurate flight profile can be maintained, regardless of terrain features and weather. Only Decca has real experience with pictorial displays – over 2½ million flying hours by BEA alone...



puts navigation in 3D back in the cockpit

The Decca Navigator Company Limited London





London SE1

ecca world leaders in marine electronics





A modern containership at the start of her voyage. An article on this revolution in sea transport appears on p. 311. (photo Overseas Containers Ltd)