

VOL. IX.—1895.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, II, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*,
JOHN MACINTYRE, M.B. *Glasgow*,
DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*,

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTY (*Barcelona*),
CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),
DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),
HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),
VALERIUS IDELSON (*Berne*), JOAL (*Paris*), KARWOWSKI (*Warsaw*),
A. B. KELLY (*Glasgow*), LACOCARRET (*Toulouse*),
LAKE (*London*), LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),
PROF. MASSEI (*Naples*), MEYJES (*Amsterdam*), E. MEYER (*Ferlin*),
MICHAEL (*Hamburg*), HOLGER MYGIND (*Copenhagen*),
W. PORTER (*St. Louis*), ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*),
SENDZIAK (*Warsaw*), SOTA (*Seville*), ST. CLAIR THOMSON (*London*), AND
DR. ZIEM (*Dantzic*).

CONTENTS.

Original Articles—

The Operative and Dietetic Treatment of Suppuration of the Accessory Cavities of the Nose (*continued*). By Dr. ZIEM (of Dantzie) Page 783

On Pathological Changes in the Labyrinth. By Prof. POLITZER (Vienna) , 795

Address in commemoration of the late Prof. MOOS. By Prof. ADAM POLITZER , 802

Inaugural Address at the Fifth International Congress of Otology. Delivered by Prof. V. GRAZZI , 806

Fifth International Congress of Otology—Constitutional Treatment of Diseases of the Ear, *Gellé*—Adenoid Vegetations, *Arsland*—Auscultation for detection of Sclerotic Conditions of the Mastoid, *Okuneff*—Auricular Growth, *Coosemans*—Results of Intra-Tympanic Operations, *Acvaldo*—Internal Treatment in Otitis Interna, *Gradenigo*—Primary Otitis of the Mastoid, *Briegger*—Traumatic Perforations of the Tympanic Membranes, *Corvaxi*—Senile Changes in the Middle Ear, *Ferrari*—Aural Complications of Adenoid Operations *Ear*—Liquid Vasoline in Middle-Ear Affections, *Delstanche*—Turbinal Hypertrophy and Deafness, *McV. Jones*—Sarcoma of Petrous Bone, *Kirchner*—Discussion on Treatment of Intra-Cranial Abscess following Purulent Otitis, *Barr*—Cerebellar Abscess, *Heymann*—Antiseptics in Intra-Nasal Surgery, *Thomson*—Pathological Changes of the Labyrinth, *Politzer*—Aural Polypus, *Maure*—Peculiarities of Wounds from Firearms, in the Mastoid Region, *Molst*—Anatomical Demonstrations, *Politzer*—Influence of Lesions of the Ear on Respiratory Changes, *Masini*—A Method of Anatomical Section of the Temporal Bone, with Demonstration, *Chiticini*—Phantoms for the Study of Post-Nasal Palpation, *Cresswell Baber*—On the Physiology of the Middle Ear, *Carlo Secchi*—Aural Disturbances resulting from Explosions of Dynamite, *Verdos*—On the Functional Examination of the Hearing Power, *Gradenigo*—On Traumatic Lesions of the Organs of Hearing, *Sigismund Szenes*—Remarks on Therapeutic Points derived from a Long Experience, *Bargellini*—A Case of Complete Deafness following Acute Meningitis, with the Diplococcus of Fraenkel, *Grazi*—Local Massage in the Treatment of Chronic Eczema of the External Ear, *Adolph Bronner*—(1) On the Influence of Syphilis in certain Affections of the Ear. (2) Punctuated Exostosis of the External Meatus, *Garzia*—On Affections of the Middle Ear in Mammals, *Madeuf*—Demonstration of Instruments, *Delstanche* Pages 809 to 831

Sixth Annual Meeting of the Belgian Otolologists and Laryngologists—Tumour, Naso-Pharyngeal Fibrous Polyp, Cancer of the Pharynx, Epithelioma of the Rig the Nose, Lips, Superior Alveolar Ridge, and Larynx; Otitis, with Otorrhœa, complicated Polypus of the Larynx in its Initial Period, Suppuration of the Attic, *Huguet*—Necrosis of part of the Occipital, consequent to a Mastoiditis, *Buyss*—Radical Intervention in Cases of Lupus of the Nose and Ear, *Goris*—Tumour situated on the External Surface of the Nose, *u oton*—(1) Rare Anomaly of the Uvula, (2) A Case of Subglottic Polypus, (3) Fibroma of the Larynx, (4) Chronic Essential Fibrous Bronchitis, *Koch*—Adenoma of the Palatine Vault, *Beco*—Modification in Massage Instrument for the Tympanum, *Delstanche*—Laryngoscope, *Bayer*—A Galvano-Cautery Handle, with Rheostat, *Schleicher*—Small Syringe, *Buyss*—Remarks on Tamponing of the Nasal Fossæ in Rebellious Epistaxes, *Beco*—A few words on Respiratory Difficulties, *Boland*—Osseous Ethmoidal Bulla, with Myxomatous Degeneration and Consecutive Nervous Phenomena, *Wagner*—A Case of Cyst of the Contribution to the Existing Reports as to the Connection between the Female Generative Organs and Laryngeal Affections; Case of Laryngeal Stenosis disappearing after Abortion in a Tubercular Subject, *Bayer*—The Cerebral Centre of Speech, *Broekacker*—Ulcerative Follicular Tonsillitis, *Delie*—The Treatment of Ozæna by Interstitial Electrolysis, *Cheval*—Diphtheria in the Adult in the Hôpital Lariboisière, *Gougenheim* Pages 831 to 846

Abstracts—

Diphtheria, etc.—The Detection of the Diphtheria Bacillus, *Crouch*—The Importance of Bacteriological Investigations in Cases of Diphtheria, *McCullom*—Anomalous (Frustes) Forms of Diphtheritic Angina, *Fossaly*—The Leucocytosis of Diphtheria under the Influence of Serum Therapy, *Ewing*—Serum Treatment; Clinical Results, *Patet*—Laryngeal Intubation in Diphtheria; Critical and Clinical Study, *Mugnes*—Intubation in Croup, *Baudouin*—Ancient and Modern Instruments for Intubation in Croup, *Tsakiris*—Chloroform and Tracheotomy, *Castelain* Pages 846 to 848

Nose, etc.—Parasites of the Nasal Fossæ, *Pascal*—A Case of Congenital Osseous Occlusion of the Choanae, *Winstlow*—Nasal Osteoma, with Epileptic Seizures, *Adenot*—Treatment of Spurs and Thickenings of the Nasal Septum, *Lacroix*—Treatment of Malignant Tumours of the Nose by the Natural Passages, *Sramatidis*—The Condition of the Nose in Phthisical Patients, *Fayson Clark*—Orbito-Ocular Manifestations in Ethmoidal Sinusitis, *Rohmer*—Inflammations of the Orbit secondary to Maxillary Sinusitis, *Salva*—Complications of Suppurations of the Nasal Accessory Cavities, *Lichtwitz*—Clinical Study of Adenoid Growths; Surgical Treatment; Post-Operatory Results, *Madame Magnus*—Secondary Hæmorrhage after Ablation of Adenoid Vegetations, *Beausoleil* Pages 848 to 850

Larynx.—Chronic Catarrhal Laryngitis, *Hubbard*—A Case of Laryngeal Ictus, *Merklen*—Some Interesting Laryngeal Neoplasms, *Chappell*—Laryngo-Tracheal Perichondritis, with Abscess, *Mouve*—Peri-Laryngo-Gesophageal Actinomycosis, *Berard*—Foreign Bodies in the Larynx and Trachea, with Report of a Case relieved by Tracheotomy, *Glasgow*—Compensatory Arytenoid Movements, *Porter* Pages 850 and 851

Larynx, etc.—Strawberry Sore Throat, *Vausant*—Granular Angina, *Baudriller*—Menstrual Anginas, *Salvador*—Pneumococcal Angina, *Wimberg*—Gastro-Intestinal Disorders and Chronic Tonsillitis, *Balhadri*—Lympho-Sarcoma of the Tonsils; Repeated Removals with very Rapid Recurrence, *Charnley*—Two Cases of Sarcoma of the Tonsil. Death from Ligation of the Carotid in one, and death in the second, *Lanphear*—Case of Simultaneous Ulceration of the Lymphatic Tissues of the Throat and Intestines, with Suppuration of the Glænds in the Neck and Mesentery, *Monro*—Some Practical Remarks on Foreign Bodies in the Upper Air and Lower Pharynx, and on the Principles of their Removal, *Simon*—Foreign Bodies in Oesophagus, *Harrison Allen* Pages 851 to 853

Ear, Neck, etc.—Electro-Vibratory Massage of the Ear, Nose, and Throat, *Frcudenthal*—Otitis Media as a Complication of Pneumonia, *Ball*—Acute Suppuration of Middle Ear, Septic Thrombus of Internal Ear, Jugular Vein, and Pyæmia, with Involvement of Mastoid Airum, *Robson*—Acute Thyroiditis, ending in Resolution, *Galliard*—The Treatment of Goitre and Exophthalmic Goitre with Iodine, *Ingals* and *Ohts*—Excision of Enlarged Right Lobe and Isthmus of Thyroid Gland, *Gibson*—A Case of Sarcoma of the Neck, involving the Tonsil, and causing Deafness in a Boy of Seven Years, *Bacon* Pages 853 and 854

GUIDE TO ADVERTISEMENTS.

	PAGE		PAGE
Allen & Hanburys	iv., v.	Ingram & Royle	ix., xv.
Bullock & Co.	ix.	Lambert Pharmaceutical Co.	ii.
Burroughs, Wellcome & Co.	vi., viii., xiii.	Mayer & Meltzer	xiv.
Central London Throat Hospital ..	xvi.	Rebman Publishing Company ..	ix., x., xi., xii.

“The Kepler Solution is an Ideal Form for the Administration of Fat.”

—British Medical Journal.

THE value of Cod-liver Oil as a tissue-forming, force-producing, and nutritive food was formerly so greatly impaired by the difficulties attending its administration that it is greatly to be wondered at that it did not altogether go out of use. And this is also remarkable on another account. Plain Cod-liver Oil has been shown to be assimilated to such a partial extent that the unpleasant and nauseating effects produced by taking it into the stomach must scarcely have been compensated by the benefit derived. But even in the early days of its use its ultimate important position as a medicinal agent was foreseen, so pharmacists set about trying their best to devise, in the first place, methods of rendering it as pure as possible, and in the second place, means of sophis-

tication so as to taste, to render palatable and to proportion of it absorbed into the system. The former was not specially attempted, but the latter was for years attempted. It was attempted Oil with gums, but although treated were less swallow, when stomach the oil found to coalesce warmth of the consequent as bad as when ministered *per se*. time, emulsions were regarded as

method of preparing Cod-liver Oil. But the **Kepler Solution of Cod-liver Oil in Extract of Malt** was the final “solution” of the difficulty. The reason for past failures was at length revealed: Cod-liver Oil had been treated as a drug, whereas it should have been treated as a food. It was at length apparent to us that the only rational method of taking it was with another food, as oils and all other fats are taken, and we resolved to test the capabilities of the **Kepler Malt Extract** as a medium for the administration of Cod-liver Oil. Our experiments were entirely successful, since it was found that, by centrifugal motion induced by machinery, Cod-liver Oil was completely dissolved in **Extract of Malt**, the presence of the latter materially aiding the assimilation of the Oil, and at the same time thoroughly masking its unpleasant taste, and removing the possibility of the production of nauseous effects.

Kepler Solution of Cod-liver Oil in Malt Extract supplied to the Medical Profession in bottles of two sizes at 1s. 8d. and 3s. each.



means of sophiscover the nauseous it comparatively enable as large a as possible to be system.

of these objects difficult of attainment latter problem tackled in vain. to emulsify the alkalis, &c., preparations so objectionable to taken into the globules were through the body, and the cructations were the Oil was ad- Still for a long held the field, and the most practical

BURROUGHS, WELLCOME & Co., Manufacturing Chemists,

SNOW HILL BUILDINGS, LONDON, E.C.

Cable and Telegraphic Address: “BURCOME, LONDON.”