79.8



LIBRARY
RECEIVED
A APR 21 1954 A
U.S. DEPARTMENT OF AGRICULTUR
WYNDMOOR

Weeds

VOLUME II OCTOBER 1953 NUMBER 4

EDITORIAL BOARD

Name	Representing
R. S. DUNHAM	North Central Weed Control Conference, College of Agriculture, St. Paul, Minn.
W. A. HARVEY	Vestern Weed Control Conference, College of Agriculture, Davis, Calif.
	Northeastern Weed Control Conference, Dept. of Vegetable Crops, Cornell Univ., Ithaca, New York
E. C. TullisS	outhern Weed Control Conference, Camp Detrick, Frederick, Maryland
D. E. Wolf	Northeastern Weed Control Conference, E. I. du Pont de Nemours & Co., Inc. Wilmington Delaware

C. E. MINARIK, Editor, Camp Detrick, Frederick, Maryland

STATE REPORTERS

V. S. SearcyAlabama	N. E. ShaferNebraska
H. J. HodgsonAlaska	W. W. Smith New Hampshire
H. F. ArleArizona	R. J. AldrichNew Jersey
D. A. HinkleArkansas	W. C. RobockerNevada
O. A. Leonard	J. W. WhitworthNew Mexico
B. J. ThorntonColorado	S. N. FertigNew York
R. A. PetersConnecticut	G. C. KlingmanNorth Carolina
E. M. RahnDelaware	E. A. HelgesonNorth Dakota
E. G. RogersFlorida	E. K. AlbanOhio
E. W. HauserGeorgia	J. DreessenOklahoma
N. S. Hanson	V. H. FreedOregon
C. I. SeelyIdaho	S. M. RaleighPennsylvania
F. W. SlifeIllinois	A. J. LoustalotPuerto Rico
G. F. WarrenIndiana	T. E. OdlandRhode Island
D. W. StaniforthIowa	W. B. AlbertSouth Carolina
V. I. WoestermeyerKansas	L. A. DerscheidSouth Dakota
S. J. P. ChiltonLouisiana	J. K. LeasureTennessee
M. F. TrevettMaine	R. A. DarrowTexas
A. O. KuhnMaryland	F. L. TimmonsUtah
W. H. Lachman Massachusetts	A. R. Midgley Vermont
B. H. GrigsbyMichigan	W. E. ChappellVirginia
H. L. HansenMinnesota	L. W. RasmussenWashington
W. B. Ennis Mississippi	C. VeatchWest Virginia
D. L. Klingman Missouri	K. P. BuchholtzWisconsin
R. L. Warden Montana	
K. L. WaltichMontana	D. W. BohmontWyoming

Weeds is a quarterly journal published by the Association of Regional Weed Control Conferences. Editorial offices are located at Camp Detrick, Frederick, Maryland. Printing is by the W. F. Humphrey Press, Inc., Geneva, New York. Subscription price is \$4.00 yearly for four issues; single copies \$1.25. Address all communications regarding subscriptions to R. D. Sweet, Department of Vegetable Crops, Cornell University, Ithaca, New York. For information on advertising contact D. E. Wolf, E. I. du Pont de Nemours & Co., Inc., Wilmington, Delaware. Inquiries concerning information on manuscripts, other material for publication and reprints should be addressed to the Editorial offices. All checks, money orders and other remittances should be made payable to Weeds, Journal of the Association of Regional Weed Control Conferences.

Entered as second-class matter at the post office at Ithaca, New York, and Geneva, New York.

Table of Contents

	Page
Editorial	
Gross Morphological Responses of the Rice Plant to 2,4-D by Peter B. Kauman	
Methods for Determining Relative Volatility of Esters of 2,4-D and Othe Growth Regulants Based on Response of Tomato Plants by P. W. Zim merman, A. E. Hitchcock, and Henry Kirkpatrick, Jr	-
The Effect of Sodium 2,4-Dichlorophenoxyethyl Sulfate on the Growth and Yield of Strawberries by Donald R. Isleib and Richard J. Aldrich	i . 262
Persistence of Sodium Trichloroacetate in Different Soil Types by G. S Rai and C. L. Hamner	. 271
The Responses of Tomato Plants to Vapors of 2,4-D and/or 2,4,5-T Formula tions at Normal and Higher Temperatures by A. David Baskin and E. A. Walker.	
NOTES: Halogenated Phenyl Alkyl Ethers as Plant Growth Regulators by S. R. McLane, E. W. Dean, J. W. Brown, C. R. Connell, W. H. Howard and C. E. Minarik; The Occurrence and the Problem of Wild Oats in the Great Plains Region of North America by H. E. Wood; Wild Oats—Progress in Cultural Control by D. A. Brown; Comments: On Distribution	• • •
of CIPC in Soil by Blaine O. Pray and Eugene D. Witman; New Herbicide	
of CIPC in Soil by Blaine O. Pray and Eugene D. Witman; New Herbicide Controlled Oak Brush and Resulted in Increased Native Grass Production by Harry M. Elwell.	
of CIPC in Soil by Blaine O. Pray and Eugene D. Witman; New Herbicide Controlled Oak Brush and Resulted in Increased Native Grass Production	288
of CIPC in Soil by Blaine O. Pray and Eugene D. Witman; New Herbicide Controlled Oak Brush and Resulted in Increased Native Grass Production by Harry M. Elwell.	288 303

H ?

This is the last number of Volume II. No additional numbers will be sent until your renewal is received.

Please fill in the information below. Make all checks and money orders payable to WEEDS, Journal of the Association of Regional Weed Control Conferences. Send your remittance, whether cash, check or money order, to Dr. R. D. Sweet

Business and Circulation Manager Department of Vegetable Crops Cornell University Ithaca Now Vork

ithaca, New Tork
Name
Address
Please check Renewal New Subscription

Make all checks payable to WEEDS, Journal of the Association of Regional Weed Control Conferences.



for effective, economical weed control

AERO* CYANATE, Weedkiller

Contains 92% potassium cyanate. For pre-emergence contact weedkilling, post-emergence selective contact weedkilling, top-killing and defoliation. Breaks down rapidly on contact with soil.

AERO® CYANAMID, Granular

Contains 20% nitrogen and 70% hydrated lime. For preemergence weed control in peas, corn, asparagus and other crops. For pre-seeding weed control in tobacco and other plant beds, for establishing or renovating weed-free turf. In granular form for easy handling and application.

AERO® CYANAMID, Special Grade

Contains 21% nitrogen and 70% hydrated lime. In dust form for pre-emergence residual and contact weed control. Defoliates cotton, field beans and other crops. For pre-harvest top-killing of tomatoes and potatoes.


AERO* CYANAMID, Soluble

A readily soluble form of Cyanamid for spray application. Contains 85% monosodium cyanamide and about 40% nitrogen. Recommended as a cotton defoliant. Available in experimental quantities for herbicidal testing.

Trade-mark

AMERICAN Cyanamid COMPANY

AGRICULTURAL CHEMICALS DIVISION
30 Rockefeller Plaza, New York 20, N. Y.



ATLACIDE: A chlorate weed killer ...widely used for non-selective eradication of bindweed, Canada thistle, quack grass, Johnson grass and other tough perennials. Kills roots...destroys entire plant...discourages regrowth. Applied as spray or in original dry form. Atlacide is backed by over 25 years of successful use, plus an outstanding reputation as "the safer chlorate".

ATLACIDE WITH 2, 4-D: A combination of Atlacide and 2,4-D acid. Offers dual killing action of sodium chlorate and 2,4-D.

CHLORAX SPRAY POWDER: A non-separating composition of sodium chlorate and pentaborate. For use where long-lasting residual effect is desirable...such as along fence rows, ditch banks, around buildings and other structures. Kills practically all types of weeds and grasses. Creates no fire or poison hazard. Applied dry or as spray.

ATLAS "A": A 40% sodium arsenite solution (4 lbs. arsenic trioxide

per gal.). Destroys certain submersed vegetation in ponds and lakes. Used for selective control of crabgrass, chickweed and clover in turf. Also used as general weed killer for annual weeds and grasses. Used to kill trees and stumps.

SODIUM ARSENITE: A powder containing 75% arsenic trioxide. Used for the same purposes as Atlas "A". Applied dry or as a spray.

2, 4-D WEED KILLERS: Available as 2,4-D Amine and 2,4-D Ester liquids; also 2,4-D Ester dusts.

METHOXONE: Contains 2 pounds of MCP sodium salt per gallon. Used for weed control in small grains, flax, rice and grass. Controls same weeds as 2,4-D; considered safer for selective spraying, especially in flax.

Low Volatile 2,4,5-T Low Volatile Brush Killer Sodium TCA 90% IPC 90% Liquid CIPC-4L (Chloro IPC) Chipman General (Dinitro)

· Write for Weed Control Booklet 🗕

CHIPMAN CHEMICAL COMPANY, INC.

BOUND BROOK, N. J.

Chicago, Ill. . Palo Alto, Calif. . Pasadena, Tex. . Portland, Ore.

Manufacturers of Weed Killers Since 1912

For Herbicides

DIAMOND'S facilities for manufacturing and distributing agricultural chemicals for weed and brush control assure formulators a dependable source of supply for these important materials.

2,4-D and 2,4,5-T Weed Killers and Brush Killers

Isopropyl Ester
Butyl Ester
Butoxy Ethoxy Propanol
Esters (low volatile type)

think first of DIAMOND

DIAMOND ALKALI COMPANY Organic Chemicals Division

80 LISTER AVE., NEWARK 5, NEW JERSEY

Planis: Newark, N. J., Housion, Texas Chemicals you live by



For dependable control of weeds, grass and brush

Use DuPont Weed & Brush Killers

Weed Killer clears the ground of vegetation. This new, powerful chemical kills weeds and grass and prevents regrowth. Just 1 or 2 lbs. per 1,000 square feet may do the job for a year! CMU is non-volatile, non-flammable, non-corrosive, easy to use in spray.

AMMATE[®] Weed and Brush Killer destroys roots and tops so there's little resprouting. Ideal for killing poison ivy, woody plants and clearing rights-of-way. Keeps brush down with little or no retreatment necessary. Non-volatile, non-flammable, non-poisonous to livestock.

Other Du Pont Weed and Brush Killers include TCA and 2,4-D Weed Killers; also 2,4-D – 2,4,5-T and 2,4,5-T Brush Killers. For details, write Du Pont, Grasselli Chemicals Dept., Wilmington, Del.



BETTER THINGS FOR BETTER LIVING ... THROUGH CHEMISTRY

Products for Agriculture from DOTATES



...BY THE MANUFACTURERS OF FAMOUS "20 MULE TEAM" PACKAGE PRODUCTS

Weed Killers

Nonselective - Long-Lasting Effects

BORASCU®
CONCENTRATED BORASCU®
POLYBOR-CHLORATES®
GERSTLEY BORATE

Borate Fertilizers

for Correction of Boron Deficiency

FERTILIZER BORATE—Regular Grade
FERTILIZER BORATE—High Grade
POYBOR-2®...for foliar spray applications

Cotton Defoliation

CHEM-FROST DEFOLIANT

LIQUID DRY

Wetting Agent

SPRAY-CHEM-A

Parasite (LOTYGE) Control

POLYBOR-3®

Destroys Larvae of:

FLIES
DOG HOOKWORM
SWINE KIDNEY WORMS

FOR FURTHER INFORMATION, WRITE TO: 630 SHATTO PLACE, LOS ANGELES 5, CALIF

PACIFIC COAST BORAX CO.

LOS ANGELES, NEW YORK AND ALL PRINCIPAL CITIES



but for <u>fast</u>, <u>positive</u> control

buy Pittsburgh


2, 4-D

Crop yields go up and weed control costs go down when you spray with *Pittsburgh* 2,4-D. This dependable weed killer gives you better weed killing performance because it's Quality-Controlled at every step of production. If you need a low volatile formulation, ask for *Pittsburgh* D4. Buy the *Pittsburgh* 2,4-D formulation you need at your Dealer's today!



Standard for Quality

Made by the Pittsburgh Agricultural Chemical Co., New York, N. Y., a Division of Pittsburgh Coke & Chemical Co., Pittsburgh, Pa.



Supplied in a full range of interchangeable orifice tip and strainer sizes to meet every capacity requirement. Tee-Jet Spray Nozzles for Weed Control by spraying make it possible to take maximum advantage of the chemical and sprayer unit. TeeJet nozzles are precision built and provide a flat spray with uniform distribution. Atomization is properly controlled to give coverage with an absolute minimum of driftage. Patented tip design, with set-back orifice opening protects precision orifice from accidental damage. Tee Jet spray nozzles are built for use on spray booms and portable sprayers.

OFF-CENTER SPRAY NOZZLES

Spraying Systems Spray Nozzles with TeeJet tips are supplied in a variety of special body types to meet any unusual spraying requirement. For example, one type of off-center spray nozzle with swivel body provides a flat spray up to 35 feet wide for spraying areas with a single nozzle, that are not accessible with a boom.

SUPPLEMENTARY EQUIPMENT

Complete accessories relating to nozzle use are supplied. These include strainers, special nozzle fittings, and hand valve equipment.

TEEJET SPRAY NOZZLE male pipe connection





TeeJet Spray Nozzles are supplied for Weed Control... as well as all other types of agricultural spraying. For complete information and reference data write for Bulletin 58.

PRAYING SYSTEMS CO.

Engineers and Manufacturers

3275 RANDOLPH STREET

BELLWOOD, ILLINOIS



No one knows so well as
the man of science how
things are changing about
us. In the field of herbicides,
it takes up-to-the-minute facilities and know-how to keep
abreast of developments. Our long
years in the business have afforded
us both these qualities. When you recommend Thompson-Hayward herbicides, you
can be assured they are modern, honestly
formulated, and that they will perform
exactly as the label represents. What
else can a herbicide be?



THOMPSON-HAYWARD CHEMICAL CO.

KANSAS CITY • NEW ORLEANS • DENVER • OMAHA • CHICAGO • MEMPHIS

DAVENPORT • WICHITA • DALLAS • HOUSTON • ST. LOUIS • DES MOINES • SAN ANTONIO

N. LITTLE ROCK • OKLAHOMA CITY • MINNEAPOLIS • TULSA • LUBBOCK

7

WEEDONE®

Constantly Searching-----

We maintain a permanent department whose field research is ever seeking new and improved chemicals and methods for weed and brush control.

AMERICAN CHEMICAL PAINT COMPANY

Agricultural Chemicals Division

AMBLER, PA.

Originators of 2,4-D and 2,4,5-T Weedkillers



Index to Advertisers for WEEDS, VOL. II, No. 4

American Cyanamid Companyii
Chipman Chemical Company, Inc iii
Diamond Alkali Company iv
du Pont de Nemours & Company, E. I.
Pacific Coast Borax Company vi
Pittsburgh Agricultural Chemical Company vii
Spraying Systems, Inc viii
Thompson-Hayward Company ix
American Chemical Paint Company x