

SUBJECT INDEX

- Abdominal circumference of the mother and fetal weight, 42-43
Abnormal presentation, 20, 23, 24
ABO and Rh double conflict in twin fetuses, 33-37
Acardius anencephalus, 29
Acute neonatal neurological syndrome, 38-41
Age, see Multiple pregnancy, maternal age in
Ambulatory K Centers, 15-17
- Bed rest, see Multiple pregnancy, preventive care in
Birth conditions and postnatal development, 109-119, see also Twins
Birth weight, see Twins, low birth weight of
Blood values in newborn twins, 88-95
- Cardiac electrogenesis, 99-102
Cardiovascular system, pathomorphologic changes of, 27-32
Chromosome study in triplet family, 240-242
Complications of multiple pregnancy, 7-9, 21-26
Complications of the neonatal period, 10-14, 20
Conjoined twins, obstetrical problems of, 75-77
- Dental longitudinal examinations, 103-105
Development, see Twins, postnatal development of
Developmental defects, 10, 20
- Early diagnosis of multiple pregnancy, see Multiple pregnancy, early diagnosis of
Enzymes of myocardium, 31
Etiology of twinning, 191-201
- Family incidence of twins, 191-192
Fetal heart, 27-32
Fetal malposition, 38-41
Feto-fetal transfusions, 30
Frequency of multiple births, see Twinning phenomenon, frequency of
FSH increase in multiple pregnancy, 198-201
- Growth, see Twins, postnatal development of
Growth intrauterine standard, 30
- HCG increase in multiple pregnancy, 195-197
HCS increase in multiple pregnancy, 195-197
Heart,
 electrogenesis of, 99-102
 of twin fetuses, 27-32
 rhythm in twin newborns, 98
Hemolytic disease and prematurity, 33-37
- Intellectual development, see Twins, postnatal development of
Interval between twin births, 15-17, 20, 25, 62-74
- Labor, see Twin labor and delivery
LH increase in multiple pregnancy, 198-201
- Malformations, 13, 29-30, 75-77
Maternal age, see Multiple pregnancy, maternal age in
Maternal weight, see Multiple pregnancy, weight gain
Mental development, see Twins, postnatal development of
Mortality rates, see Twins, early mortality of
Multiple births, see Twins, Triplets, Quadruplets, Quintuplets
Multiple pregnancy
 abdominal circumference and fetal weight in, 42-43
 alkaline phosphatase in, 57-58
 complications of, 7-9, 21-26
 delivery in, see Twin labor and delivery
 diuretics and duration of, 44-47
 duration of, 42-51, 74
 and diet, 44-47
 and occupation, 49
 and parity, 49
 and preventive care, 49
 and weight gain, 44-47
 early diagnosis of, 3-6, 15-17, 50, 52-53, 59-61
 estrogens in, 57-58
 FSH increase in, 198-201
 HCS and HCG increase in, 195-197
 hypocaloric diets and duration of, 44-47
 labor, see Twin labor and delivery

- Multiple pregnancy (continued)
 LH increase in, 198-201
 maternal age in, 74, 83, 191-192
 occupation of women with, 49
 oocyte overripeness as cause of, 191-192
 ovary hyperstimulation and, 193-194
 oxytocinemia as a test in, 54-56
 parity of women with, 49, 73-74
 placental tests and course of, 57-58
 pregnanediol in, 57-58
 preventive care in, 3-9, 15-17, 21, 59-61
 social cost of, 5-6
 risk of, 1-80 106-108
 sodium-free diets and duration of, 44-47
 ultrasonic diagnosis of, 52-53, 59-61
 weight gain and duration of, 44-47
- Oocyte overripeness and multiple pregnancy, 191-192
- Ovary hyperstimulation and multiple pregnancy, 193-194
- Oxytocic perfusion, 62-72
 and labor duration, 70-72
 and maneuvers, 65
 and mortality rates, 64
- Oxytocinemia as a test in multiple pregnancy, 54-56
- Perinatal distress syndrome, 38-41
- Perinatal mortality, see Twins, early mortality of
- Physical development, see Twins, postnatal development
- Pituitary gonadotropins and multiple pregnancy, 198-201
- Placentation and zygosity, 234-237
- Prematurity of twins, 3-17, 25, 106-108
 criteria for evaluation of, 8
- Prognosis for the twin newborn, 7-14
- Puerperium, 78-80
- Quadruplets,
 heterozygous, 149-153
 homozygous, 154-158
 long-term observation of, 147-158
 of Bristol, 149-153
 of Wroclaw, 154-158
 psychomotor development of, 135-146
 and living conditions, 142-146
- Quintuplets,
 having all outlived infancy, 161
 in the world, 161
 of Danzig, 159-188
 afterbirth morphology of, 164-167
 blood-group genealogical study of, 168-169
 chest circumference increase of, 182-183
 condition at birth of, 171
 course of gestation of, 161-163
 diseases of, 185
 first days of life of, 170-174
 first year of life of, 178-185
 growth of, 170-174, 178-185
 head circumference increase of, 181
 immunoglobulin levels in, 175-177
 length increase of, 180
 laboratory analyses of, 183-184
 motor development of, 183
 nutrition of, 184
 perinatal complications of, 170-174
 physical development of, 178-185
 psychomotor development of, 186-188
 sleep of, 184
 teeth development of, 183
 weight increase of, 178-179
 psychomotor development of, 135-146
 and living conditions, 142-146
- Second twin, 10, 14, 22-26, 62-74
- Serologic incompatibility in twin fetuses, 33-37
- Sex chromatin in MZ twins, 238-239
- Toxemia, danger of excessive measures against, 44-47
- Triplets,
 birth weight of, 111
 chromosome study in family of, 240-242
 postnatal development of, 109-112, 132-146
 and living conditions, 142-146
 pregnancy complications of, 22-26
 prognosis for, 10-14
- Twin labor and delivery, 15-17, 22-26, 62-74
 and postnatal development, 115
 duration of, 25, 71, 73-74
 interval between first and second birth, 15-17, 20, 25, 62-74
 management of, 62-74
 operative procedures in, 22-26, 65, 67, 72, 84
 presentation, 22-26, 63, 67, 73-74
- Twin newborns, 83-102
 blood values in, 88-95
 cardiovascular system in, 96-102
 complications in, 10-14, 20
 development of, see Twins, postnatal development of
 prognosis for, 7-14
- Twinning phenomenon, 189-241
 etiology of, 191-201
 frequency of, 198-218
 in Hungary, 214-218
 in Nigeria, 198-201
 in Poland, 202-209
 in Southern Moravia, 210-213
 in the German Democratic Republic, 4
- Twin Register of Budapest, 219-230
- Twins,
 birth conditions of, 10-14, 83-87, 109-119
 birth weight of, see low birth weight of
 conjoined, 75-77
 dental longitudinal examinations in, 103-105
 developmental defects in, 20
 early mortality of, 3, 26, 62-74, 106-108
 and birth conditions, 71
 and birth order, 11
 and birth weight, 11, 17, 19, 25, 85, 106-108
 and cause, 16, 85

- Twins, early mortality of (continued)
- and interval between twin births, 20, 66
 - and kind of delivery, 24
 - and oxytocics, 64
 - and prematurity, 21, 85
 - and presentation, 24, 63
 - and sex, 11
 - reduction of, 15-17, 60, 70-72
 - second twin, 20, 22-26, 62-72
- family incidence of, 191-192
- fetal hearts of, 31
- fetal malposition of, 38-41
- feto-fetal transfusions in, 30
- hemolytic disease in, 33-37
- low birth weight of, 3-17
- and perinatal death, 3-19, 85-86, 106-108
 - and postnatal development, 109-112, 116
- postnatal development of, 81-146
- and birth conditions, 12, 109-119
 - and birth order, 113-119
 - and birth weight, 109-119, 122-123, 129-131
- and family environment, 117
 - and mode of delivery, 115
 - and prematurity, 12, 109-112, 117
 - head-circumference increase of, 123
 - length increase of, 107, 110, 111, 122
 - mental, 125-134
 - and living conditions, 142-146
 - auditory perception, 127
 - behavioral troubles, 137-138
 - intelligence quotients, 125-138
 - in the first six months, 129-131
 - personality troubles, 136-137
 - psychomotor drive, 128
 - verbal and performance scales, 127
 - visual perception of, 127
 - physical, 120-124
 - weight increase, 107, 110-111, 117, 122
- prematurity of, 3-17, 25, 106-108
- prognosis of, 7-14
- Zygoty and placentation, 234-237