ANIMAL Production

JOURNAL OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Edited by

GERALD WIENER J. F. D. GREENHALGH G. HARRINGTON I. L. MASON L. E. MOUNT

VOLUME 9 1967

OLIVER & BOYD LTD. EDINBURGH AND LONDON

PRINTED AND PUBLISHED IN GREAT BRITAIN BY OLIVER AND BOYD LTD., EDINBURGH

CONTENTS OF VOLUME 9

(LISTED ALPHABETICALLY BY AUTHOR)

	PAGE
BALL, C., see BROADBENT, P. J.	
BEREK, G., URBANYI, L., and LAKATOS, T. A note on copper sulphate in the diet of pigs	421
BLAXTER, K. L., see Ulyatt, M. J.	
BOAZ, T. G., see Forbes, J. M.	
BOND, T. E., KELLY, C. F., and HEITMAN, H., Jr. Physiological response of swine to cycling environmental conditions.	453
BROADBENT, J. S., and WATSON, J. H. Sires' own performance as an indica- tion of progeny performance in testing Suffolk rams for growth rate .	99
BROADBENT, P. J., DODSWORTH, T. L., BALL, C. and SAMPFORD, M. R. A comparison of semi-intensively reared Charolais × Ayrshire and Shorthorn × Ayrshire cattle	61
CASADY, R. B., see Rollins, W. C.	
CASTLE, M. E., DRYSDALE, A. D., and WATSON, J. N. A note on the effect of Scotch grain distillers' solubles on the milk production of dairy cows	409
COEY, W. E., see HOLME, D. W.	
COLE, D. J. A., DUCKWORTH, J. E., and HOLMES, W. Factors affecting voluntary feed intake in pigs. I. The effect of digestible energy content of the diet on the intake of castrated male pigs housed in holding pens and in metabolism crates	141
COLE, D. J. A., DUCKWORTH, J. E., and HOLMES, W. Factors affecting voluntary feed intake in pigs. II. The effect of two levels of crude fibre in the diet on the intake and performance of fattening pigs	149
CRAIG, JEAN, see TAYLOR, St C. S.	
CURRAN, M. K., LEAVER, J. D., and WESTON, E. W. A note on the use of chromic oxide incorporated in a feed to estimate faecal output in ruminants	561
CURRAN, M. K., see also Holmes, W.	
DALTON, D. C., PEARSON, M. E., and SHEARD, M. The behaviour of dairy bulls kept in groups	1
DALTON, D. C. Selection for growth in mice on two diets	425
DAVIES, D. A. R., and OWEN, J. B. The intensive rearing of lambs. I. Some factors affecting performance in the liquid feeding period	501
DAVIES, D. A. R., see also OWEN, J. B.	
DE WILDE, R., see VANSCHOUBROEK, F.	
DODSWORTH, T. L., see BROADBENT, P. J.	
DONALD, H. P., and READ, J. L. The performance of Finnish Landrace sheep in Britain	471
DONEY, J. M. The effect of inbreeding on feed consumption and utilisation by sheep	359
DONEY, J. M., and GRIFFITHS, J. G. Wool growth regulation by local skin cooling	393

10	 2	P

DRYSDALE, A. D., see CASTLE, M. E.	
DUCKWORTH, J. E., see COLE, D. J. A.	
EADIE, J. M., HOBSON, P. N., and MANN, S. O. A note on some comparisons between the rumen content of barley-fed steers and that of young calves also fed on a high concentrate ration	247
Elliot, R. C., see Topps, J. H.	
EWBANK, ROGER, and MASON, AGNES C. A note on the sucking behaviour of twin lambs reared as singles	417
FORBES, J. M., REES, J. K. S., and BOAZ, T. G. Silage as a feed for pregnant ewes	399
FORBES, T. J., and ROBINSON, J. J. The effect of source and level of dietary protein on the performance of in-lamb ewes	521
FRAPE, D. L., and HOCKEN, R. W. The effect of pattern of daily feeding of pregnant sows on apparent digestibility	547
GASTON, HELEN J., see STOBO, I. J. F.	
GRIFFITHS, J. G., see DONEY, J. M.	
GUNN, R. G. A note on hill ewe mortality	263
HANKE, H. E., see JORDAN, R. M.	
HEAP, F. C., and LODGE, G. A. Changes in body composition of the sow during pregnancy	237
HEITMAN, H., Jr., see Bond, T. E.	
HEITMAN, H., Jr., see also HINTZ, H. F.	
HINTZ, H. F., and HEITMAN, H., Jr. Sewage-grown algae as a protein supplement for swine	135
HOBSON, P. N., see EADIE, J. M.	
HOCKEN, R. W., see FRAPE, D. L.	
HODGSON, J., and WILKINSON, J. W. The relationship between live weight and herbage intake in grazing cattle	365
HOLME, D. W., and COEY, W. E. The effects of environmental temperature and method of feeding on the performance and carcass composition of bacon pigs	209
HOLMES, C. W., and MOUNT, L. E. Heat loss from groups of growing pigs	
under various conditions of environmental temperature and air move- ment	435
HOLMES, W., and CURRAN, M. K. Feed intake of grazing cattle. V. A further study of the influence of pasture restriction combined with supplementary feeding on production per animal and per acre	313
HOLMES, W., see also COLE, D. J. A.	
JACKSON, T. H. The allometric relationship between carcass muscle and carcass bone in Scottish Blackface sheep	531
JAMIESON, A., and ROBERTSON, A. Cattle transferrins and milk production	491
JORDAN, R. M., and HANKE, H. E. A note on the influence of age at time of diethylstilbestrol implantation on the weight gain of young lambs .	565
KARAM, H. A., see PURSER, A. F.	
KAY, M., MACLEOD, N. A., MCKIDDIE, G., and PHILIP, EUPHEMIA B. The nutrition of the early-weaned calf. X. The effect of replacement of fish meal with either urea or ammonium acetate on growth rate and nitrogen	
retention in calves fed ad libitum	197

CONTENTS	v
KAY, M., WALKER, T., and MCKIDDIE, G. The effect of ammonium acetate on the yield and composition of milk from heifers	раде 477
KAY, M., see also McDonald, I.	
KELLY, C. F., see BOND, T. E.	
LAKATOS, T., see BEREK, G.	
LAMMING, G. E., see Prescott, J. H. D.	
LAMMING, G. E., see also Swan, H.	
LAMPO, Ph., see VANSCHOUBROEK, F.	
LANGLANDS, J. P. Studies on the nutritive value of the diet selected by grazing sheep. II. Some sources of error when sampling oesophageally fistulated sheep at pasture	167
LANGLANDS, J. P. Studies on the nutritive value of the diet selected by grazing sheep. III. A comparison of oesophageal fistula and faecal index techniques for the indirect estimation of digestibility	325
LAWRENCE, N., see Smith, W. C.	
Leaver, J. D., see Curran, M. K.	
LEVI, D., SOLLER, M., and SHILO, A. The effect of age, live-weight and rate- of-gain on dressing percentage and non-saleable fat content of Israel- Friesian bull calves	115
LODGE, G. A. A note on the substitution of sorghum for barley in diets for fattening pigs	259
LODGE, G. A., see also HEAP, F. C.	
McDonald, I., and KAY, M. A note on the composition of live-weight gains estimated by regression analysis	553
McDonald, I., see also Ulyatt, M. J.	
MCKIDDIE, G., see KAY, M.	
MACLEOD, N. A., see KAY, M.	
MANN, S. O., see Eadie, J. M.	
MASON, AGNES C., see EWBANK, ROGER	
MILLER, E. L., see OWEN, J. B.	
MOUNT, L. E., see HOLMES, C. W.	
OAKES, M. W. The effect of different levels of management on the assessment of differences within a variety of chicken	121
O'CONNOR, L. K., and WILLIS, M. B. The effect of artificial insemination on the breed structure of British Friesian cattle	287
OWEN, J. B., and RIDGMAN, W. J. The effect of dietary energy content on the voluntary intake of pigs .	107
OWEN, J. B., DAVIES, D. A. R., MILLER, E. L., and RIDGMAN, W. J. The intensive rearing of lambs. 2. Voluntary food intake and performance on diets of varying oat husk and beef tallow content .	509
OWEN, J. B., see also DAVIES, D. A. R.	
Park, C., see Webster, A. J. F.	
Pearson, M. E., see Dalton, D. C.	
PERRY, G. C., and WATSON, J. H. Sources of variation in the uptake of a marker antibody by piglets	377
PERRY, G. C., and WATSON, J. H. Variation in the absorption of a colostrally secreted marker antibody in piglets .	385

vi CONTENTS	
PERRY, G. C., and WATSON, J. H. A note on the selective uptake of serum proteins in piglets following dosage with porcine serum	page 557
Philip, Euphemia B., see Kay, M.	
POND, W. G., see VEUM, T. L.	
POWELL, T. L. A note on relationships between components of weather and the location of defaecation in out-wintered cattle	413
PRESCOTT, J. H. D., and LAMMING, G. E. The influence of castration on the growth of male pigs in relation to high levels of dietary protein .	535
PURSER, A. F., and KARAM, H. A. Lamb survival, growth and fleece produc- tion in relation to birthcoat type among Welsh Mountain sheep	75
Read, J. L., see Donald, H. P.	
REES, J. K. S., see Forbes, J. M.	
RICKABY, C. D. Protein levels in practical diets for bacon pigs	229
RIDGMAN, W. J., see Owen, J. B.	
Robertson, A., see Jamieson, A.	
ROBINSON, J. J., see Forbes, T. J.	
ROLLINS, W. C., and CASADY, R. B. An analysis of pre-weaning deaths in rabbits with special emphasis on enteritis and pneumonia. I. Non-genetic sources of variation	87
ROLLINS, W. C., and CASADY, R. B. An analysis of pre-weaning deaths in rabbits with special emphasis on enteritis and pneumonia. II. Genetic sources of variation	93
Roy, J. H. B., see Stobo, I. J. F.	
RUSSEL, A. J. F. A note on goitre in lambs grazing rape (Brassica napus)	131
SAMPFORD, M. R., see BROADBENT, P. J.	
SHEARD, M., see DALTON, D. C.	
Shilo, A., see Levi, D.	
SLEE, J., and SYKES, A. R. Acclimatisation of Scottish Blackface sheep to cold. I. Rectal temperature responses	333
SMITH, C. A note on the improvement of a trait by selecting on its com-	
ponents	127
SMITH, C. Improvement of metric traits through specific genetic loci .	349
SMITH, W. C., TONKS, H. M., and LAWRENCE, N. A note on the use of back rasher ratios as predictors of lean percentage of pigs of bacon weight .	255
Soller, M., see Levi, D.	
Stobo, I. J. F., Roy, J. H. B., and GASTON, HELEN J. The protein require- ment of the ruminant calf. I. The effect of protein content of the concen- trate mixture on the performance of calves weaned at an early age .	7
STOBO, I. J. F., ROY, J. H. B., and GASTON, HELEN J. The protein require- ment of the ruminant calf. II. Further studies on the effect of protein content of the concentrate mixture on the performance of calves weaned at an early age	23
STOBO, I. J. F., ROY, J. H. B., and GASTON, HELEN J. The protein require- ment of the ruminant calf. III. The ability of the calf weaned at five weeks of age to utilize urea given as a supplement to a low-protein concen- trate	155

.

CONTENTS	vii
SWAN, H., and LAMMING, G. E. Studies on the nutrition of ruminants. II. The effect of level of crude fibre in maize-based rations on the carcass composition of Friesian steers	page 203
Sykes, A. R., see Slee, J.	
TAYLOR, St C. S., and CRAIG, JEAN. Variation during growth of twin cattle	35
TAYLOR, St C. S., and YOUNG, G. B. Variation in growth and efficiency in twin cattle on constant feeding levels	295
TONKS, H. M., see Smith, W. C.	
TOPPS, J. H., and ELLIOTT, R. C. Partition of nitrogen in the urine of African sheep given a variety of low-protein diets	219
ULYATT, M. J., BLAXTER, K. L., and MCDONALD, I. The relations between the apparent digestibility of roughages in the rumen and lower gut of sheep, the volume of fluid in the rumen and voluntary feed intake	463
Urbanyi, L., see Berek, G.	
VAN VLECK, L. D., see VEUM, T. L.	
VANSCHOUBROEK, F., DE WILDE, R., and LAMPO, PH. The quantitative effects of feed restriction in fattening pigs on weight gain, efficiency of feed utilization and backfat thickness	67
VEUM, T. L., POND, W. G., and VAN VLECK, L. D. A note on correlations between milk production and milk composition of sows and the growth and haemoglobin of their pigs	251
WALKER, T., see KAY, M.	
WATSON, J. H., see BROADBENT, J. S.	
WATSON, J. H., see also PERRY, G. C.	
WATSON, J. N., see CASTLE, M. E.	
WEBSTER, A. J. F., and PARK, C. The effect of jute coats on the heat losses of two breeds of sheep exposed to different environments.	483
Weston, E. W., see Curran, M. K.	
WIENER, G. A comparison of the body size, fleece weight and maternal per- formance of five breeds of sheep kept in one environment	177
WILKINSON, J. M., see HODGSON, J.	
WILLIS, M. B., see O'CONNOR, L. K.	
YOUNG, G. B., see TAYLOR, St C. S.	
PROCEEDINGS OF THE 45TH MEETING OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION, Harrogate, 20-22 March 1967	265
PROCEEDINGS OF THE 46TH MEETING OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION, Reading, 18-21 September 1967	569

Tables should be as simple and as few as possible. When constructing tables, it would be helpful if authors would take into account the size and shape of the pages of Animal Production.

Summary: Every article should have a short summary complete in itself and understandable without reference to the paper. The summary will be printed at the beginning of the paper.

References: Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. Bibliographical details should be in the following order: author's name, initials, year, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume of journal, first and last page of paper. References should be listed in alphabetical order. When abstracts are referred to the page reference should be followed by (Abstr.).

Examples:

- BLAXTER, K. L. and WILSON, R. S. 1962. The voluntary intake of roughages by steers. Anim. Prod. 4: 351-358.
- HAMMOND, J. 1932. Growth and the Development of Mutton Qualities in the Sheep. Oliver and Boyd, Edinburgh.

In the text, references should be made by giving author and year; at the first mention all authors should be named, thereafter the first author followed by *et al.* should be used for papers with more than two authors.

Proofs are supplied once in galley form and must be returned corrected to the Editors within seven days. Only essential corrections should be made.

Reprints: Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the galley proof stage. No free reprints are supplied for *Notes*, but copies may be purchased.

Animal Production is published four times a year. Annual subscription for every four numbers is 90s. (or \$14.00 in the U.S.A. and Canada) and the price for a single number is 25s. (or \$4.00) net.

Business matters, including regular subscriptions and sales (the current Journal, back numbers, the Proceedings of the British Society of Animal Production (1944-58) and reprints), should be addressed to Messrs. Oliver & Boyd Ltd., Tweeddale Court, 14 High Street, Edinburgh 1.

Senior Editor

GERALD WIENER, A.R.C. Animal Breeding Research Organisation.

Editors

J. F. D. GREENHALGH, Rowett Research Institute.

- G. HARRINGTON, Produce Studies Limited.
- I. L. MASON, Institute of Animal Genetics.
- L. E. MOUNT, A.R.C. Institute of Animal Physiology.

CONTENTS

-

DALTON, D. C. Selection for growth in mice on two diets	
	425
HOLMES, C. W., and MOUNT, L. E. Heat loss from groups of growing pigs under various conditions of environmental temperature and air movement	435
BOND, T. E., KELLY, C. F., and HEITMAN, H., JR, Physiological response of swine to cycling environmental conditions	453
ULYATT, M. J., BLAXTER, K. L., and McDoNALD, I. The relations between the apparent digestibility of roughages in the rumen and lower gut of sheep, the volume of fluid in the rumen and voluntary feed intake	463
DONALD, H. P., and READ, J. L. The performance of Finnish Landrace sheep in Britain	471
KAY, M., WALKER, T., and MCKIDDIE, G. The effect of ammonium acetate on the yield and composition of milk from heifers	477
WEBSTER, A. J. F., and PARK, C. The effect of jute coats on the heat losses of two breeds of sheep exposed to different environments	483
JAMIESON, A., and ROBERTSON, A. Cattle transferrins and milk production .	491
DAVIES, D. A. R., and OWEN, J. B. The intensive rearing of lambs. 1. Some factors affecting performance in the liquid feeding period	501
Owen, J. B., DAVIES, D. A. R., MILLER, E. L., and RIDGMAN, W. J. The intensive rearing of lambs. 2. Voluntary food intake and performance on diets of varying oat husk and beef tallow content	509
FORBES, T. J., and ROBINSON, J. J. The effect of source and level of dietary protein on the performance of in-lamb ewes	521
JACKSON, T. H. The allometric relationship between carcass muscle and carcass bone in Scottish Blackface sheep	531
PRESCOTT, J. H. D., and LAMMING, G. E. The influence of castration on the growth of male pigs in relation to high levels of dietary protein	535
FRAPE, D. L., and HOCKEN, R. W. The effect of pattern of daily feeding of pregnant sows on apparent digestibility	547
McDonald, I., and Kay, M. A note on the composition of live-weight gains estimated by regression analysis	553
PERRY, G. C., and WATSON, J. H. A note on the selective uptake of serum proteins in piglets following dosage with porcine serum	557
CURRAN, M. K., LEAVER, J. D., and WESTON, E. W. A note on the use of chromic oxide incorporated in a feed to estimate faecal output in ruminants	561
JORDAN, R. M., and HANKE, H. E. A note on the influence of age at time of diethylstilbestrol implantation on the weight gain of young lambs	565
PROCEEDINGS OF THE 46TH MEETING OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION. READING, 18-21 SEPTEMBER 1967	569

COPYRIGHT (C) 1967 THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Printed and Published in Great Britain by OLIVER AND BOYD LTD, Edinburgh: Tweeddale Court London: 39A Welbeck Street, W.1