

The Journal of General Microbiology

Volume 53, Part 2, September 1968

- G. IVÁNOVICS, E. MARJAI AND A. DOBOZY The growth of purine mutants of *Bacillus anthracis* in the body of the mouse
- R. MARCHANT AND D. G. SMITH Bud formation in *Saccharomyces cerevisiae* and a comparison with the mechanism of cell division in other yeasts
- R. J. WHITE AND A. HURST The location of nisin in the producer organism, *Streptococcus lactis*
- W. F. LOOMIS, JR AND J. M. ASHWORTH Plaque-size mutants of the cellular slime mould *Dictyostelium discoideum*
- W. T. DOBRZAŃSKI, H. OSOWIECKI AND M. A. JAGIELSKI Observations on inter-generic transformation between Staphylococci and Streptococci
- D. PITT AND C. COOMBES The disruption of lysosome-like particles of *Solanum tuberosum* cells during infection by *Phytophthora erythroseptica* Pethybr.
- F. J. BERGERSEN AND G. L. TURNER Comparative studies of nitrogen fixation by soybean root nodules, bacteroid suspensions and cell-free extracts
- D. TAYLOR-ROBINSON AND Z. DINTER Unexpected serotypes of mycoplasmas isolated from pigs
- M. J. GRIFFIN AND J. R. COLEY-SMITH The establishment of hop tissue cultures and their infection by downy mildew *Pseudoperonospora humuli* (Miy. & Tak.) Wilson under aseptic conditions
- J. R. COOK AND B. HEINRICH Unbalanced respiratory growth of *Euglena*
- Y. KOGA AND I. KUSAKA Involvement of autolysis of cytoplasmic membranes in the process of autolysis of *Bacillus cereus*
- S. I. T. KENNEDY AND C. A. FEWSON Metabolism of mandelate and related compounds by bacterium NCIB 8250
- T. NURMINEN AND H. SUOMALAINEN Location and activity of the respiratory enzymes of baker's yeast and brewer's bottom yeast grown under anaerobic and aerobic conditions
- I. B. HEATH AND A. D. GREENWOOD Electron microscopic observations of dividing somatic nuclei in *Saprolegnia*

45s. net (\$7.50). Annual subscription £25 net (\$87.50) for fifteen issues.

CAMBRIDGE UNIVERSITY PRESS

The Trematoda

BEN DAWES

'It will prove indispensable and stimulating for students and provide a much-needed "take-off" for future research. It will also be invaluable to specialists in other groups who wish to obtain a bird's-eye view of the Trematoda without prolonged and tedious researches in the library.' *Science Progress*

Originally published 1946: out of print since 1964. Now reissued.

90s. net

**CAMBRIDGE
UNIVERSITY
PRESS**

MICROME STAINS

Methyl Green
Aquamount
Celestin Blue
Celloidin
*Chromosome Red
Fluoroil
Fluormount

Thionine
May-Grünwald
Giemsa Stain
Janus Green B
Laktoseal
Lipid Crimson
Lacmoid
Fast ponceau L salt

Leishman
Nile Blue
Optoil
Sudan Black
*Trifalgic Acid
Wright Stain
Pyronine Y etc.

Detection of PROTEIN-MALNUTRITION &

State of Health in Man and Animals

can be accomplished most readily and easily in the field or in the laboratory by use of B. T. Squires' modified *FALG STAIN.

*RHODANILE BLUE: an entirely new kind of basic polychrome dye with many uses.

*Information leaflets and catalogue on request

Also dyes for scientific and technological purposes

EDWARD GURR, LTD.

42 Upper Richmond Road West
LONDON, S.W.14

Cables: Micromlabs, London, S.W.14
Telephones: 01-876 8228/9

Publications issued by

COMMONWEALTH INSTITUTE OF ENTOMOLOGY
56 Queen's Gate, London, S.W.7

BULLETIN OF ENTOMOLOGICAL RESEARCH

Published quarterly and containing original articles on economic entomology. *Post free.*
Annual subscription (payable in advance) 150s. od.
Prices of back parts and volumes on application.

REVIEW OF APPLIED ENTOMOLOGY

Consisting of abstracts or reviews of current literature on economic entomology throughout the world. Published monthly in two series:

Series "A" dealing with insect and other arthropod pests of cultivated plants, forest trees and stored products of animal and vegetable origin.

Series "B" dealing with insects, ticks, etc. conveying disease or otherwise injurious to man and animals. *Post free.*

Annual subscription (payable in advance) *Series "A"* 180s. od. *Series "B"* 80s. od.
Prices of back parts and volumes on application.

ZOOLOGICAL RECORD, part INSECTA

Published annually and containing as complete a record as possible of the literature of the previous year, chiefly from the systematic standpoint.

Annual subscription 130s. od. *Post free.*
Prices of back volumes on application.

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to Dr H. D. Crofton, Department of Zoology, University of Bristol, Woodland Road, Bristol B58 1UG.

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side only of quarto paper, leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should be on separate sheets (see below).

PLATES should only be included where they are absolutely essential, as in the reproduction of photomicrographs and similar illustrations demanding very fine detail. Plates are expensive and authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping, in order to reduce postage costs). Please remember that the area of a group cannot exceed 20 by 12.5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 20 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper, tracing paper or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with gradations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification are preferably given alongside the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and

diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the *International Rules of Nomenclature* in the names of organisms. When new names are introduced the recommendations of the *International Code of Zoological Nomenclature*, 1964, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal (abbreviated according to the *World List of Scientific Periodicals*, 1963-5 ed., and underlined); volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter *a* being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W. 1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Fifty offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of Papers for Publication in the *Journal of Hygiene* and in *Parasitology*. *Parasitology* 32, 1-62 and *J. Hyg., Camb.* 40, 1-62. (Now out of print and also out of date in some respects.)
The Journal of Physiology (1960). Suggestions to Authors 150, 1-33, Cambridge University Press.
THE ROYAL SOCIETY published a second edition of *General Notes on the Preparation of Scientific Papers* in 1965.

PARASITOLOGY

Volume 58, Part 4 November 1968

CONTENTS

	PAGE
MAWSON, PATRICIA M. A new genus, <i>Alainchabaudia</i> (Nematoda: Spirurinae), from coraciform birds in Australia. (With 11 Figures in the Text)	741
MAWSON, PATRICIA M. Habronematinae (Nematoda: Spiruridae) from Australian birds. (With 57 Figures in the Text)	745
PEARSON, J. C. Observations on the morphology and life-cycle of <i>Paucivitellosus fragilis</i> Coil, Reid & Kuntz, 1965 (Trematoda: Bivesiculidae). (With 14 Figures in Text) .	769
BHAIBULAYA, MANOON. A new species of <i>Angiostrongylus</i> in an Australian rat, <i>Rattus fuscipes</i> . (With 4 Figures in the Text)	789
ODHIAMBO, THOMAS R. Growth, longevity, and the frequency of feeding of <i>Glossina pallidipes</i> Austen. (With 9 Figures in the Text)	801
DINNIK, J. A. and SACHS, R. A gigantic <i>Protostrongylus</i> , <i>P. africanus</i> sp.nov., and other lung nematodes of antelopes in the Serengeti, Tanzania. (With 4 figures in the Text)	819
SCHMIDT, GERALD D. <i>Chevreuxia americana</i> sp.nov. (Nematoda: Acuariidae) from the avocet, <i>Recurvirostra americana</i> , in Colorado. (With 5 Figures in the Text)	831
RIORDAN, K. Chromosomes of the tsetse fly, <i>Glossina palpalis</i> R.-D. (With 1 Plate) . .	835
WALLIKER, D. Studies on <i>Myxidium oviforme</i> , a myxosporidan parasite of Irish salmon, <i>Salmo salar</i> . (With 2 Figures in the Text)	839
SCHMIDT, GERALD D. and KUNTZ, ROBERT E. Nematode parasites of Oceanica. IV. Oxyurids of mammals of Palawan, P.I., with descriptions of four new species of <i>Syphacia</i> . (With 16 Figures in the Text)	845
REES, GWENDOLEN. <i>Macrolecithus papilliger</i> sp.nov. (Digenea: Allocreadiidae, Stossich, 1904) from <i>Phoxinus phoxinus</i> (L.). Morphology, histochemistry and egg capsule formation. (With 23 Figures in the Text).	855
WEBSTER, J. M. and HOOPER, D. J. Serological and morphological studies on the inter- and intraspecific differences of the plant-parasitic nematodes <i>Heterodera</i> and <i>Ditylenchus</i> . (With 2 Plates and 5 Figures in the Text)	879
ARTHUR, DON. R. and SNOW, KEITH R. <i>Ixodes pacificus</i> Cooley and Kohls, 1943: Its life-history and occurrence. (With 5 Figures in the Text)	893
WADDELL, A. H. The excretory system of the kidney worm <i>Stephanurus dentatus</i> (Nematoda). (With 4 Plates and 6 Figures in the Text)	907
KEARN, G. C. The larval development of <i>Merizocotyle</i> sp., a monocotylid monogenean from the nasal fossae of <i>Raia undulata</i> . (With 2 Figures in the Text)	921
WILLIAMS, H. HARFORD. <i>Phyllobothrium piriei</i> sp.nov. (Cestoda: Tetraphyllidea) from <i>Raja naevus</i> with a comment on its habitat and mode of attachment. (With 14 Figures in the Text).	929
Ogilvie, BRIDGET M. and JONES, VALERIE E. Passive protection with cells or antiserum against <i>Nippostrongylus brasiliensis</i> in the rat. (With 4 Figures in the Text) . . .	939
DONALD, A. D. Population studies on the infective stage or some nematode parasites of sheep. III. The distribution of strongyloid egg output in flocks of sheep	951
Proceedings for the British Society for Parasitology	1 P
Index of Authors	i
Index of Subjects	viii