ANIMAL PRODUCTION

Journal of the British Society of Animal Production

Contents of Volume 12 Part 2 May 1970 include the following:

- DONALD and RUSSELL. The relationship between live weight of ewe at mating and weight of newborn lamb.
- DONALD, READ and RUSSELL. Influence of litter size and breed of sire on carcass weight and quality of lambs.
- STRANG. Litter productivity in Large White pigs. 1. The relative importance of some sources of variation.
- STRANG and KING. Litter productivity in Large White pigs. 2. Heritability and repeatability estimates.
- LAWRENCE. Effects on the bacon pig of adding protein and vitamin-mineral supplements to barley without mixing and at different time intervals.
- BROADBENT, McINTOSH and SPENCE. The evaluation of a device for feeding group-housed animals individually.
- CURRAN, WIMBLE and HOLMES. Prediction of the voluntary intake of food by dairy cows. 1. Stall-fed cows in late pregnancy and early lactation.
- CURRAN and HOLMES. Prediction of the voluntary intake of food by dairy cows. 2. Lactating grazing cows.
- LYONS, CAFFREY and O'DONNELL. The effect of energy, protein and vitamin, supplementation on the

- performance and voluntary intake of barley straw by cattle.
- KAY, MACDEARMID and MACLEOD. Intensive beef production. 10. Replacement of cereals with chopped straw.
- WOOD. The relationship between the month of calving and milk production.
- ROWLAND. The rumenitis and liver abscess complex and vitamin A status in beef cattle.
- OSMAN, EL-SAYED, AKKADA, ABOU and AGABAWI. Influence of rumen ciliate protozoa on conversion of food and growth rate in early-weaned Zebu calves.
- ANDREWS and ORSKOV. A note on the effect of bulk density and digestibility on the voluntary intake of concentrate diets by sheep of two ages.
- DEIF, ABOU, AKKADA and EL-SHAZLY. A note on the utilization of urea nitrogen by sheep.
- TERNOUTH and BEATTIE. A note on the voluntary food consumption and the sodium-potassium ratio of sheep after shearing.
- Proceedings of the 51st meeting of the British Society of Animal Production, Harrogate, 23-25 March 1970.

OLIVER & BOYD LIMITED

Tweeddale Court, 14 High Street, Edinburgh EH1 1YL, Scotland

COMMONWEALTH BUREAU OF DAIRY SCIENCE & TECHNOLOGY SHINFIELD • READING • ENGLAND

The Bureau is the world's information centre on all matters concerned with dairy husbandry, science and technology. It prepares abstracts, review articles, Technical Communications in book form, and undertakes to answer technical enquiries from authentic dairy scientists.

PUBLICATIONS INCLUDE

DAIRY SCIENCE ABSTRACTS

COMPILED MONTHLY FROM WORLD LITERATURE

Annual Subscription £8 to subscribers in the Commonwealth and the Republic of Ireland, whose Governments contribute to the Commonwealth Agricultural Bureaux

£15 15s. to subscribers in non-contributing countries

THE MILK FAT GLOBULE MEMBRANE by N. KING

Cloth bound 99 pp. Price 15s. od.

MILK AND BUTTERFAT RECORDING by E. D. Ashton

Cloth bound 205 pp. Illustrated Price 30s. O

Orders and subscriptions should be sent to

COMMONWEALTH AGRICULTURAL BUREAUX · CENTRAL SALES BRANCH FARNHAM ROYAL · BUCKS · ENGLAND

The Journal of Applied Bacteriology

Edited by G. Sykes and F. A. Skinner

The Journal of Applied Bacteriology (previously known as the Proceedings of the Society for Applied Bacteriology) is published for the Society to advance the study of microbiology, particularly bacteriology, in its application to industry.

Long established as an international medium for original papers embracing the many aspects of applied bacteriology the Journal serves the widening interests of microbiologists in all fields of research.

The Journal is published four times a year (comprising one volume) in March, June. September and December.

The Editors are ready to consider for publication papers appearing on all aspects of applied microbiology. Review articles may also be accepted.

Papers submitted for consideration should be addressed to:

Mr G. Sykes,
Microbiology Division,
Boots Pure Drug Co. Ltd.,
Pennyfoot Street,
Nottingham, England

SUBSCRIPTIONS

Vol. 33, 1970, £9. 10. 0 plus 8s. postage and packing; overseas \$26.50 plus \$1.00 postage and packing. Certain back issues are obtainable from the publishers. All enquiries regarding subscriptions/advertisements should be addressed to the publishers.

Published by

ACADEMIC PRESS LONDON and NEW YORK



Berkeley Square House, Berkeley Square, London, W1X 6BA

The Journal of General Microbiology

Edited by B. C. J. G. KNIGHT University of Reading and

A. F. B. STANDFAST

Lister Institute of Preventive Medicine

The Journal of General Microbiology publishes original work on algae, bacteria, microfungi, protozoa and other micro-organisms with particular emphasis on general studies of these forms and their activities. The journal is published by Cambridge University Press for the Society for General Microbiology and the Proceedings of the Society are published in appropriate issues.

The Journal of General Microbiology is published fifteen times a year. Annual subscription £30 net. Please write for a specimen copy.

CAMBRIDGE UNIVERSITY PRESS

P.O. Box 92, London, N.W.1 32 East 57th Street, New York, N.Y. 10022

DIRECTIONS TO CONTRIBUTORS

GENERAL

Papers submitted for publication should be sent to Dr J. E. Ford (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in English or in any other language, without the consent of the Editors.

FORM OF PAPERS

The onus of preparing a paper in a form suitable for sending to press lies in the first place with the author who, in his own interests, should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, the spelling being that of the Shorter Oxford English Dictionary. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. Only with some exceptional types of material will headings different from (c), (d) and (e) be necessary.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the published pages of the work.

TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated.

ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in *blue* or *grey*, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend;

(c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. For each paper there should be also a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

As a rule the photographs and diagrams should be about twice the size of the finished block and not larger over-all than the sheets on which the paper itself is typed. For general guidance in preparing diagrams, it is suggested that for a figure measuring 9 in. × 6 in. all lines, axes and curves should have a thickness of 0-4 mm, thus _______. Graph symbols in order of preference should be \bigcirc •. \triangle •, \square •, \times +, and for a 9 in. × 6 in. graph the open circles should be $\frac{1}{8}$ in. in diam. The open triangles should be large enough to contain circles of $\frac{3}{8}$ in, diam. and the open square circles of $\frac{1}{8}$ in, diam. The crosses should have lines $\frac{1}{8}$ in. long. The black symbols should be slightly smaller than the corresponding open symbols. Scale marks on the axes should be on the inner side of each axis and should be $\frac{1}{8}$ in, long.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a): Arnold & Barnard (1900a.b); (Arnold & Barnard, 1900). Where there are more than 2 authors all the surnames should be quoted at the first mention, but in subsequent citations only the first surname should be given, thus: Brown et al. (1901). If there are 6 or more names, et al. should be used in the first instance. Also, if the combinations of names are similar, e.g. Brown, Smith & Allen (1954); Brown, Allen & Smith (1954), the names should be repeated each time. Reference to anonymous sources is not acceptable.

References should be listed alphabetically at the end of the paper, titles of journals being abbreviated as in the World List of Scientific Periodicals. Authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). J. Dairy Res. 18, 158. References to books should include names of authors, names of editors, year of publication, title, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). Dairying. London: Brown and Chester

It is the duty of the author to check all references and to ensure that the correct abbreviations are used.

SYMBOLS AND ABBREVIATIONS

The symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. Letter Symbols, Signs and Abbreviations.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCI, 0.1 M-NaH_2PO_4 . The term '%' means g/100 g solution. For mI/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

Journal of Dairy Research Volume 37, Number 2, June 1970

CONTENTS

ORIGINAL ARTICLES	
A rapid bioassay for penicillin residues in milk T. M. COGAN and P. F. FOX page	165
Influence of aggregation on the susceptibility of casein to proteolysis P. F. FOX	173
The effect of the periodic feeding of linseed oil on the production and iodine value of milk fat J. C. WADSWORTH	181
The effect of the modification of arginine side chains in casein on the coagulation of rennin-altered casein R. D. HILL	187
The effects of intravenous infusions of insulin and of sodium succinate on milk secretion in the goat J. A. F. ROOK and J. B. HOPWOOD	193
Extraction of the 260 nm-absorbing material from group N streptococci as a method for estimating cell growth D. MCC. HOGG and G. R. JAGO	199
Measurement of the quantity of lactose passing into mammary venous plasma and lymph in goats and in a cow N. J. KUHN and J. L. LINZELL	203
Comparison of milks processed by the direct and indirect methods of ultra-high-temperature sterilization. I. An experimental ultra-high-temperature sterilizer and its characteristics	200
H. BURTON and A. G. PERKIN Comparison of milks processed by the direct and indirect methods of ultra-high-temperature sterilization. II. The sporicidal efficiency of an experimental plant for direct and indirect processing	209
J. G. FRANKLIN, H. M. UNDERWOOD, A. G. PERKIN and H. BURTON Comparison of milks processed by the direct and indirect methods of ultra-high-temperature sterilization. III. A note on the results for spore destruction obtained with an experimental ultra-high-temperature milk sterilizer H. BURTON	219
The denaturation of α -lactal burnin and β -lactoglobulin in heated milk R. L. J. LYSTER	233
The interaction of bovine milk caseins with the detergent sodium dodecyl sulphate. I. The relationship between the composition and the size of the protein-detergent aggregate	
G. C. CHEESEMAN and JOAN JEFFCOAT The interaction of bovine milk caseins with the detergent sodium dodecyl sulphate. II. The effect of detergent binding on spectral properties of	245
G. C. CHEESEMAN and DOROTHY J. KNIGHT	259
Structure of the casein micelle. The accessibility of the subunits to various reagents B. RIBADEAU DUMAS and J. GARNIER	269
Milk enzymes—their distribution and activity B. J. KITCHEN, G. C. TAYLOR and I. C. WHITE	279
Apparatus and milking techniques used in lactation studies with sheep T. T. TREACHER	289
The composition of ewe's milk fat during early and late lactation R. C. NOBLE, W. STEELE and J. H. MOORE	297
Reviews of the progress of Dairy Science. Section E. Diseases of dairy cattle. Brucellosis. W. J. BRINLEY MORGAN	303
W. J. DRINLEI MURUAN	211.7