
STAHL'S ESSENTIAL PSYCHOPHARMACOLOGY ONLINE

The bestselling series in psychopharmacology is now available in an innovative online format for individuals and institutions!

Stahl's Essential Psychopharmacology, Third Edition

Essential Psychopharmacology: The Prescriber's Guide



For individuals:

One-year single-user site subscription: \$195

Pay-per-view access to entire site for 48 hours: \$40

Stahl's Essential Psychopharmacology, Third Edition paperback PLUS one-year single-user site subscription: \$225

For institutions:


Please email **online@cambridge.org** for site pricing or for a free trial.

Please visit www.stahlonline.org for a tour!



CAMBRIDGE

JOURNALS



Behavioural and Cognitive Psychotherapy

Published for the British Association for Behvioural and Cognitive Psychotherapies

Behavioural and Cognitive Psychotherapy

is available online at journals.cambridge.org/bcp

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York:

Phone (845) 353 7500 Fax (845) 353 4141 Email subscriptions_newyork@cambridge.org

Editor

Paul M. Salkovskis Institute of Psychiatry, London, UK

Behavioural and Cognitive Psychotherapy is an international multidisciplinary journal aimed primarily at members of the helping and teaching professions. Published quarterly, the journal features original research papers, covering both experimental and clinical work, that contribute to the theory, practice and evolution of cognitive and behaviour therapy.

Price information is available at journals.cambridge.org/bcp

Free email alerts

Keep up-to-date with new material – sign up at journals.cambridge.org/register

For a free online sample visit journals.cambridge.org/bcp



INSTRUCTIONS FOR CONTRIBUTORS

PAPERS Papers for publication from Europe and Australasia, except those on genetic topics, should be addressed to the UK Editor, Professor Robin M Murray, Psychological Medicine Editorial Office, Douglas House, 18E Trumpington Road, Cambridge CB2 8AH, UK, E-mail: Igs21@cam.ac.uk. Papers from the Americas, Asia, Africa and the Middle East, and all papers dealing with genetic topics, irrespective of country, should be sent to the US Editor, Professor Kenneth S Kendler, MCV, PO Box 980126, Richmond, VA, 23298-0126, USA (Street address: Virginia Biotechnology Center One, Room 1-123, 800E Leigh Street, Richmond, VA, 23219, USA), Email: bherrmann@vcu.edu.

Submissions by email attachments are preferred. Alternatively contributors who wish may send one hard copy of the text, tables and figures, plus an identical copy on computer disk, giving details of format used (e.g. MS Word etc.). Authors should also accompany their submission with a list of 5 or more suggested suitable referees to aid the peer review process.

A covering letter signed by all authors should confirm agreement to submission. The letter should also give full mailing, fax and email contact details of the author who will handle correspondence. Submission of a paper will be held to imply that it contains original work that has not been previously published and that it is not being submitted for publication elsewhere. This should be confirmed in the letter of submission. When an article has been accepted for publication, the authors should email their final version or send a copy on computer disk (indicating format used, e.g. Mac/PC, MS Word/Word Perfect, etc.) together with one hard copy of the typescript and good quality copies of all tables, figures, etc. However, the publisher reserves the right to typeset the material by conventional means if an author's disk proves unsatisfactory.

The following information must be given on the first page (title sheet): (1) title and short title for running head (not more than 60 characters): (2) authors' names, (3) department in which the work was done, (4) word count of text excluding abstract, tables/figures and reference list. Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179. Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. Fifty offprints of each paper are supplied free; additional offprints are available according to a scale of charges if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

In this Issue	879	Aberrant functional connectivity of dorsolateral prefrontal and cingulate networks in patients with major depression during	
EDITORIAL REVIEWS		working memory processing	
Interventionist causal models in psychiatry: repositioning the mind-body problem		Vasic N, Walter H, Sambataro F & Wolf RC	977
Kendler KS & Campbell J	881	Measuring melancholia: the utility of a prototypic symptom approach	
Working memory in schizophrenia: a meta-analysis Forbes NF, Carrick LA, McIntosh AM & Lawrie SM	889	Parker G, Fletcher K, Hyett M, Hadzi-Pavlovic D, Barrett M & Synnott H	989
ORIGINAL ARTICLES Impaired conscious and preserved unconscious inhibitory		Magnitude and contributory factors of postnatal depression: a community-based cohort study from a rural subdistrict of Bangladesh	
processing in recent onset schizophrenia		Gausia K, Fisher C, Ali M & Oosthuizen J	999
Huddy VC, Aron AR, Harrison M, Barnes TRE, Robbins TW & Joyce EM	907	Religious service attendance and spiritual well-being are differentially associated with risk of major depression	
Hallucinations and two types of free-recall intrusion in schizophrenia		Maselko J, Gilman SE & Buka S	1009
Brébion G, David AS, Bressan RA, Ohlsen RI & Pilowsky LS	917	Influence of high-frequency repetitive transcranial magnetic stimulation over the dorsolateral prefrontal cortex on the	
The influence of emotion clarity on emotional prosody identification in paranoid schizophrenia		inhibition of emotional information in healthy volunteers Leyman L, De Raedt R, Vanderhasselt M-A & Baeken C	1019
Bach DR, Buxtorf K, Grandjean D & Strik WK	927	Brain-derived neurotrophic factor (BDNF) and set-shifting in	
The role of metacognitive beliefs in determining the impact of anomalous experiences: a comparison of help-seeking and non-help-seeking groups of people experiencing psychotic-like anomalies		currently ill and recovered anorexia nervosa (AN) patients Nakazato M, Tchanturia K, Schmidt U, Campbell IC, Treasure J, Collier DA, Hashimoto K & Iyo M	1029
Brett CMC, Johns LC, Peters EP & McGuire PK	939	The slippery slope: prediction of successful weight maintenance in anorexia nervosa	
Acute cannabis use causes increased psychotomimetic experiences in individuals prone to psychosis Mason O, Morgan CJA, Dhiman SK, Patel A, Parti N, Patel A & Curran HV	951	Kaplan AS, Walsh BT, Olmsted M, Attia E, Carter JC, Devlin MJ, Pike KM, Woodside B, Rockert W, Roberto CA & Parides M	1037
Unwanted pregnancy as a risk factor for offspring		BOOK REVIEWS	
schizophrenia-spectrum and affective disorders in adulthood: a prospective high-risk study McNeil TF, Schubert EW, Cantor-Graae E, Brossner M, Schubert P & Henriksson KM	957	Schizophrenia: the Positive Perspective. Explorations at the Outer Reaches of Human Experience Miller R	1047
	301	Clinical Handbook of Schizophrenia	
A study of psychiatrists' concepts of mental illness Harland R, Antonova E, Owen GS, Broome M, Landau S,		Pandurangi AK	1048
Deeley Q & Murray R	967	Correspondence	1050



