GENETICAL RESEARCH

EDITORIAL BOARD

C. H. WADDINGTON (Chairman)
CHARLOTTE AUERBACH D. LEWIS
H. GRÜNEBERG G. PONTECORVO
W. HAYES A. ROBERTSON

EXECUTIVE EDITOR
E. C. R. REEVE
ASSISTANT EXECUTIVE EDITOR
J. O. BISHOP

Volume 11. 1968



CAMBRIDGE
AT THE UNIVERSITY PRESS
1968

PUBLISHED BY THE SYNDICS OF THE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W.1 American Branch: 32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS

No. 1 (February 1968)

FRANKER, COLIN K. and QUILLIGAN, J. J., JR. Further studies on inherited susceptibility to Friend mouse leukemia virus	page 1
MURPHY, HELEN M. Calcium and phosphorus metabolism in the grey-lethal mouse	7
EGGERTSSON, GUDMUNDUR. Mapping of ochre suppressors in Escherichia coli	15
MISHRA, NAWIN C. and THRELKELD, S. F. H. Genetic studies in Eudorina	21
THOMAS, D. Y. and WILKIE, D. Inhibition of mitochondrial synthesis in yeast by erythromycin: cytoplasmic and nuclear factors controlling resistance	
McCarthy, J. C. The effects of inbreeding on birth weight and foetal and placental growth in mice	43
Chovnick, A. and Sang, J. H. The effects of nutritional deficiencies on the maroon-like maternal effect in Drosophila	51
DAY, A. W. and Jones, J. K. The production and characteristics of diploids in <i>Ustilago violacea</i>	63
EPHRATI-ELIZUR, ERELA. Spontaneous transformation in Bacillus subtilis	83
Reeve, E. C. R. and Suttie, D. R. Chromosomal location of a mutation causing chloramphenical resistance in <i>Escherichia coli</i> K12	97
CURNOW, R. N. and BAKER, L. H. The effect of repeated cycles of selection and regeneration in populations of finite size	105
RAICU, P. and BRATOSIN, S. Interspecific reciprocal hybrids between Mesocricetus auratus and M. newtoni	113
LEE, GEOFFREY L. Dosage compensation as a developmental phenomenon in <i>Drosophila</i>	115
Anderson, E. S., Kelemen, Marianne V., Jones, Christine M. and Pitton, JS. Study of the association of resistance to two drugs in a transferable determinant in <i>Salmonella typhimurium</i>	
No. 2 (April 1968)	
Scowcroft, W. R. Variation of scutellar bristles in <i>Drosophila</i> . XI. Selection for scutellar microchaetae and the correlated response of scutellar bristles	
EHRMAN, LEE. Frequency dependence of mating success in <i>Drosophila</i> pseudoobscura	; 135
Barigozzi, C. and Gorla, M. Sari. Chromosomal and extrachromosomal transmission of cellular melanization in the Freckled phenotype in <i>Drosophila melanogaster</i>	

iv Contents

Morgenroth, A. and Duguid, J. P. Demonstration of different mutational sites controlling rhamnose fermentation in FIRN and non-FIRN rha-strains of Salmonella typhimurium: an essay in bacterial archaeology page	151
SUTHERLAND, T. M., BIONDINI, PATRICIA E. and HAVERLAND, L. H.	101
Selection under assortative mating in mice	171
DE LIGNY, WILHELMINA. Polymorphism of plasma esterases in flounder and plaice	179
Donch, John and Greenburg, Joseph. Loci of radiation sensitivity in Bs strains of <i>Escherichia coli</i>	183
Lyon, Mary F., Butler, Jane M. and Kemp, Richard. The positions of the centromeres in linkage groups II and IX of the mouse	193
SLIZYNSKA, H. Triplications and the problem of non-homologous crossing- over	201
BECKERT, WILLIAM H. and DOYLE, BROTHER WALTER. Bufo regularis, a twenty-chromosome toad	209
PHILLIPS, RUTH BROSI. Mating-type alleles in Illinois strains of Tetra- hymena pyriformis, syngen 1	211
DOVE, WILLIAM F. The extent of r II deletions in phage T4	215
No. 3 (June 1968)	
VERGHESE, MARGRITH WEHRLI and Nordskog, A. W. Correlated responses in reproductive fitness to selection in chickens	221
Chai, C. K. Analysis of quantitative inheritance of body size in mice. V. Effects of small numbers of polygenes on similar genetic backgrounds	239
KIMURA, MOTOO. Genetic variability maintained in a finite population due to mutational production of neutral and nearly neutral isoalleles	247
Sellei, J. and Rendel, J. The genetic control of antibody production. A study of isoimmune antibodies in cattle twins	271
Cannings, C. Fertility differences between homogamous and heterogamous matings	289
Reeve, E. C. R. Genetic analysis of some mutations causing resistance to tetracycline in <i>Escherichia coli</i> K12	303
Gajewski, W., Paszewski, A., Dawidowicz, A. and Dudzińska, B. Postmeiotic segregation in locus '46' of Ascobolus immersus	311
Pantelouris, E. M. and Payne, R. H. Genetic variation in the eel I. The detection of haemoglobin and esterase polymorphisms	319
Macdonald, K. D. The selection of auxotrophs of <i>Penicillium chrysogenum</i> with nystatin	327
Index of subjects and authors	331

PLATES should only be included where absolutely essential. They should be supplied as unmounted glossy prints; any lettering to be inserted on them is best indicated on a separate sketch. Please do not damage prints by writing heavily on their backs or by using paper clips.

DIAGRAMS should be about twice the size of the finished block, and the thickness of lines and size of points determined accordingly. They must be drawn in Indian ink on white Bristol Board or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Lettering should be lightly inserted in soft pencil only, so that the printer can put in the finished lettering.

Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their position indicated on the typescript. It will hasten refereeing if a photograph of each diagram can be supplied with the carbon copy of the paper.

TABLES should each be typed on a separate sheet of paper and their approximate positions in the text indicated on the typescript. Each table should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion.

FOOTNOTES should be avoided where possible. They can often be incorporated into the text, in parentheses.

SYMBOLS. Italic letters should generally be adopted for both gene symbols and quantities in mathematical formulae. Bold letters add to printing costs, and should only be used where they are necessary to avoid confusion.

SPELLING should follow the Concise Oxford Dictionary.

REFERENCES should follow the normal usage in the journal. In the list of references at the end of the paper, titles of periodicals should be abbreviated according to the World List of Scientific Periodicals (fourth edition).

PROOFS. Two sets of single-sided page proofs, together with the typescript, of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

OFFRINTS. Fifty offprints of each paper, including short papers, are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

VOLUME 11, NUMBER 3, 1968

CONTENTS

ERGHESE, MARGBITH WEHRLI and NORDSKOG, A. W. Correlated responses in reproductive fitness to selection in chickens	page 221
NAI, C. K. Analysis of quantitative inheritance of body size in mice. V. Effects of small numbers of polygenes on similar genetic background	ds 239
IMURA, MOTOO. Genetic variability maintained in a finite population of mutational production of neutral and nearly neutral isoalleles	lue to 247
ELLEI, J. and RENDEL, J. The genetic control of antibody production. A study of isoimmune antibodies in cattle twins	271
ANNINGS, c. Fertility differences between homogamous and heterogam matings	ous 289
tereve, e. c. r. Genetic analysis of some mutations causing resistance to tetracycline in <i>Escherichia coli</i> K12	303
Postmeiotic segregation in locus '46' of Ascobolus immersus	в.
I. The detection of haemoglobin and esterase polymorphisms	319
MACDONALD, K. D. The selection of auxotrophs of Penicillium chrysogenu with nystatin	m 327
Index of subjects and authors	331