Ergodic theory and dynamical systems

EDITORS

Michel Herman Anatole Katok Anthony Manning William Parry

EDITORIAL BOARD

- A. Connes (IHES)
- J. Feldman (University of California)
- J. Franks (Northwestern University)
- H. Furstenberg (Hebrew University)
- M. Gromov (IHES)
- M. Keane (Technische Hogeschool Delft)
- H. Kesten (Cornell University)
- U. Krengel (University of Gottingen)
- G. A. Margulis (USSR Acad. of Sciences)
- J. N. Mather (Princeton University)
- M. Misiurewicz (Warsaw University)
- S. E. Newhouse (University of Nth Carolina)

- D. S. Ornstein (Stanford University)
- J. Palis (IMPA)
- D. J. Rudolph (University of Maryland)
- D. Ruelle (IHES)
- K. Schmidt (University of Warwick)
- Ya. G. Sinai (L. D. Landau Inst. for Theoretical Physics, Moscow)
- J. P. Thouvenot (University of Paris 6)
- W. A. Veech (Rice University)
- P. Walters (University of Warwick)
- B. Weiss (Hebrew University)
- R. F. Williams (Northwestern University)
- R. Zimmer (University of Chicago)

VOLUME 6 1986



CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE MELBOURNE SYDNEY

PUBLISHED BY

THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 32 East 57th Street, New York, NY 10022, USA 10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1986

Printed in Great Britain by J. W. Arrowsmith Ltd, Bristol

Contents

PART 1 MARCH 1986

Transitivity and the Centre for maps of the circle E. M. Coven and I. Mulvey	1
Anosov foliations and cohomology D. Fried	9
Smoothing continuous flows on two manifolds and recurrences C. Gutierrez	17
On the C'-closing lemma for flows on the torus T^2 C. Gutierrez	45
Deciding eventual positivity of polynomials D. Handelman	57
On strong shift equivalence over a Boolean semiring K. H. Kim and F. W. Roush	81
Measured foliations and handelbodies H. Masur	99
Rotation intervals for a class of maps of the real line into itself <i>M</i> . <i>Misiurewicz</i>	119
The Chebotarov theorem for Galois coverings of Axiom A flows W. Parry and M. Pollicott	133
Fixed points of Lie group actions on surfaces J. F. Plante	149

PART 2 JUNE 1986

Chaos and topological entropy in dimension $n > 1$ C. Blanco García	163
On orbits of unipotent flows on homogeneous spaces, II S. G. Dani	167
A finiteness theorem for a dynamical class of entire functions L. R. Goldberg and L. Keen	183
Vector fields with transverse foliations S. Goodman	193
Josephson's junction, annulus maps, Birkhoff attractors, horseshoes and rotation sets K. Hockett and P. Holmes	205
Hölder continuous paths and hyperbolic toral automorphisms M. C. Irwin	241
On Denjoy's theorem for endomorphisms T. Malta	259
Topological conjugacy for sofic systems M. Nasu	265
Resolving maps which commute with a power of the shift <i>P. Trow</i>	281
On Hausdorff dimension of invariant sets for expanding maps of a circle <i>M. Urbański</i>	295
Stochastic stability of hyperbolic attractors LS. Young	311

Errata

Corrections to the paper 'On orbits of unipotent flows on homogeneous spaces' S. G. Dani	321
Errata to 'Transitivity and invariant measures for the geometric model of the Lorenz equations' C. Robinson	323

PART 3 SEPTEMER 1986

Generating special Markov partitions for hyperbolic toral automorphisms	
using fractals T. Bedford	325
ω -limit sets for maps of the interval L. Block and E. M. Coven	335
From a differentiable to a real analytic perturbation theory, applications to the Kupka Smale theorems H. W. Broer and F. M. Tangerman	345
The commutant is the weak closure of the powers, for rank-1 transforma- tions J. King	363
Analytic models of pseudo-Anasov maps J. Lewowicz and E. Lima de sá	385
Equilibrium measures for rational maps A. O. Lopes	393
Monotone twist mappings and the calculus of variations J. Moser	401
Chains, entropy, coding K. Petersen	415
Periodic points and invariant pseudomeasures for toral endomorph- isms W. A. Veech	449
Almost inductive limit automorphisms and embeddings into AF-algebras	475

PART 4 DECEMBER 1986

485
489
505
529
541
561
571
583

Geometrical Markov coding of geodesics on surfaces of constant negative curvature C. Series	601
Random perturbations of matrix cocycles LS. Young	627
On connection-preserving actions of discrete linear groups R. J. Zimmer	639
Index to Volume 6	645

1 Submission of typescripts

Two copies of the manuscript should be submitted to one of the four Executive Editors (addresses on outside front cover). The editor will acknowledge receipt of the manuscripts. It is important that authors inform the editor of any changes of address whilst their paper is under consideration.

2 Typescript

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. A new proof of the ergodic theorem, whereas Some applications of a theorem of Birkhoff would be useless).

3 Notation

It is important that mathematical expressions are clear to a printer (who is not a mathematician). For instance, n_k (n sub k) is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like

$\exp\left\{z^2\sin\theta/(1+y^2)\right\}$

should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o, O, o O, 0; x, X, \times ; ϕ , Φ , \emptyset ; l, 1; ε , \in ; κ , k.

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign \Box may be used.

Footnotes should be avoided.

4 Diagrams

Figures and drawings should be on separate sheets in black ink. Photocopies are acceptable only if they are as clear as the originals. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1, Figure 2,... and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams re-drawn, provided that they are clear.

5 Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

6 References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication;

[4] N. Dunford & J. T. Schwartz Linear Operators Part 1. Wiley: New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. J. Analyse Math. 23 (1970), 236-268.

7 Proofs

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. It is important that proofs are corrected and returned promptly.

8 Reprints

There are 100 reprints, free of charge, for each paper. For papers with several authors these reprints are divided between the authors. There are no page charges.

Ergodic theory and dynamical systems

VOLUME 6 PART 4 DECEMBER 1986

CONTENTS

Boyd, D. W. Perron units which are not Mahler measures	485
Devaney, R. L. and Tangerman, F. Dynamics of entire functions near the essential singularity	489
Fieldsteel, A. and Friedman, N. A. Restricted orbit changes of ergodic \mathbb{Z}^{d} -actions to achieve mixing and completely positive entropy	505
Host, B. Valeurs propres des systèmes dynamiques définis par des substitutions de longueur variable	529
Hurder, S., Olesen, D., Raeburn, I. and Rosenberg, J. The Connes spectrum for actions of Abelian groups on continuous-trace algebras	541
Hurley, M. Multiple attractors in Newton's method	561
Lind, D. A. The spectra of topological Markov shifts	571
Rudolph, D. J. \mathbb{Z}^n and \mathbb{R}^n cocycle extensions and complementary algebras	583
Series, C. Geometrical Markov coding of geodesics on surfaces of constant negative curvature	601
Young, LS. Random perturbations of matrix cocycles	621
Zimmer, R. J. On connection-preserving actions of discrete linear groups	639
Index to Volume 6	645

© Cambridge University Press 1986

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

32 East 57th Street, New York, NY 10022, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by J. W. Arrowsmith Ltd, Bristol