

VOL. VII.—1893.

THE JOURNAL
OF
LARYNGOLOGY,
RHINOLOGY, AND OTOTOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT, NOSE, AND EAR.*

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,
JOHN MACINTYRE, M.B. Glasgow,

AND

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

Dr. BARCLAY J. BARON (Bristol). Dr. SANDFORD (Cork).

And with the co-operation of

DR. RICARDO BOTEY (BARCELONA)
DR. BRYSON DELAVAN (NEW YORK)
DR. DRAISPUL (ST. PETERSBURG)
PROF. GUYE (AMSTERDAM)
DR. MIDDLEMASS HUNT (LIVERPOOL)
DR. VALERIUS IDELSON (BERNE)
DR. JOAL (PARIS)
DR. KARWOWSKI (WARSAW)
DR. JOHN N. MACKENZIE (BALTIMORE)
DR. GRAZZI (FLORENCE)
DR. SANDFORD (CORK)
DR. LUBET-BARBON (PARIS)

DR. G. W. MAJOR (MONTREAL)
PROF. MASSEI (NAPLES)
DR. W. ROBERTSON (NEWCASTLE-ON-TYNE)
DR. J. MICHAEL (HAMBURG)
DR. HOLGER MYGIND (COPENHAGEN)
DR. PORTER (ST. LOUIS)
DR. SAJOUS (PHILADELPHIA)
DR. SENDZIAK (WARSAW)
PROF. RAMON DE LA SOTA (SEVILLE)
DR. HICQUET (BRUSSELS)
DR. MILLIGAN (MANCHESTER)
DR. LICHTWITZ (BORDEAUX)

Published Monthly.

LONDON:
F. J. REBMAN,
Albion Chambers, 11, Adam Street, Strand.

PHILADELPHIA, PA.:
THE F. A. DAVIS COMPANY,
1914-16, Cherry Street.

ENTERED AT STATIONERS' HALL.

CONTENTS.

Original Articles:—

1. Clinical Cases.—(1) Pseudo-Diphtheria or False Membrane of the Throat. (2) Case of Malignant Stricture of the Œsophagus. Reported by Dr. G. B. White (Dublin). Page 579.
 2. A New Aural Speculum. By Mr. R. Lake. Page 581.
- Diphtheria, &c.**—Anæsthesia, *Wingrave*—Microcidine and Chloride of Sodium, *Cozzolino*—Sublimed Sulphur in Diphtheria, *Frazier*—Kerosine in Diphtheria, *Jack*—Diphtheria, *Councilman*—Post-Diphtheritic Paralysis, *Friedenwald*—Membranous Throat Affections, *Williams*—Treatment giving a low Death Rate, *Galloway*—Special Diagnosis, *Culbertson* Pages 581 to 583.
- Mouth, Tongue, Pharynx, &c.**—Ulcer of Tongue, *Robertson*—Hard Chancre of Mouth, *Gorokhoff*—Sarcoma of Palate, *Simpson*—Cautery in Staphylococci, *De Blois*—Follicular Tonsillitis, *Ingals*—Rupture of Tonsillar Abscess into Larynx, *Gann*—Recurrent Tonsillitis, *Leland*—Reducing the Tonsils, *De Blois*—Treatment of Pharyngeal Catarrh, *Meyjes*—Lateral Pharyngotomy, *Chavasse*—Pharyngeal Spasm, *Bewley*—Retention of Coin for Nine Months, *Kearney*—Rupture of Œsophagus, *Harrison*. Pages 583 to 586.
- Nose and Naso-Pharynx**—Medication in Epistaxis of the Septum, *Cozzolino*—Nasal Catarrh, *Robinson*—Chronic Rhinitis, *Lefferts*—Report of the Anatomical Society—Diseases of the Nose and Eye, *Lieven*—Treatment of Ozena, etc., *Robertson*—Deviations of the Septum, *Martin*—Operation for Obstruction of the Nasal Duct, *Caldwell*—Empyema of the Antrum, *Sewill*—Mucocœle of the Frontal Sinus, *Watson*—Suppuration of the Ethmoidal Cells, *Stewart*—Removal of Adenoid Vegetations, *Meyjes*—Adenotome, *Gibbons*—Hæmorrhage after Removal of Adenoids, *Newcomb*—Chorea and Rheumatism, *Love* Pages 587 to 592.
- Larynx.**—Strange Incidents in Practice, *Alston*—Inferior Laryngeal Nerve, *Davies*—Laryngeal Diseases in Typhoid Fever, *Lucatello*—Myxo-Chondroma—Partial Excision of Larynx, *Bond*—Sequel to Intra-Laryngeal Removal of a Tumour, *MacKenzie*—Needle in the Larynx, *Masini*—Tracheal Stenosis, *Leech*—Tracheotomy and Intubation, *Gay*. Pages 592 to 594.
- Thyroid, Neck, &c.**—Pathology of the Thyroid, *Horsley*—Pathological Appearances in Graves' Disease, *Stewart* and *Gibson*—Endemic Goitre, *Sukatcheff*—Fatal Case of Angina Ludovici, *Gibson*—Parotitis Septicæmia due to Leaching, *Sheboldaieff*. Pages 594 to 596.
- Ear.**—Hearing for Low and High Tones, *Cuperus*—Removal of the Ossicles, *Myjjes*—Nervous Sequelæ of Influenza, *Gowers*—Bluebottle, &c., in the Ear, *Wherry*—Foreign Body in Ear for Twenty-one Years, *Pritchard*—Localized Inflammation of the Tympanic Cavity, *Lake*—Cholesteatoma, *Sheild*—Epithelioma, *Sunpter* and *Snow*. Pages 596 to 598.
- Review.**—The Throat and Nose, and their Diseases, *Lennox Browne*. Page 599.

Association Meetings:—

- American Otological Society. Page 600.
- Belgian Society of Otology and Laryngology. Page 615.
- Australasian Medical Congress. Page 619.
- German Laryngological Society. Page 634.
- Society for Internal Medicine, Berlin. Page 635.


GUIDE TO ADVERTISEMENTS.

	PAGE		PAGE
Allen & Hanburys.....	ix., xiii.	Ingram & Royle.....	v.
Balcomb	iii.	Ivins	iii.
Bullock & Co.	iii.	Lambert Pharmacal Co.	ii.
Burroughs, Wellcome & Co.....	vi., x., xii.	Parke, Davis & Co.	iv.
Central London Throat Hospital	xiv.	Rebman	iv., vii., viii.
Godfrey & Cooke	iv.		

RESPIRATORY.

THE VEREKER CHLORIDE OF AMMONIUM INHALER.

THIS apparatus is designed expressly for the treatment of catarrhal and other affections of the mucous membrane of the nose, mouth, throat, trachea, bronchi, and air-cells of the lungs. It affords prompt relief. The vapour of Chloride of Ammonium removes offensive and unhealthy secretions, and restores the long diseased or weakened nasal and respiratory mucous membrane to a healthy condition. Vereker Chloride of Ammonium Inhalers are supplied to the Medical Profession at 5/- each.



COMPOUND MENTHOL SNUFF,

CONSISTING of Menthol, Ammon. Chlor., Camphor, and Cocaine, as suggested by Dr. Macnaughton Jones, can only be prepared in large quantities with suitable machinery, owing to the liability of its caking if not made perfectly dry. This Snuff is excellent for the Catarrh of Influenza, for Rhinitis, &c. Supplied to the Medical Profession at 8d. per box.


VAPOROLES.

THESE consist of friable glass capsules containing the Inhalants enclosed in silken bags, with inner coverings of absorbent cotton. In practice the Vaporole is readily crushed, and may be either dropped into the jug, containing half a pint of boiling water, and then the vapour inhaled in conjunction with steam, or it may be placed in the water-bottle of the Vereker Inhaler, and the vapour is then inhaled, together with the Chloride of Ammonium. Vaporoles of Chloroform, Ether, Amyl Nitrite, &c., may be used for inhalation by simply holding the crushed Vaporole in the palm of the hand or in a handkerchief. Supplied to the Medical Profession, in boxes containing one dozen, at 2/- per box.



MENTHOL ORO-NASAL INHALER.

THIS little instrument is provided with both Oral and Nasal attachments, and consists of a forked glass tube fitted with vulcanite nozzle pieces, and an india-rubber tube with mouth-piece. The trunk is filled with absorbent pine wood, the medicament—Menthol, Pinol, or Eucalyptus, as the case may demand—being poured in at the wide end, until the pine wood is saturated. The use of either the nasal or oral pieces is amply explained in the directions on each case. The Oro-Nasal Inhaler has proved of great value for efficient inhalation in cases of Hay Fever, Rhinitis, Coryza, Catarrh, &c. Supplied to the Medical Profession at 3/- each.



BURROUGHS, WELLCOME & CO., Manufacturing Chemists, Snow Hill Buildings, London, E.C.