

The JOURNAL of THE INSTITUTE OF NAVIGATION

VOL. XIII, NO. 4

OCTOBER

1960

The Early Years of the Royal Society	365
SIR HAROLD SPENCER JONES	
Notes on the Research and Development of the U.S. Federal Aviation Agency	383
HANS GIESECKE	
The Revision of the Collision Regulation	401
J. H. QUICK AND F. J. WYLIE	
Navigating the Supersonic B-58	406
W. L. POLHEMUS	
Fifteen Years of Marine Radar	419
F. J. WYLIE	
Some Aspects of Doppler Track Computer Navigation	440
P. R. W. WEBB	
The Para-Visual Director	447
A. M. A. MAJENDIE	

FORUM

The Calvert Methods of Manœuvring to Avoid Collision at Sea and of Radar Display	455
A Plotting Device for the Radar Observer	464
Navigation Using the Transit of an Artificial Satellite	467
The Air Traffic Control Problem	470
Record	473
Reviews	476
Index	481

THE INSTITUTE OF NAVIGATION
AT THE ROYAL GEOGRAPHICAL SOCIETY
1 KENSINGTON GORE LONDON SW7

JOHN MURRAY (PUBLISHERS) LTD., 50 ALBEMARLE STREET, LONDON W1

PRICE FIFTEEN SHILLINGS

THE INSTITUTE OF NAVIGATION

Patron

H.R.H. PRINCE PHILIP DUKE OF EDINBURGH, K.G., K.T.

OFFICERS AND COUNCIL 1959-60

President

Wing Commander E. W. Anderson, O.B.E., D.F.C., A.F.C.

Vice-Presidents

Air Marshal Sir Edward Chilton, K.B.E., C.B.

Captain F. J. Wylie, R.N.(ret.)

Hon. Treasurer: Commander P. C. H. Clissold, R.D., R.N.R.(ret.)

Chairman of the Technical Committee

Dr. D. E. Adams

Chairman of the Membership and Fellowship Committee

Rear Admiral K. St. B. Collins, C.B., O.B.E., D.S.C.

Other Members of the Council

Captain W. Baillie, M.V.O., O.B.E.

Mr. C. S. Durst, O.B.E.

Mr. D. O. Fraser

The Hon. Mr. Justice Hewson,
R.D., R.N.R.

Air Commodore D. C. McKinley,
C.B.E., D.F.C., A.F.C.

Lieut. Commander R. B. Michell,
D.S.C., R.N.(ret.)

Mr. E. W. Pike

Captain A. J. R. Tyrrell

Mr. G. Wikkenhauser, M.B.E.

Captain C. J. Wynne Edwards,
D.S.C., R.N.

The directors of navigation at the Admiralty, the Air Ministry and the Ministry of Transport and Civil Aviation attend meetings of the Council as *ex-officio* members.

Executive Secretary: M. W. Richey

The Journal of the Institute of Navigation

The *Journal* is published quarterly by the Institute and is edited by the Executive Secretary. It contains original papers contributing to the science of navigation, including those presented at meetings of the Institute together with the ensuing discussion. In addition the *Journal* includes a record of current navigational work, reviews of important books, and other matters of concern to those interested in navigation. The views expressed in the *Journal* are not necessarily those of the Institute, or of any organization or department to which the authors may belong.

The *Journal* is free to all members of the Institute. It is sold to the public at fifteen shillings per copy or, by subscription, at sixty-two shillings per annum (post free) and may be obtained through all booksellers and John Murray (Publishers) Ltd., 50 Albemarle Street, London W1.

Contributions, which are welcomed from both members and non-members, should be addressed to the Editor.

Enquiries for advertising space should be addressed to the Institute offices.

The postal address of the Institute is:

The Institute of Navigation,
at The Royal Geographical Society,
1 Kensington Gore, London SW7.

Telephone: Kensington 5021.


" Well, mister, this Marconi Marine R.T.I certainly does show at a glance just how they're coming at us—courses, distances, speeds and bearings—a continuous plot."

" Yes, sir.
And keeping the
land echo clear
of 'tails' gives us a
check on estimated
tidal stream."

In crowded waters Marconi Marine Track Indication becomes a godsend. This is true in clear weather and daylight as much as in thick weather and darkness. Alterations of course or speed of nearby ships are shown instantly without need for constant plotting, and so are the unchanged closing bearings which indicate risk of collision. Tide controls, once set, need no alteration when own ship alters course or speed and the elimination of 'tails' on land echoes indicates that tidal stream data is correctly applied. R.T.I. enables the navigator to concentrate on echoes likely to have an effect on his own ship's movements and produces a quick reference to those not requiring immediate action. Marconi Marine R.T.I. operates on the well known "Radiolocator IV" and "Quo Vadis XII" series of Marconi Marine radars and can be fitted with ease to existing installations.

MARCONI MARINE

maintain service facilities in all
principal ports of the world



AT SEA IN 600 SHIPS

DECCA TRUE MOTION RADAR


True Motion Radar was pioneered by Decca Radar Limited in 1956 and made the most important advance towards increased safety at sea since the introduction of radar itself. The latest Decca True Motion Radars, the TM 909 and TM 707 developed from the original TM 46, are without parallel in performance, reliability and price anywhere in the world.


The total of over 600 Decca True Motion Radars at sea to-day is many times greater than that of all other makes put together, British and American.

DECCA RADAR

DECCA RADAR LIMITED • LONDON • ENGLAND

Decca True Motion Radar is the safest type of radar at sea to-day





**realism
is
vital**

**IN
RADAR
NAVIGATION
AND
TACTICAL
TRAINING**

Accurate simulation of operational conditions is the outstanding feature of Solartron Radar Simulation Systems and Solartron Tactical Teachers. With this highly advanced equipment, full-scale personnel training can be achieved without costly participation of aircraft, ships or missiles.

For full information, please write to:


SOLARTRON RADAR SIMULATORS LIMITED


Victoria Road · Farnborough · Hampshire · England

Telephone: Farnborough (Hants.) 3000

Telex: 8545 SOLARTRON FNBRO

Cables: SOLARTRON FARNBOROUGH

 A member of the Firth Cleveland Group



SAFETY AT SEA . . .

. . . BEGINS ASHORE

ULTRA Marine Radar Simulators reproduce accurately *all* operational conditions.

They provide:

- * Training in the interpretation of radar display information
- * Own ship handling and navigational training
- * Collision course training with complete safety
- * Assessment of trainee's reaction time
- * Economy in cost of training

For full details of training facilities please send for brochure

TYPE APPROVED




ULTRA ELECTRONICS LIMITED

WESTERN AVENUE · LONDON · W.3
Telephone: ACOrn 3434

RADIO AND RADAR SYSTEMS · AIRCRAFT ENGINE CONTROLS AND INTERCOMM
DATA PROCESSING EQUIPMENT



HI-FIX equipment can be deployed in either the TWO RANGE or HYPERBOLIC forms by deploying the master station ashore or on the survey vessel, no equipment changes being required




HI-FIX offers for the first time a system that is :

precise, compact, lightweight, highly mobile and suitable for all forms of hydrography, offshore exploration, engineering survey, dredging, etc. free from the bugbears of 'beat notes', modulated transmissions, multiple frequencies, reference stations, wide bandwidths and interference. Based on the sound principles and employing the same techniques as the Decca Navigator System which is now used in its basic forms by more than 6,000 vessels, to say nothing of the many survey chains throughout the world. Hi-Fix is the answer for those small inshore areas where Hyperbolic or Two Range Decca is not justified on economic grounds. Normal Decca and Hi-Fix stations can be co-sited to give the precision pattern inshore (lane identified by the normal patterns) combined with the long working range of the normal Decca System.

THE DECCA NAVIGATOR COMPANY LTD · LONDON · ENGLAND





PILOTAGE **in Congested Channels**

By superimposing an image of the P.P.I. on a large scale chart, at the scale of the chart, the Unit gives an almost instantaneous fix of the ship's position and provides a continuous fix on other ships, etc. It increases considerably the accuracy of navigation ordinarily obtained by radar, particularly where True Motion equipment has been installed.

BARR & STROUD LTD.

ANNIESLAND, GLASGOW, W.3. Kinnaird House, 1 Pall Mall East, S.W.1



NAVIGATIONAL INSTRUMENTS

The "HEZZANITH" Patent MARK VII PROJECTOR BINNACLE AND COMPASS

By means of a series of optical elements an enlarged erect image of a portion of the card covering an arc of 40° in length is produced on a ground glass screen which is viewed in an adjustable plane mirror.

All stray light is effectively screened, and there is a completely unobstructed view of the card from above, permitting the normal use of an azimuth instrument by day or night.

*Send for our special Projector Binnacle
Leaflet (NJ.60).*

HEATH NAVIGATIONAL LTD.

(Associated with W. F. Stanley & Co. Ltd.)

NEW ELTHAM - LONDON, S.E.9

Phone: ELTHAM 3836

Cables: "Polaris, Souphone, London"



MARCONI

Complete Naval
and Mercantile
Radio and Radar
Systems


MARCONI'S WIRELESS TELEGRAPH COMPANY LIMITED, CHELMSFORD, ESSEX, ENGLAND

H18

H is for High Compression


What is the connection between high compression and Super Shell?

9 out of every 10 new cars this year have high-compression engines, powerful little engines designed to squeeze all the power out of every drop of petrol you feed to them. To get all the power out of them you must feed them the right petrol. High-octane petrol. Super Shell is the best high-octane petrol on the road.



And what is the connection between Super Shell and I.C.A.?


Super Shell is the only high-octane petrol which contains I.C.A. For I.C.A. is a Shell discovery. If your car has a high-compression engine you need Super Shell to give you all the power in your powerful engine. And you need the I.C.A. in Super Shell to make sure that none of the power goes up in smoke. That's why you get extra value in your gallon of Super Shell. Not an atom of its power is wasted.



And what is the connection between high compression and I.C.A.?


All petrols, even Super Shell, leave deposits in an engine. They glow in the heat of the run, they explode the mixture before the spark plug can do its job. This means pre-ignition. That means rough running. High-compression engines are especially liable to pre-ignition. The I.C.A. in Super Shell fireproofs the dangerous deposits. They glow no more. And the spark plug can do its job properly. The car runs smoothly. I.C.A. is a must for high-compression engines.

Super SHELL

you can be S for **SURE** of it 

Less than 1° per hour . . .

. . . the new Sperry "Rotorace"* gyros have a free drift rate of less than 1° per hour which provides the extremely accurate directional reference required for the new high performance aircraft for both military and civil operation. They are now in quantity production in the United States, Canada and England to meet a rapidly increasing demand.



The new C.L.11 "Gyrosyn"* compass incorporates a "Rotorace" gyro to provide a highly accurate gyro-magnetic compass which can also be used in the unslaved mode as a free directional gyro reference. Monitoring of all ancillary equipment can be provided in either mode as required.

SPERRY


"ROTORACE" GYROS

SPERRY GYROSCOPE COMPANY LIMITED

Great West Road, Brentford, Middlesex
Telephone ISLeworth 1241. Telex 23800

*Rotorace and Gyrosyn are Trade Marks of the Sperry-Rand Corporation

**By our standards,
a thousandth
of an inch is an
agricultural idea**



You know about the man who was asked how big a 'thou' was? 'Very, very small' he said. He was asked how many there were in an inch. 'Millions of them' he said.

In this unusual factory of ours—unique in Europe, we suppose—we don't think of a 'thou' as at all small. We have had to train ourselves to take a tolerance of half a tenth in our stride, and to use on our production inspection-line a machine that will measure out-of-roundness of the order of one millionth of an inch.

But then we are in production with instruments the like of which the world has never seen before. We produce (in partnership with Minneapolis Honeywell) Inertial Quality Gyroscopes so accurate that they precess less than half a degree *per day*, so sensitive that you can use them for finding true North to within a few minutes of arc. Small wonder that we 'sand'-blast with bicarbonate of soda, and that a speck of dust is a calamity.

**'ENGLISH ELECTRIC'
INERTIAL GUIDANCE**

INSTRUMENT WING

GUIDED WEAPONS DIVISION • ENGLISH ELECTRIC AVIATION LIMITED • STEVENAGE.
Member Company of British Aircraft Corporation




Type 14/16P (True Plot) Display Unit in m.v. 'Pennyworth'. This Unit incorporates a 16-inch P.P.I. display with relative motion or true motion presentation, and built-in reflection plotter.

U N I T RADAR IN SERVICE

The *m.v. 'Pennyworth'* provides yet another example of Kelvin Hughes Unit Radar in service. With this system, suitable standard basic units are combined to meet the operating needs of every type and size of vessel.

Four Display Units are available, ranging from 9-inch P.P.I. to 16-inch P.P.I. (True Plot). Whichever unit is chosen, it operates from the same high-powered (60 kW) Transmitter and slotted waveguide Scanner, giving high performance, good range and bearing discrimination, and excellent picture definition. If required, the Kelvin Hughes Unit Radar System provides for the operation of two separate and independently-controlled

displays from one Transmitter and Scanner. The Unit System offers the double advantage of the finest possible radar system to suit ships' individual requirements *and* simplification of servicing and spares problems.



m.v. 'Pennyworth', 15,600 tons Ore Carrier. Owned by R. S. Daigliesh Ltd. of Newcastle.

KELVIN HUGHES
THE TWO GREATEST NAMES IN NAVIGATION

KELVIN & HUGHES (MARINE) LIMITED, ST. CLARE HOUSE, MINORIES, LONDON, EC3

TGA KHM 119B



The B-58 Hustler supersonic bomber. An article on navigating the B-58 appears on page 466.