

P02-408

COMPARISON OF COPING STRATEGIES FOR PAIN INTROVERSION AND  
EXTRAVERSION AMONG ADDICTED PEOPLE IN THE STATE OF WITHDRAWAL

M. Shefiei Amiri<sup>1</sup>, T. Ahmadi Gatab<sup>2</sup>, M. Nazian Najafi<sup>3</sup>

<sup>1</sup>Islamic Azad University & Young Researchers Club, Roudehen Branch, Roudehen, <sup>2</sup>Islamic Azad University & Young Researchers Club, Qhaemshahr Branch, Qhaemshahr, <sup>3</sup>Islamic Azad University & Tonekabon Branch, Tonekabon, Iran

Introduction: Pain is a personal experience influenced by many factors such as cultural experiences and impressions, the educational and family situations and psychological problems are numerous and complex perceptual field above factors than the concept of individual forms of pain. Process

Objective: This study aimed to compare strategies to deal with pain and addiction introspective extraversion is being left.

Methods: This study is a comparison of Ali in the analysis of statistical methods MANOVA findings will be made and the strategies for coping with pain (the revocation, reinterpretation of pain, talk to your ignore pain, tragedy and pray for Entrepreneurship - Hope) and a behavioral strategy (increasing behavioral activity) classified in two groups of addicts introspective (15) and extraversion (15 cases) were compared for leaving.

Results: Total average component methods to deal with the pain of eccentric left at addicts are left are more introverted. This suggests that addicts are left eccentric methods to deal with pain more than the poor addicts are left introverted enjoyed.

Discussion: Deal with pain component) the revocation, reinterpretation of pain, talk to your ignore pain, disaster, playing, praying and hope (the personality types of introverts and extroverts have enjoyed significant difference. So therefore rejected and be accepted with maximum reliability.