September 1988

The Journal of Laryngology and Otology





Founded in 1887 by Morell Mackenzie & Norris Wolfenden

Vol 102 No 9 Edited by JOHN B. BOOTH

Assistant Editors DAVID WRIGHT, NEIL WEIR, PATRICK BEASLEY & CAROL WENGRAF

Adviser in Pathology IMRICH FRIEDMANN

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

FDITOR

JOHN B. BOOTH

ASSISTANT EDITORS

DAVID WRIGHT, NEIL WEIR, PATRICK BEASLEY AND CAROL WENGRAF

INSTRUCTIONS FOR AUTHORS

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made. Normally an original main article should not exceed 7500 words.

Longer articles or theses will be considered for publication as Supplements, at the expense of the authors or their employing authorities.

2. Manuscripts should be typewritten in duplicate on one side only of the paper (A4 297×210 mm) and double spaced, with wide margins.

Begin each component on a new page in the following sequence: title page, abstract, text, acknowledgements, references, tables and legends.

(a) Abstract—This should contain not more than 150 words and include a statement of the problem, the method of study, results and conclusions; a 'summary' section should **not** be included in the main manuscript.

(b) **Text**—Suggested outline—(1) introduction, (2) materials and methods, (3) results, (4) discussion, (5) conclusion.

Tables are adjuncts to the text and should not repeat material already presented.

(d) Illustrations—Two set of illustrations, one with each copy of the manuscript, must be submitted and all authors should remember that the single column width is 80mm. One set of illustrations should, therefore, not exceed this width and they should ensure that the essential features are illustrated within this dimension.

Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

Written permission from the publisher must be provided to the Journal in order to republish material with copyright elsewhere and also from the senior author where necessary.

(e) Measurements must be in metric units, with Système Internationale (SI) equivalents given in parentheses.

(f) References—For Journal articles, The Harvard system of recording references should be used, e.g. Green, C. and Brown, D. (1951). The tonsil problem. Journal of Laryngology and Otology 65: 33–38. A paper written by more than two authors should be abbreviated in the text, e.g. Green et al. 1951, but all the authors should be given in the list of references. The titles of all Journals should be given without abbreviation. References should be listed in alphabetical order; use of the Vancouver system will not be accepted.

For single-author books, the following style should be used: Green, C. (1951). The tonsil problem, 2nd edn., vol. 1, Headley Brothers Ltd., Ashford, Kent, 98 pp.

For papers in multi-author books with one or more editors, the reference should be recorded as follows: Brown, D. (1951). In Diseases of the Ear, Nose and Throat (White, A. and Black, B., eds.), pp. 33–38, Headley Brothers Ltd., Ashford, Kent. It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication. The names of authors cited in the References should be given in alphabetical order.

(g) Meetings—If the manuscript was presented at a meeting, the place where it was held, and the date on which it was read must be included and should appear at the foot of the title page.

(h) Financial disclosures—In the submission letter to the Editor, the authors must list all affiliations with or financial involvement in, organizations or entities with a direct financial interest in the subject matter or material of the research discussed in the manuscript.

- (i) Rejections—As from January, 1989, all manuscripts which are rejected will no longer be returned to the authors. Those submitting papers should, therefore, ensure that they retain at least one copy and the reference numbers, if any, of the illustrations. The only exception to this will be those manuscripts with colour illustrations which will be returned auto-
- 3. Page proofs are sent to authors for corrections, which should be kept to a minimum; they must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
 - 4. Orders for reprints must be sent when returning page proofs, and for this purpose special forms are supplied.
- 5. Editorial communications may be addressed to The Editor, Journal of Laryngology and Otology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent TN24 8HH.
 - 6. The annual subscription is £50 (fifty pounds sterling) post free; U.S.A. \$123 post free, and payable in advance.
 - 7. Single copies of current or back numbers (when available) will be on sale at £10 each (including postage).
 - 8. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD,

THE INVICTA PRESS, ASHFORD, KENT.


©Journal of Laryngology and Otology Ltd., 1988 ISSN 0022-2151

Second class postage paid Rahway, N.J.

Postmaster: Send address corrections to The Journal of Laryngology and Otology, c/o Mercury Airfreight International Ltd. Inc., 10B Englehard Avenue, Avenel, N.J. 07001.

KAMPLEX AC30... have you heard?

When you listen to the Kamplex AC30 there's one thing we promise you won't hear — a noisy attenuator. That's because Kamplex have developed a unique clickless intensity control to meet the demands of rigorous clinical use.





For further details contact:

P.C.WERTH LTD

Audiology House, 45 Nightingale Lane, London, SW12 8SP. Telephone: 01-675 5151. Telex: 8955485. Fax: 01-675 7577

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$80.00 per year

Canada \$100.00 per year

Foreign \$100.00 per year

Established 1896

GERSHON J. SPECTOR EDITOR

9216 CLAYTON ROAD, SUITE 18, ST. LOUIS, MISSOURI 63124–1561

For Advertisement Rates and Space in this Journal apply to

The Advertisement Manager

THE JOURNAL OF LARYNGOLOGY AND OTOLOGY

Headley Brothers Limited

The Invicta Press · Ashford · Kent TN24 8HH

Tel: (0233) 23131

The Journal of Otolaryngology

...the official "voice" of

The Canadian Society of Otolaryngology Head and Neck Surgery

is published in February, April, June, August, October and December

publishes orig	n 1972, The Journal of Otolaryngology ginal papers dealing with clinical and research olaryngology in its broadest sense, including:
☐ FACIAL PL	GY HEAD AND NECK SURGERY OBSOPHAGOLOGY MAXILLOFACIAL SURGERY ASTIC AND RECONSTRUCTIVE SURGERY CATIVE DISORDERS
editors contri	of Otolaryngology, with thirteen corresponding buting from around the world and half of its atside Canada, is a truly international publication.
''flavour'' wil	Perek Birt, M.B., of Toronto, hopes that this international serve as a significant factor in your decision new subscriber to The Journal of Otolaryngology.
•	Rates: £45.00 per year ilable at £4.50 each plus postage
	Manager, The Journal of Otolaryngology 80, Station A, Islington, Ontario, Canada M9A 4X2
	to coverto The Journal of Otolaryngology.
NAME:	



disease may be monosymptomatic, with sudden, prolonged vertigo without deafness or tinnitus."1

۵

betahistine

tackles the symptoms by treating the cause

sentation ite tablets containing 8mg ahistine dihydrochloride. Available acks of 120 tablets. Basic NHS

vertigo, tinnitus and hearing loss associated with Meniere's syndrome. Dosage and Administration Adults: Initially two tablets three times daily, taken preferably with meals. Maintenance dose: 3-6 tablets daily Children. No dosage recommendations are made for children.

Contra-indications, Warnings, etc. Contra-indications:

Contra-indications
Phaeochromocytoma
Precautions: Clinical intolerance to
Serc in bronchial asthma patients has
not been shown, but caution should be
exercised when administering this
histamine analogue to bronchial asthma
patients. Interaction between Serc and
antihistamines is theoretically possible,
but no reports have been received. The
usual precautions should be observed
when administering Serc to patients in
pregnancy.

Side effects' There has been a small number of reports of gastric upset. Product Licence Number 0512/0076.

Reference: 1.Venna.N., Geriatric Med., 1986, September, 17-22.

duphar

Further information is available from Duphar Laboratories Limited. Gaters Hill, West End, Southampton S03 3,JD. Tel. (0703) 472281.

doi.org/10.1017/S0022215100106358 Published online by Cambridge Univers