

VOL. 108. No. 456.

SEPTEMBER, 1962

THE JOURNAL OF MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

London

H. K. LEWIS & CO. LTD

PUBLISHED SIX TIMES A YEAR

SINGLE COPIES £1 NET

ANNUAL SUBSCRIPTION £6 POST FREE

JOURNAL OF MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)

EDITOR-IN-CHIEF

Eliot Slater

CO-EDITOR

Alexander Walk

BOARD OF ASSESSORS

E. W. Anderson	E. H. Hare	John Pollitt
A. A. Baker	G. R. Hargreaves	D. A. Pond
R. F. Barbour	*Denis Hill	Felix Post
John Bowlby	J. Hoenig	K. Rawnsley
G. M. Carstairs	W. W. Kay	*W. Linford Rees
*L. C. Cook	L. G. Kiloh	*B. W. Richards
A. J. Coppen	B. H. Kirman	Derek Richter
Valerie Cowie	Denis Leigh	J. A. Fraser Roberts
L. Crome	*T. F. Main	J. T. Robinson
*Desmond Curran	Paul Mallinson	T. Ferguson Rodger
Peter Daniel	V. Meyer	*Martin Roth
D. Russell Davis	*W. M. Millar	Peter Sainsbury
H. V. Dicks	Louis Minski	William Sargent
M. A. Falconer	*A. B. Monro	P. D. Scott
*Richard Fox	W. L. Neustatter	Patrick Slater
Graham A. Foulds	Ian Oswald	E. Stengel
R. K. Freudenberg	G. Pampiglione	R. Ström-Olsen
J. M. Frisch	C. M. B. Pare	J. M. Tanner
Gerald Garmany	*M. Partridge	F. Kräupl Taylor
T. C. N. Gibbens	A. Spencer Paterson	R. F. Tredgold
J. G. Gibson	Malcolm Piercy	W. H. Trethowan
A. M. Halliday	F. E. Pilkington	*W. Warren
Max Hamilton	John Pippard	J. K. Wing

*Also members of Journal Committee

New Product Announcement

WHAT IS EXCEPTIONAL ABOUT
TOLNATE?



Attempts to find tranquillizers of lower toxicity have resulted in the development of more and more selective agents of this type. Safety has been bought at the expense of versatility.

'Tolnate' is unusual because it is both safe *and* versatile.

How Versatile?

'Tolnate' is a sedative-tranquillizer; it is also a potent antiemetic and it potentiates analgesics, anaesthetics and sedatives.

How Safe?

Trials so far have involved over 7,500 patients. There have been no reports of jaundice, agranulocytosis or other toxic effects due to 'Tolnate'. It does not cause allergic reactions and does not affect the extrapyramidal system.

The uses of 'Tolnate'

'Tolnate' has been used successfully in geriatrics, psychiatry and general medicine to sedate and tranquillize patients who are agitated, restless and aggressive. It is also valuable in surgery and obstetrics.

Please write for full information

'TOLNATE' : SAFE AND VERSATILE




SMITH KLINE & FRENCH LABORATORIES LTD

Welwyn Garden City, Herts

'Tolnate' (brand of prothipendyl) is a trade mark. Brit. Pat. No. 806531

T:PA 202 (Col)



A question of economics...

Since late 1955, in England and Wales, there has been a steady reduction in the resident mental hospital population in spite of a steadily increasing admission and readmission rate.*

Chlorpromazine, the pioneer phenothiazine derivative to be used in psychiatry was introduced in 1954, and has played an important part in reducing the number of chronic patients and the length of stay of new admissions. Thus the overall cost of treatment of mental illness has been considerably reduced.

* "Trends in the Mental Hospital Population and their Effect on Planning." *Lancet*, I, 710, 1961.

'Largactil'

trade mark brand
CHLORPROMAZINE HYDROCHLORIDE

THE PRODUCT THAT **pays for itself**



Manufactured by
MAY & BAKER LTD

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD • DAGENHAM


An **M&B** brand Medical Product

MA 9251/100

DISIPAL

(Regd.)

ORPHENADRINE HYDROCHLORIDE



1. Correction of Drug Induced Extra Pyramidal Symptoms
2. Parkinsonism
3. Senile and Presenile Depressions
4. Vertiginous and Post-Traumatic Dizziness

MANUFACTURED AND DISTRIBUTED IN THE U.K. BY

CAMDEN CHEMICAL CO. LTD

LONDON · WC1

For N.V. KONINKLIJKE PHARMACEUTISCHE FABRIEKEN V H BROCADES - STHEEMAN AND PHARMACIA · AMSTERDAM · HOLLAND

U.K. Patent Nos. 607258 and 743495

STELAZINE



'Fifty chronic schizophrenics of the most deteriorated kind . . . who had previously been treated for many years with other methods, were treated with Stelazine; 18 were much improved and 17 were moderately improved.'

Med. Proc. (1960) **6**, 109

'The conclusion is drawn that "Stelazine" is a drug of value in the treatment of such patients and therefore likely to be even more useful in patients previously untreated by phenothiazine drugs.'

Med. J. Aust. (1961) **1**, 776

'There was often a remarkable degree of return of insight . . . The nursing staff and relatives were unanimous in describing the better rapport they were able to obtain with patients.'

Brit. med. J. (1959) **1**, 549

'At the end of 6 months there was a generalized improvement in all the patients treated; 8 patients were fit to leave hospital in the care of their relatives.'

Med. Proc. (1960) **6**, 169

' . . . ["Stelazine"] proved extremely useful in regressed and withdrawn catatonics refractory to other therapies; 58 per cent of the [eighty] patients treated with . . . ["Stelazine"] improved, with 26 per cent being discharged or ready for discharge.'

Illinois Med. J. (1961) **119**, 331

There was no somnolence. The routine blood and urine tests did not reveal any signs of toxicity. In concluding the authors say *trifluoperazine has shown itself to be of value in the treatment of chronic schizophrenia.* (*Summary of translation.*)

Canad. psychiat. Ass. J. (1959) **4**, 239

STELAZINE

—often effective in patients unresponsive to other neuroleptic agents, insulin coma, and ECT

'Stelazine' is available as: Tablets of 5 mg., Ampoules of 1 mg., Concentrate (containing 10 mg./ml.). Also tablets of 1 mg. and sustained-release 'Spansule' capsules of 2 mg.

in chronic schizophrenia



The 'hard core' of patients refractory to every known therapy is a major problem in the mental hospital. These patients need the most diligent nursing, and their presence for many years is harmful to the morale of their fellow-patients and the hospital staff. 'Stelazine' has brought the hope of recovery for many such people. Investigators lay stress on the drug's ability to motivate withdrawn and apathetic patients, as well as its better-known tranquillizing effect in hostile and aggressive cases.



SMITH KLINE & FRENCH LABORATORIES LTD
Welwyn Garden City, Herts

'Stelazine' (brand of trifluoperazine) and 'Spansule' are trade marks Brit. Pat. Nos. 742007, 813861, 857547
SZ:PA82 (col)

in depression (when they just go through the motions of living)



Niamid[†] helps make life real and purposeful

brand of nialamide

[†]Trade Mark

elevates the mood
enhances well-being
increases physical activity

Niamid is marketed in the United Kingdom by
HARVEY PHARMACEUTICALS
a department of Pfizer Ltd · Sandwich · Kent

HM 247/11659




in epilepsy

prevent the problem that can arise from
interrupted anti-convulsant therapy

Phenobarbitone Spansule

sustained-release capsules



Controlled
and confident

“Mysoline’ is of help in overcoming the physical handicap represented by epilepsy and creates in the patient a sensation of independence and self-sufficiency that gives him more confidence in his future.”

Min. Med., (1959) 50, 1419

Mysoline
Primidone B.P. Trade Mark

**helps epileptics
to lead normal happy lives**


- * *Wide range of activity . . .* strikingly successful in most forms of epilepsy.
- * *Well tolerated . . .* no sedative or other side effects to interfere with normal activities.
- * *Beneficial effect on outlook . . .* brings new found confidence and increased sociability.
- * *No gum hypertrophy . . .* avoids any set-back due to this annoying complication.

Available in tablets of 0.25 G. and as a palatable oral suspension. Basic N.H.S. cost: 3/6d. for 30 tablets dispensed from packs of 1,000, and 4/6d. for 100 ml. of suspension.

IMPERIAL CHEMICAL INDUSTRIES LIMITED
Ph 180

PHARMACEUTICALS DIVISION
WILMSLOW CHESHIRE





for the
unresponsive
psychotic

'Stemetil'
trade mark brand

PROCHLORPERAZINE

effective in acute and chronic schizophrenia, manic depressive psychoses, alcoholism and narcotic addictions.

Unlike the still more potent neuroleptics, 'Stemetil' exerts its rapid psychopharmacological effect within a fairly wide dosage range (75 to 150 mg. daily). Hence, when necessary, it is relatively easy to modify dosage and control side-effects without impairing therapeutic efficacy.

'Stemetil' is a safe drug. Following its use in hundreds of thousands of patients during the last four years there are only five reported cases of jaundice and one of agranulocytosis.

PRESENTATIONS
Tablets of 25 mg., Forte Syrup
[25 mg. per fluid drachm (3.6 ml.)],
injection solution (12.5 mg. per ml.),
suppositories of 25 mg.



An M&B brand Medical Product

MANUFACTURED BY

MAY & BAKER LTD

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

MA9405

When your
patients
with anxiety
states
over-react to
the stresses of
everyday living,
Moditen will
help them to
regain their
poise



SQUIBB


MODITEN

SQUIBB FLUPHENAZINE DIHYDROCHLORIDE

Moditen is a Trademark

DAY-LONG CONTROL WITH A SINGLE DOSE





to restore normal cerebral function

Parentrovite

Parentrovite is a high potency injectable preparation of the vitamin B complex with vitamin C. The formula is based on the fact that normal cerebral function depends on the oxidation of glucose and that any interference with the underlying biochemical mechanisms can cause symptoms of mental disturbance. Severe infections, burns, trauma, surgical operations, and "stresses" of all kinds can be as potent as drugs and alcohol in causing interference with the enzyme systems responsible for glucose oxidation.

To reverse such changes and to restore normal cerebral function, massive doses of the B vitamins and ascorbic acid are needed—doses out of all proportion to normal nutritional needs. The vitamins are used here not as nutrients but as potent drugs employed pharmacologically.

The following are examples of the types of disturbance for which Parentrovite is recommended:—

**Post-operative depression and confusion,
The after-effects of influenza, pneumonia and other severe infections,
Debility with loss of memory in old people,
Alcoholism, acute and chronic,
Habituation to barbiturates.**

OROVITE

Treatment may be continued with OROVITE—high dosage Vitamin B complex with C for oral use—for rapid restoration of intracellular metabolism.

Available in tablets and elixir form.



VITAMINS LIMITED (DEPT. A.R.I.), UPPER MALL, LONDON, W.6.

**the
tranquilliser
pure and simple ...**

“Melleril was superior to all other
phenothiazines in its ability
to bring about clinical improvement
in florid and overactive schizophrenics
with the minimum of side-effects . . .”

J. ment. Sci. (1960) 106, 732

“ . . . the most effective
high dose phenothiazine available
for the management of the psychoses.”


J. ment. Sci. (1960) 106, 732

Melleril

BY SANDOZ

Tablets: Thioridazine hydrochloride 10 mg. 25 mg. 50 mg. 100 mg.

Syrup: 25 mg. thioridazine base in 4 ml.



Pont du Gard, Nîmes

... in mental and emotional disturbance

<https://doi.org/10.1192/00063213X000241149> Published online by Cambridge University Press



Life in a New Town or a housing estate does not always come up to expectations. Distance lends enchantment to old haunts and familiar faces; the established way of life is often badly missed.

A survey¹ has shown that the incidence of neurosis or acute anxiety in some new communities is considerably higher than the national average.

Typical cases have been treated with 'Amylozine',² a combination of trifluoperazine

('Stelazine') and amylobarbitone.

'Amylozine Spansule' sustained-release capsules were given to 100 patients suffering from anxiety states and depression; in 68, symptoms disappeared completely or there was a decided improvement. No side effects were seen.

1. *New Communities in Britain*. The National Council of Social Service, 1961.

2. *Med. Wld (Lond.)* (1961) 94, 520-3.

AMYLOZINE for rapid response in psychoneurotic states marked by agitation and insomnia




Smith Kline & French Laboratories Ltd Welwyn Garden City, Herts

'Amylozine', 'Stelazine' and 'Spansule' are trade marks.

Brit. Pat. Nos. 742007, 813861, 857547

SAM: PA122



THE OUTCAST

'The fairest things in life
are Death and Birth
And of these two
the fairer thing is death.'

Ode to the Setting Sun Francis Thompson
Was Francis Thompson a depressive?
One strongly suspects so. Certainly
he was a mystic and predisposed
to bouts of severe melancholy. He saw
himself as an outcast, alone—he felt
that life was not worth living; he was
preoccupied with death. Many of your
patients may show just such a morbid
thought-pattern. For these modern-day
sufferers effective therapy is possible:
the treatment is NARDIL.

IN MILD TO MODERATE DEPRESSION

NARDIL is safe and is effective at low dosage levels. Toxic effects on blood or liver are extremely rare. NARDIL acts quickly. Response is usually seen within the first weeks or even days of treatment. NARDIL provides reliable treatment for depressives—often the problem patients of a busy practice.

NARDIL

Trade Mark

Brand of phenelzine


IN GENERAL PRACTICE

Available in bottles of 100 and 500 sugar-coated
tablets each containing 15 mg. phenelzine.

Nardil is known in some countries as 'Nardelzine'
(trade mark)

WILLIAM R. WARNER & CO. LTD., EASTLEIGH,
HAMPSHIRE. Tel: EASTLEIGH 3131

In stable
adult
diabetes...



extra
reassurance
for the
patient
with

'DIMELOR'

Trade Mark

Brand

Acetohexamide

The
NEW ORAL
hypoglycaemic
agent

- * High degree of anti-diabetic activity.
- * Negligible incidence of side-effects.
- * Low cost.
- * Average dose half to two tablets once daily.
- * Patients responding poorly to other oral agents may show better control when transferred to 'Dimelor'.

For control in stable, maturity-onset, non-ketotic diabetic patients not regulated by diet alone. Where other oral agents have failed 'Dimelor' may be tried; or it may be used as a supplement to insulin.

Tablets of 500 mg. Yellow. Scored for convenience.



**ELI LILLY AND COMPANY LIMITED
BASINGSTOKE ENGLAND**

GRUNE & STRATTON PUBLICATIONS

DEVELOPMENTS IN PSYCHOANALYSIS

By LEON SALZMAN, M.D.

Professor of Clinical Psychiatry, Georgetown University School of Medicine,
Washington, D.C.

302 pages

55s. net

SELF HYPNOSIS

A Conditioned-Response Technique

By LAURANCE SPARKS

255 pages

39s. net

THE MOLD OF MURDER

By WALTER BROMBERG, M.D.

Formerly Director, Psychiatric Clinic, Court of General Sessions, New York.

230 pages

34s. net

SUICIDE AND MASS SUICIDE

By JOOST A. M. MEERLOO, M.D., Ph.D.

153 pages

27s. net

15-16 QUEEN STREET, MAYFAIR, LONDON, W.1

'ECTONUUSTIM'

E.C.T. APPARATUS and CEREBRAL STIMULATOR

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

' ECTONUS '

—E.C.T. apparatus

' ECTRON '

—E.C.T. apparatus

' ECTRON '

—Rubber Mouth Gag


' ECTRONOLYTE '

—Electrolyte Powder

Write for full details to: **ECTRON LTD**

39 NORTON ROAD, LETCHWORTH, HERTS, ENGLAND

Telephone: LETCHWORTH 2124



depressive
illness



Niamid[†]

brand of nialamide

specific treatment

Initially
two 25 mg. tablets
three times a day,
to be reduced
according to the
requirements of the
individual patient.
Average
maintenance dose
75 mg. daily.

marketed in the United Kingdom by

HARVEY PHARMACEUTICALS

Published online by Cambridge University Press
a department of Pfizer Ltd · Sandwich · Kent



La Métairie

NYON (Switzerland)

Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy

Biological Treatments - Chemotherapy

For further information: Apply to Dr. W. SEMADENI, Chief Doctor
Telephone 9.65.91

NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for informal patients and those admitted under the Mental Health Act. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy., with Assistant Psychiatrist. All modern treatments including psychotherapy. Central heating and running water in all rooms.

Enquiries regarding advertising in the

JOURNAL OF MENTAL SCIENCE

should be addressed to:—

Advertisement Manager

ALDRIDGE PRESS LTD

27 Chancery Lane London WC2

Telephone: HOLborn 8655/6

Telegrams: Presreps, Holb. London

IN ANXIETY NEUROSES AND DEPRESSED STATES

DRAZINE

Drazine (phenoxypropazine) has been found effective in all recognised forms of mental depression. Again and again it has helped patients with widely differing symptoms who have had no relief from earlier forms of treatment, including other MAO inhibitors and even ECT.

Drazine is indicated in both reactive and endogenous depressions, either moderate or severe. It has been equally successful in anxiety states and neurasthenia in which 'a return of energy, activity and drive'* has been noted. Drazine produces a remarkably high degree of mental stability as well as elevation of mood.

Basic N.H.S. cost: 100 5 mg. tablets 11/7d. (dispensing). Subject to P.T.

**Brit. med. J., 1961, 2, 1353*

**Rapid effect · Negligible side effects · Stable response
Simple standard dosage · Wide clinical spectrum**



Smith & Nephew Pharmaceuticals Limited
WELWYN GARDEN CITY · HERTFORDSHIRE · ENGLAND

BARNWOOD HOUSE

GLOUCESTER

A PRIVATE HOSPITAL (outside the National Health Service), for the CARE and TREATMENT of NERVOUS and MENTAL DISORDERS. Just outside the city of Gloucester on the A417 between Gloucester and Cirencester it is well served by public transport and easily accessible by road from all parts of the South West and from Birmingham (1 hour - 50 miles). Fees from 12 to 25 guineas.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH


TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For information apply to


Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER



**In convalescence
and
senile debility**

Dianabol[®]
(methandienone)



**restores the
metabolic balance**


Dianabol cuts the cost of
anabolic therapy :
maintenance treatment costs
only 2½d. to 5d. daily
at basic N.H.S. prices

Available as 5 mg. tablets
in 25's, 100's and 500's
and drops containing 1 mg./ml.
in bottles of 20 ml.

C I B A

[®] denotes registered trade mark. Reg. user
CIBA Laboratories Limited, Horsham, Sussex

in depression restore the premorbid personality



Promptly but smoothly, 'Parnate' restores the depressive patient's normal personality. The action of 'Parnate' is clear cut and specific—it relieves the symptoms of depression. The onset of recovery is prompt because 'Parnate' acts within the first few days of treatment. The course of recovery is smooth because 'Parnate' causes no overstimulation or euphoria.

'Parnate' is indicated in reactive and other psychoneurotic depressions, endogenous depressions (including the depressive phase of manic-depressive psychosis and other depressive states associated with psychoses), and involuntional melancholia.

Parnate

a true antidepressant effect,
more quickly achieved

Each 'Parnate' tablet contains 10 mg. tranylcypromine as the sulphate.
Issued in containers of 50 and 500.

SK Smith Kline & French Laboratories Ltd
&F Welwyn Garden City, Herts

'Parnate' (brand of tranylcypromine) is a trade mark

PT:PA92

THE JOURNAL OF MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)

Communications on general editorial matters, including MSS. for publication, printed matter, and books for review should be sent to **The Editor-in-Chief, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **ALDRIDGE PRESS LTD., 27 Chancery Lane, London, W.C.2.**

Orders and communications to do with reprints of articles should be sent direct to the printers, **Headley Brothers Ltd., The Invicta Press, Ashford, Kent.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

**THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION
PUBLICATIONS**

From **MESSRS. H. K. LEWIS & Co. LTD.,**
136 Gower Street, W.C.1

“**The Journal of Mental Science**” (The British Journal of Psychiatry). Published six times a year. Price 20/-. Postage extra.

From **MESSRS. J. & A. CHURCHILL, LTD.,**
104 Gloucester Place, W.1

“**Recent Progress in Psychiatry.**” Vol. 2, 1950. Pp. 711. Price 50/-.
Vol. 3, 1959. Pp. 404. Price 50/-.

From **MESSRS. BAILLIÈRE, TINDALL & COX,**
8 Henrietta Street, W.C.2

“**Handbook for Mental Nurses.**” 8th edn. 1954. Price 21/-.

From **THE SECRETARY, 11 Chandos Street, W.1**

The Charter and By-Laws of the Association. Price 2/-. Postage 2½d.

“**Recent Progress in Psychiatry.**” Vol. 2, 1950 } (at special price to members of R.M.P.A.)
Vol. 3, 1959 }

"The rapid action of haloperidol and its effectiveness enable us to consider it as a major neuroleptic, the introduction of which marks a very important step in the chemotherapy of psychoses."
Presse Med., 68, 1353. (1960)

Serenace *brand of haloperidol*

controls the turbulence of psychotic illness

sets a new standard Serenace is the first major advance in the treatment of psychotic illness since the introduction of the phenothiazines. A member of an entirely new class of compounds known as the butyrophenones, Serenace is chemically unrelated to any previous drug in this field. While proving more potent in the control of psychotic symptoms it has produced no known toxic effects on liver or bone marrow.

potent antipsychotic agent Controlled studies and routine clinical use have shown that Serenace is remarkably effective in the management of mania and agitation in schizophrenia controlling also other major symptoms of mental illness. Chronic psychotic patients who have failed to respond to other therapy often show striking improvement when Serenace is administered. They frequently become accessible to psychotherapy for the first time since the onset of their illness.

A Physicians' Reference Manual is available with full information on dosage and administration and a complete list of the literature that now numbers more than 100 publications.

'Serenace' is a Registered Trade Mark **G. D. Searle & Co. Ltd.** High Wycombe, Bucks

SR90/SR12

INSTRUCTIONS TO AUTHORS

1. Articles must be typed with double spacing on quarto paper leaving generous margins.

2. The title should be brief and to the point, so as to give a clear idea of the nature of the work when quoted by others.

3. Names of authors only appear under the title of the paper. Names, qualifications, present appointments and postal addresses should be given in full at the end of the article.

4. Past studies need not be discussed where this has been done adequately elsewhere.

5. Case histories cannot be published unless they are of exceptional interest, and then must be short and confined to essentials.

6. Tables may be typed in the ordinary way.

Diagrams, drawings and graphs for reproduction must be drawn in black ink on white paper with proper lettering; it is preferable to draw diagrams $1\frac{1}{2}$ times larger than they are to be printed and on sheets not larger than quarto. If they have to be redrawn by the printer the cost, which may amount to several pounds, will be charged to the author. After printing, blocks are returned by the printers to the senior author.

7. References should be listed alphabetically at the end of the paper, the titles of journals being abbreviated as in the *World List of Scientific Publications*. Book titles are to be given with place of publication; as a rule titles of articles should not be quoted. For example:

1. ABEL-SMITH, B., and TITMUS, R. M. (1956). The Cost of the National Health Service in England and Wales. Cambridge.
2. ABERCROMBIE, P. K. (1960). *Brit. med. J.*, 2, 139.

If the number of references is small, and the author considers the titles of articles referred to are of interest, they may be quoted in the list of references. In this case all references to articles should be treated in the same way, and the titles of articles should be given without capitals, capitals being reserved for book titles.


In the body of the paper references should be by author and date; "Abercrombie (1960)". However in the case of review articles, with a large list of references and frequent quotation in the text, at the author's discretion the alternative method of reference by index number may be used.

Authors are expected to check the accuracy of all references in the MS. before submission. Corrections at a later stage are expensive and should be limited to printer's errors. A scrupulous re-check of the references should be made in the galley proof.

8. Passages intended for printing in small type should be so marked.

9. It is the author's duty to make himself clearly intelligible to the reader. In the assessment of papers great importance is attached to clarity of writing. It is usually wise to get the opinion of a colleague on writing and presentation before offering the paper for publication. Even experienced authors have blind spots for ambiguous or obscure passages. Great discretion is needed in the use of technicalities not generally understood among psychiatrists. Exponents of cybernetics, for example, must recall that the readers include those whose special training is in such a different field as psychotherapy; and *vice versa*.

10. Twenty reprints of each article are supplied free of charge; delivery instructions must be sent to the printers, Headley Brothers, Ashford, Kent. If authors require extra copies the orders must be sent direct to the printers at the time of passing the galley proofs.



two facets to this antidepressant

▶ **Effective
treatment of
depression**

▶ **Prompt relief
of associated
anxiety and
tension**

TRYPTIZOL is effective in all forms of depression. It is particularly useful when depression is accompanied or even masked by anxiety and tension.

TRYPTIZOL is well tolerated and has a wide margin of safety. It is not a monoamine oxidase inhibitor and neither jaundice, parkinsonism nor blood dyscrasias have been recorded following its use.

TRYPTIZOL is available as 25 mg. and 10 mg. tablets and as an injection.

Before using TRYPTIZOL, the physician should consult the detailed information in the package leaflet or in descriptive literature available on request.

TRYPTIZOL

AMITRIPTYLINE HYDROCHLORIDE

Regd

TRYPTIZOL is made in England by

MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

