CLAY MINERALS

VOLUME 30, NUMBER 1, MARCH 1995

CONTENTS

N. CLAUER, J. R. O'NEIL and S. FURLAN. Clay minerals as records of temperature conditions and duration of thermal anomalies in the Paris Basin, France	1
R. B. PEARCE and T. CLAYTON. Tschermak substitution as an indicator of palaeotemperature in Silurian K-bentonites from the Southern Uplands of Scotland and Northern Ireland	15
D. M. THORNLEY and T. I. PRIMMER. Thermogravimetry/evolved water analysis (TG/EWA) combined with XRD for improved quantitative whole-rock analysis of clay minerals in sandstones	27
BALBIR SINGH and R. J. GILKES. The natural occurrence of χ -alumina in lateritic pisolites	39
D. RIGHI, B. VELDE and A. MEUNIER. Clay stability in clay-dominated soil systems	45
H. D. RUAN and R. J. GILKES. Acid dissolution of synthetic aluminous goethite before and after transformation to hematite by heating	55
s. HILLIER. Mafic phyllosilicates in low-grade metabasites. Characterization using deconvolution analysis — discussion	67
Notes	
D. ROBINSON and R. E. BEVINS. Comments on discussion of characterization of mafic phyllosilicates in low-grade metabasites using deconvolution analysis	75
A. ABDELOUAS, J. L. CROVISIER, W. LUTZE, W. J. ULLMAN and F. RISACHER. Occurrence of silhydrite in a soda lake on the Bolivian Altiplano	77
A. U. GEHRING, P. KELLER, B. FREY and J. LUSTER. The occurrence of spherical morphology as evidence for changing conditions during the genesis of a sepiolite deposit	83
Obituary — s. w. bailey	87

ISSN 0009-8558

Typeset by Westfield Typesetting, North Walsham, Norfolk Printed by Black Bear Press Limited, Cambridge, England