research, which is easier, faster and prevailing in training institutions. Also, psychotherapy training is found less affordable by trainees.

With collaboration from other organizations, EFPT aims to improve standards of psychiatry training, including psychotherapy. We present some initiatives led by UEMS, EPA, WPA and ECNP. Today's technology allows trainees to reach various psychotherapeutic training availabilities, including online tools (Webinar, MOOCs, online guidebooks) and international courses. It is advisable that training institutions devote more time on psychotherapy training and supervision, associations provide costly training availabilities or scholarships, encourage more scientific research on psychotherapeutics and take into account the progress of research in psychology and neuroscience [1–5].

Disclosure of interest The authors have not supplied their declaration of competing interest.

- References
- [1] Hadjipavlou G, Hernandez CA, Ogrodniczuk JS. Psychotherapy in contemporary psychiatric practice. Can J Psychiatry 2015;60(6):294–300.
- [2] Woelbert E. Psychotherapy for mental illness in Europe: an exploration on the evidence base and the status quo. Luxembourg: Publications Office of the European Union; 2015.
- [3] Sudak D, Goldberg DA. Trends in psychotherapy training: a National Survey of Psychiatry Residency Training. Acad Psychiatry 2012;36:369–73.
- [4] Statements of the European Federation of Trainees (EFPT); 2015. p. 6.
- [5] Charter on Training of Medical Specialists in the EU. Requirements for the speciality of psychiatry. Berlin: UEMS, European Board of Psychiatry; 2003.

http://dx.doi.org/10.1016/j.eurpsy.2016.01.809

EECP 04

Is addiction medicine part of psychiatry?

L. Orsolini ^{1,2,3,4,*}, D. Papanti ², A. Valchera ^{1,4}, R. Vecchiotti ^{1,3,4}, J. Corkery ², F. Schifano ²

- ¹ Villa San Giuseppe Hospital Hermanas Hospitalarias, Department of Psychiatry, Ascoli Piceno, Italy
- ² University of Hertforshire, School of Life and Medical Sciences, Department of Pharmacy, Pharmacology and Medical Sciences, Hatfield, United Kingdom
- ³ Maastricht University, Department of Psychiatry and Neuropsychology, Maastricht, Netherlands
- ⁴ Polyedra, Polyedra Research, Teramo, Italy
- * Corresponding author.

Addiction medicine/psychiatry, a medical subspecialty founded on October 1991 by the American Board of Psychiatry and Neurology, was granted as subspecialty within psychiatry. It mainly deals with medical assessment, diagnosis and treatment of subjects who suffer from an addiction (i.e. drug and/or alcohol addiction; gambling; sexual addiction; game addiction; and so on). Addiction psychiatry also deals with subjects in dual diagnosis, i.e. individuals with addiction issues along with co-occurring psychiatric disorders. However, despite its well established "dignity" to be part of psychiatry, most mental health's professionals believe that it is not a primarily psychiatric field due to the frequent co-occurrence of internistic/medical issues. In addition, the situation of psychiatric training specifically addressed to addiction is widely diversified across the European countries. Therefore, most psychiatrists do not possess specific qualifications and formation on this increasing field of psychiatry. The present lecture aims at providing an insight into the issues related to the diatribe between psychiatry and medicine on addiction medicine/psychiatry, specifically focusing on differences across European countries.

Disclosure of interest The authors have not supplied their declaration of competing interest.

http://dx.doi.org/10.1016/j.eurpsy.2016.01.810

FFCP 05

Should all psychiatrists be skilled to practice psychotherapy?

E. Sönmez ¹,*, T. Gargot (Master de sciences cognitives)²

¹ Marmara University Pendik Training and Research Hospital,
Psychiatry, Istanbul, Turkey

² Service de pédopsychiatrie, école normale supérieure, hôpital de la Pitié-Salpêtriere, Paris, France

Corresponding author.

Psychiatrists have a unique place in the spectrum of mental health services, as being able to integrate psychotherapy and pharma-cotherapy in clinical practice. It is through psychotherapy training that a trainee gains optimal communicative skills and competence in establishing therapeutic alliance with a patient. It helps developing empathic understanding, which is very important for a good collaboration and enable understanding, diagnostic and treatment. It improves trainees' own insight. All are these fundamental aspects of a biopsychosocial approach of psychiatry.

In many countries psychiatry trainees have a positive attitude towards psychotherapy during their training. Moreover, patients often prefer and adhere to combined psychotherapy and medication than split-care treatments. Research in psychotherapy provides ample evidence that these treatments are effective. The UEMS considers psychotherapy education as mandatory. EFPT advocates that all trainees must gain competence in at least one recognised form of psychotherapy and have a basic knowledge for other forms. Altogether, there is a consensus among all actors of mental health services that psychotherapy training is essential and should be improved. Yet, it is still far from being a priority in psychiatric training and is subdued by biological training and research, which is easier, faster and prevailing in training institutions. Also, psychotherapy training is found less affordable by trainees.

With collaboration from other organizations, EFPT aims to improve standards of psychiatry training, including psychotherapy. We present some initiatives led by UEMS, EPA, WPA and ECNP. Today's technology allows trainees to reach various psychotherapeutic training availabilities, including online tools (Webinar, MOOCs, online guidebooks) and international courses. It is advisable that training institutions devote more time on psychotherapy training and supervision, associations provide costly training availabilities or scholarships, encourage more scientific research on psychotherapeutics and take into account the progress of research in psychology and neuroscience [1–5].

Disclosure of interest The authors have not supplied their declaration of competing interest.

References

- [1] Hadjipavlou G, Hernandez CA, Ogrodniczuk JS. Psychotherapy in contemporary psychiatric practice. Can J Psychiatry 2015;60(6):294–300.
- [2] Woelbert E. Psychotherapy for mental illness in Europe: an exploration on the evidence base and the status quo. Luxembourg: Publications Office of the European Union; 2015.
- [3] Sudak D, Goldberg DA. Trends in psychotherapy training: a National Survey of Psychiatry Residency Training. Acad Psychiatry 2012;36:369–73.
- [4] Statements of the European Federation of Trainees (EFPT); 2015.
- [5] Charter on Training of Medical Specialists in the EU. Requirements for the speciality of psychiatry. Berlin: UEMS, European Board of Psychiatry; 2003.

http://dx.doi.org/10.1016/j.eurpsy.2016.01.811