PROCEEDINGS

OF THE

EDINBURGH MATHEMATICAL SOCIETY.

VOLUME XXIV.

SESSION 1905-1906.

Reprinted with permission of Edinburgh Mathematical Society by KRAUS REPRINT LTD Vaduz 1964

PROCEEDINGS

OF THE

EDINBURGH MATHEMATICAL SOCIETY.

VOLUME XXIV.

SESSION 1905-1906.

Reprinted with permission of Edinburgh Mathematical Society by KRAUS REPRINT LTD Vaduz 1964

https://doi.org/10.1017/S0013091500033198 Published online by Cambridge University Press

Printed in Germany

INDEX.

ARNEIL, L.	PAGE
On a simple theodolite suitable for use in schools [Title],	58
Burgess, A. G.	
Theorems connected with Simson's Line,	125
Collignon, Edouard.	
Solution of the Cubic Equation,	20
CRAWFORD, G. E.	
The determination of the centre of gravity of a circular	
arc by reference to a principle of Dynamics, -	35
DOUGALL, J.	
Quantitative proofs of certain Algebraic Inequalities,	61
Notes on the Apollonian Problem and the allied theory,	78
FRASER, W. G.	
On the relations of certain conics to a triangle,	38
JACK, Professor J.	
On the Pascal Hexagram,	42
A proof that the middle points of parallel chords of a	
conic lie on a fixed straight line,	59
JACKSON, F. H.	
Certain Series of Basic Bessel Co-efficients [Title],	6
M'BRIDE, J. A.	
A Trigonometric Dial: a Teaching Appliance [Title], -	6

INDEX.

MACLAGAN-WEDDERBURN, J. H.	
On Newton's Theorem in the Calculus of Variations [Title],	44
MILLER, J. Note on Tortuous Curves,	51
MUIRHEAD, R. F. Proofs of an Inequality,	45
Office-Bearers,	1
PEDDIE, W. The Conditions for the Reality of the Roots of an n-ic,	56
PICKEN, D. K. On the Reduction of $\int \frac{(Lx+M)dx}{(Ax^2+2Bx+C)^m \sqrt{ax^2+2bx+c}},$	36
PINKERTON, P. On a Nine-Point Conic, &c.,	31
The Parabolic Path of a Projectile,	34
Ross, E. B. A Symbolic Method in Geometrical Optics,	120
SOMMERVILLE, D. M. Y. On the number of Independent Conditions involved in the vanishing of a Restangular Army	9
the vanishing of a rectangular Array,	ئ
TURNER, J. On the Teaching of Geometry [Title],	30
Tweedie, C.	
A Problem of Lewis Carroll's, and the rational solutions of a Diophantine Cubic,	7

IV