April 1967

Vol. LXXXI No. 4

The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

EXTERNAL OTITIS: STUDY OF RECURRENCES

MID-LINE CONGENITAL ANOMALIES OF THE NOSE SMELL: RECENT THEORIES AND THEIR CLINICAL APPLICATION

CLINICAL RECORDS-

PROLAPSE OF THE LARYNGEAL VENTRICLE. (TWO CASES OF PROLAPSE OF THE LARYNGEAL VENTRICLE OCCURRING IN A FAMILY WITH A FOUR GENERATION HISTORY OF HOARSE VOICE). GANGRENE OF THE PAROTID

Societies' Proceedings

GENERAL NOTES

London Headley Brothers

109 Kingsway WC2

Annuel Subsectiption Lyo Published brine by Cambridge University Press

Monthly, 12/6 net post free

H. D. BROWN KELLY

J. C. JENKINS R. HINCHCLIFFE R. HINCHCLIFFE

Y. A. YOUSSEF and M. H. Abdou G. LEVENTON, A. MAN, P. KRAUS and G. ALTMANN R. BADRAWY

ELLIS E. DOUEK

RICHARD L. MABRY

J. VAN DER BORDEN

ADVERTISEMENTS

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

I. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 128. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© Journal of Laryngology and Otology, 1967

CONTENTS

I	PAGE
THE DIAGNOSIS OF LARYNGEAL NEOPLASMS. H. D. Brown Kelly (Glasgow)	375
PRELIMINARY REPORT ON THE TREATMENT OF MULTIPLE JUVENILE LARYNGEAL PAPILLOMATA BY ULTRASOUND. J. C. JENKINS (Leicester)	385
FOCAL SEPSIS AND VERTIGO. R. Hinchcliffe (London)	391
ANAEMIA AS A FACTOR IN VERTIGO. R. Hinchcliffe (London)	397
Studies on Fungus Infection of the External Ear. I. Mycological	321
AND CLINICAL OBSERVATIONS. Y. A. Youssef and M. H. Abdou (Cairo, U.A.R.)	401
EXTERNAL OTITIS: STUDY OF RECURRENCES. G. Leventon, A. Man, P. Kraus and G. Altmann (Israel)	413
MID-LINE CONGENITAL ANOMALIES OF THE NOSE. R. Badrawy (Cairo, U.A.R.)	419
SMELL: RECENT THEORIES AND THEIR CLINICAL APPLICATION. Ellis E. Douek (London)	431
Clinical Records-	
Lymphoid Pseudotumour of the Nasopharynx and Larynx. Richard L. Mabry (Dallas, Texas)	441
BILATERAL NON CHROMAFFIN TYMPANO-JUGULAR PARAGANGLIOMA. J. van der Borden (Amsterdam)	445
Prolapse of the Laryngeal Ventricle. (Two Cases of Prolapse of the Laryngeal Ventricle Occurring in a Family with a Four Generation History of Hoarse Voice.) G. P. Walsh- Waring (London).	449
GANGRENE OF THE PAROTID. Rumy Kapadia, F. D. Mistry, K. L. Shah and S. R. Rege (Bombay)	455
A VERSATILE SPECULUM HOLDER. K. G. Malcomson (Bristol)	459
Societies' Proceedings	46 3
General Notes	465



Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.



Please send for our new catalog Surgical Mechanical Research,

INC.

833 West 16th Street, P.O. Box 1185 Newport Beach, Calif. 92663

Direct factory sales, F.O.B. Newport Beach, Calif.




'Otosporin' rapidly destroys virtually all bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

OTOSPORIN



Burroughs Wellcome & Co. London (The Wellcome Foundation Ltd.)



DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada 410 Dundas Street West, Toronto, 2B, Canada

ONLY **AMPLIVOX** provides a <u>complete</u> audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.



Clinical Audiometers

with narrow band masking for the highest accuracy and extended resolution.


Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



PLUS An efficient and speedy calibration service please write for technical literature to meet your needs 80 New Bond Street, London, W.1. Tel; HYDe Park 9888





WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.
Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.
Highest degree of training of any hearing aid organisation.
Master Hearing Aid evaluations.
Expert follow-up and rehabilitation advice.
15 branch offices with while-you-wait service.
FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY AMPLIVOX



AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1

For the longest-lasting, gentlest relief of hay-fever

Pronounced topical antihistaminic activity combined with a gentle, prolonged decongestant action, provides prompt, sustained relief of nasal congestion in all seasonal and perennial allergies.





New for allergic conjunctivitis Sterile Eye Drops


[conforming to the B.P.C. 1966 specifications]



Nasal spray or drops Sterile Eye Drops $\frac{1}{2}$ fl. oz Basic N.H.S. 3s. 8d. 10ml Basic N.H.S. 5s. 0d.



OA/3



--that is the triumph of the **MACKIE** hearing aid

The new Mackie post-aural hearing aid is made in several different circuit versions so that the gain and frequency response can be selected to match the patient's needs; and it is available where required with a unique form of automatic volume control which has proved highly successful in cases of recruitment. The forward pick-up microphone gives maximum intelligibility of speech without background interference.

It is exported to many countries including the United States of America–a tribute to its high quality and advanced design.

In Great Britain it is available for trial by your patients from *independent* hearing aid dealers in all parts of the country.

MANUFACTURED BY A. G. R. MACKIE LTD. A member of the Bonochord Group of Companies FOR FURTHER DETAILS WRITE TO 48 WELBECK STREET, LONDON WI

KAMPLEX AUDIOMETRIC EQUIPMENT

AUDIOMETERS



CLINIC AUDIOMETER DA1


ACOUSTIC IMPEDANCE APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE APPARATUS RA4 SCREENING PORTABLE TA16 DIAGNOSTIC PORTABLE TA15

CLINIC AUDIOMETER DA1 DOUBLE CHANNEL DA2

AUTOMATIC AUDIOMETER AB1



SOUND LEVEL METER GA6


VISIBLE SPEECH APPARATUS

AUDITORY TRAINERS

Write for full catalogue and detailed descriptions to:

ALFRED PETERS & SONS LTD 51 GELL STREET, SHEFFIELD 3

ZEISS Operation Microscope II with Zoom focusing and Zoom optical system



A revolutionary step in the design of surgical microscopes, giving complete foot-button control of—

- a Motorised height adjustment of the rollable stand.
- **b** Motorised fine focussing upwards and downwards
- c Motorised pancratic zoom system giving continuous magnification range 5x to 25x (with the zoom objective 200 mm and 12.5x oculars)

Accessories include Observation Tubes, Camera Attachments and Oculars for spectacle wearers.

Full details from Carl Zeiss at Degenhardt & Co. Ltd., 20/22 Mortimer Street, London, W.1 Museum 8050 (15 lines)

Scottish Enquiries to Degenhardt & Co. (Scotland) Ltd., 22 Burnbank Gardens, Glasgow, N.W. Douglas 0520



BÉKÉSY Accessory

For the very first time a fully automatic unit has been made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to :

ALFRED PETERS & SONS LIMITED 51 GELL STREET, SHEFFIELD 3

In chronic bronchitis **PENBRITIN** helps him put up a better fight



By swiftly reducing both the quantity and purulence of the sputum, routine dosage Penbritin brings a rapid clinical response in the majority of patients: moreover clinical trials have shown these benefits to be more marked than those observed in patients on tetracycline therapy. The success of this regimen (250mg. four times daily for one week or more) can be attributed to Penbritin's higher activity against the causative organisms, H. influenzae and pneumococci.


In addition, severely disabled patients, including those with extensive bronchiectasis and cases whose sputum is winter-long purulent despite other antibiotic therapy, may gain unprecedented relief from a short course of high dosage Penbritin. In published trials on this regimen (1 gram four times daily for one week or more) infection was cleared in the majority of patients, and subsequent freedom from exacerbation for up to 16 weeks was reported.

A full list of supporting references is available on request.



PENBRITIN* (ampicillin B.P.) is a product of British research at **Beecham Research Laboratories** Brentford, England.





Please mention The Journal of Laryngology and Otology when replying to advertisements

ORBENIN and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils Carbuncles Infected dermatoses

Pneumonia Lung abscess Acute bronchitis

Osteomyelitis Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections Burns Skin graft protection

Septicaemia Acute endocarditis

Staphylococcal enterocolitis

Staphylococcal urinary tract infections

Staphylococcal meningitis

ORBENIN (cloxacillin sodium B.P.) is a penicillin active against virtually all Gram-positive organisms, including staphylococci, β -haemolytic streptococci and pneumococci, irrespective of their resistance to other antibiotics.

It is encouraging that the widespread use of Orbenin in hospitals has not resulted in the emergence of resistant strains.


More than 300 references in the World Literature testify to the excellent clinical results obtained with Orbenin in a wide variety of Gram-positive infections.

Detailed literature is available on request.

Dosage:

Two capsules (500mg.) or one vial (250mg.) q.i.d.

Availability:






Orbenin (cloxacillin sodium B.P.) (regd.) is a product of British research at **Beecham Research Laboratories** Brentford, England. Telephone : IS Leworth 4111




NEW FOR OTITIS EXTERNA AND CHRONIC OTITIS MEDIA



ANTI-INFLAMMATORY ANTI-BACTERIAL ANTIFUNGAL





Please mention The Journal of Laryngology and Otology when replying to advertisements