



Access
leading
journals in
your subject

Cambridge Core

Explore today at [cambridge.org/core](https://www.cambridge.org/core)

Cambridge Core



CAMBRIDGE
UNIVERSITY PRESS



Life Sciences

Books and Journals from
Cambridge University Press

Cambridge is one of the leading publishers in ecology and conservation biology and publishes high quality texts and research across the breadth of the life sciences, focusing particularly on animal behaviour, biological anthropology, evolutionary biology, computational and systems biology, as well as statistics and professional development titles for biologists.

We also have an extensive portfolio of established journals in agriculture, ecology and conservation, and animal science.

For further details visit:
cambridge.org/core-life-sciences

Cambridge
Core



CAMBRIDGE
UNIVERSITY PRESS

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

TERMS OF MEMBERSHIP FOR 2019

MBA MEMBERSHIP (prices per annum)	Price from 1st March 2019
Young Marine Biologist (YMB)	£12.50
Student Member	£25.00
Associate Member	£40.00 (direct debit discount £5)
Professional Member, Mem.MBA	£45.00 (direct debit discount £5)
MBA Fellow, FMBA	£120.00 (direct debit discount £5)
Institutional Member	£340.00

JOURNAL SUBSCRIPTION (MBA price added to the above membership fees, with the exception of YMB as no Journal option for this category)	
Online Journal	£20.00
Print & Online Journal	£80.00

The Association is a learned society founded in 1884 and incorporated by Royal Charter in 2013. The Marine Biological Association (MBA) provides a unified, clear, independent voice on behalf of the marine biological community. In 1888, the MBA opened the Plymouth laboratory at Citadel Hill.

The MBA is also a registered charity with its key aims being to promote scientific research into all aspects of life in the sea, including the environment on which it depends, and to disseminate to the public the knowledge gained. The Patron of the Association is His Royal Highness the Duke of Edinburgh, who is also an Honorary Fellow. The other Honorary Fellows are His Serene Highness Prince Albert of Monaco, Dr Sylvia Earle, Sir Tim Hunt and Professor James Lovelock.

The work of the Association is controlled by the Council elected annually by its subscribing members.

The Marine Biological Association, under the direction of its Council, has undertaken research in all branches of marine science and many of the results have been published in this Journal. An account of the history of the first hundred years of the Association and Journal may be found in Volume 67 (pp. 463 and 465).

Since its foundation the Association has been supported by grants from Research Councils and by subscriptions and donations

from private members, universities, learned societies, the Fishmongers' Company and other public bodies.

The Marine Biological Association is a very active scientific learned society with a large international membership. The MBA also manages an internationally renowned research programme.

Subscriptions can be paid by cash/cheque, direct debit from a UK bank account or credit card. *Subscriptions are reduced by £5 per annum if paying by direct debit.

Members of the Association have a wide range of rights and privileges including the use of post-nominals (FMBA for MBA Fellows, Mem.MBA for Professional Members) and being entitled to receive The Marine Biologist Magazine. The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscriptions paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax.

All correspondence should be addressed to: The Membership Secretary, Marine Biological Association, The Laboratory, Citadel Hill, Plymouth, PL1 2PB, UK (Tel. +44 (0) 1752 426493; e-mail: membership@mba.ac.uk).

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed by Bell and Bain Limited, Glasgow

CAMBRIDGE UNIVERSITY PRESS

Journals Fulfillment Department, UPH, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
1 Liberty Plaza, Floor 20, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

CONTENTS

EDITORIAL

- Lewis, J. Food from the sea 269

ARTICLES

- Neat, F.C., Jamieson, A.J., Stewart, H.A., Narayanaswamy, B.E., Collie, N., Stewart, M. and Linley, T.D. Visual evidence of reduced seafloor conditions and indications of a cold-seep ecosystem from the Hatton–Rockall basin (NE Atlantic) 271
- Dursun, F. and Tas, S. Variations in abundance and diversity of phytoplankton in the surface waters of the Golden Horn Estuary (Sea of Marmara) 279
- Cordeiro, I.A., Feitosa, F.A.D.N., Flores Montes, M.D.J., Otsuka, A.Y. and Costa Silva, A. Environmental conditions of the Suape estuarine-port complex area (Pernambuco, Brazil): phytoplankton biomass and hydrological parameters 291
- Panasiuk, A., Jazdzewska, A., Słomska, A., Irzycka, M. and Wawrzynek, J. Genetic identity of two physonect siphonophores from Southern Ocean waters – the enigmatic taxon *Mica micula* and *Pyrostephos vanhoeffeni* 303
- Gupta, V.K., Sen, A., Pattnaik, A.K., Rastogi, G. and Bhadury, P. Long-term monitoring of benthic foraminiferal assemblages from Asia's largest tropical coastal lagoon, Chilika, India 311
- Pires, A.C.C., Cleary, D.F.R., Polónia, A.R.M., Lim, S.C., De Voogd, N.J., Oliveira, V. and Gomes, N.C.M. Comparison of bacterial communities associated with *Xestospongia testudinaria*, sediment and seawater in a Singaporean coral reef ecosystem 331
- Marlow, J., Schönberg, C.H.L., Davy, S.K., Haris, A., Jompa, J. and Bell, J.J. Bioeroding sponge assemblages: the importance of substrate availability and sediment 343
- Morton, B. and Puljas, S. An improbable opportunistic predator: the functional morphology of *Pinna nobilis* (Bivalvia: Pterioidea: Pinnidae) 359
- Trovant, B., Real, L.E., Parma, A.M., Orensanz, J.M. and Basso, N.G. Evolutionary relationships of the Tehuelche scallop *Aequipecten tehuelchus* (Bivalvia: Pectinidae) from the south-western Atlantic Ocean 375
- Singh, Y.T. Biometrics, condition index and meat yield of edible rock oyster, *Saccostrea cucullata* (Born, 1778) 385
- Chapperon, C., Clavier, J., Dugué, C., Amice, E., Le Goff, M. and Roussel, S. Seasonal and diurnal variability in carbon respiration, calcification and excretion rates of the abalone *Haliotis tuberculata* L. 393
- Arrighetti, F., Teso, V., Brey, T. and Penchaszadeh, P.E. Gastropod relevance in predator–prey interactions on a benthic shallow sandy ecosystem at Mar del Plata, Argentina (38°S) 403
- Kent, R.M.L. and Hawkins, S.J. On the timing and duration of foraging in *Onchidella celtica* 411
- Kwan, B.K.Y., Hu, M., Wang, Y., Cheung, S.G. and Shin, P.K.S. Fatty acids from controlled feeding as dietary markers of juvenile Chinese horseshoe crab, *Tachypleus tridentatus* 421
- Silva, E.F., Calazans, N., Nolé, L., Soares, R., Frédou, F.L. and Peixoto, S. Population dynamics of the white shrimp *Litopenaeus schmitti* (Burkenroad, 1936) on the southern coast of Pernambuco, north-eastern Brazil 429
- García Raso, J.E., García-Muñoz, J.E., Mateo-Ramirez, A., González, N.L., Fernández-Salas, L.M. and Rueda, J.L. Decapod crustaceans Eucalliidae in chemoautotrophic bathyal bottoms of the Gulf of Cadiz (Atlantic Ocean), environmental characteristics and associated communities 437
- Ebrahimzadeh, S. and Naderloo, R. Quantitative analyses of decapod crustaceans at a rocky intertidal shore in the Gulf of Oman, Iran: diversity, zonation and monsoonal fluctuations 445
- Park, J.M. and Kwak, S.N. Seasonal and habitat structures of crustacean decapod assemblages associated with *Zostera marina* beds in northern Jinhae Bay, Korea 461
- Marochi, M.Z., Costa, M., Daldin Leite, R.D., Da Cruz, I.D.C. and Masunari, S. To grow or to reproduce? Sexual dimorphism and ontogenetic allometry in two Sesarmidae species (Crustacea: Brachyura) 473
- Balogh, R., Wolfe, K. and Byrne, M. Gonad development and spawning of the vulnerable commercial sea cucumber, *Stichopus hermanni*, in the southern Great Barrier Reef 487
- Rodriguez-Romero, J., Simeón-De la Cruz, A., Ochoa-Díaz, M.R. and Monsalvo-Spencer, P. New report of malformations in blue shark embryos (*Prionace glauca*) from the western coast of Baja California Sur, Mexico 497
- Polónia, A.R.M., Cleary, D.F.R., Duine, A.A., Van Dijk, J. and De Voogd, N.J. Assessment of fish community structure along the Jakarta Bay–Pulau Seribu reef complex 503
- Uehara, D., Shoji, J., Ochi, Y., Yamaguchi, S., Nakaguchi, K., Shibata, J.-Y. and Tomiyama, T. Diel changes in the vertical distribution of larval cutlassfish *Trichiurus japonicus* 517
- Sassa, C., Kitajima, S., Nishiuchi, K. and Takahashi, M. Ontogenetic and inter-annual variation in the diet of Japanese jack mackerel (*Trachurus japonicus*) juveniles in the East China Sea 525
- Kintner, A. and Briley, A.S. Cryptic hydrozoan blooms pose risks to gill health in farmed North Atlantic salmon (*Salmo salar*) 539