

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E.,
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,
Cambridge

SIR BERNARD KEEN, D.SC., F.R.S., 72 Eaton Square, London, S.W. 1

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

VOLUME LXVI 1966

CAMBRIDGE
AT THE UNIVERSITY PRESS
1966

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
Bentley House, 200 Euston Road, London, N.W. 1.
American Branch: 32 East 57th Street, New York, N.Y. 10022

*Printed in Great Britain at the University Printing House, Cambridge
(Brooke Crutchley, University Printer)*

Contents

PART I (FEBRUARY 1966)

	PAGE
EVERITT, G. C. and JURY, K. E. Effects of sex and gonadectomy on the growth and development of Southdown × Romney Cross lambs. Part I. Effects on live-weight growth and components of live weight. (With Five Text-figures)	1
EVERITT, G. C. and JURY, K. E. Effects of sex and gonadectomy on the growth and development of Southdown × Romney Cross lambs. Part II. Effects on carcass grades, measurements and chemical composition. (With One Plate and Two Text-figures)	15
TAYLER, J. C. and RUDMAN, J. E. The distribution of herbage at different heights in 'grazed' and 'dung patch' areas of a sward under two methods of grazing management. (With Two Text-figures)	29
PRADHAN, S. L., McMANUS, W. R., GOLDSTONE, C. L., HART, R. F. and KHANDEKAR, V. N. Indices of the carcass composition of Dorset Horn top-cross lambs. III. Relationships between chemical composition, specific gravity and weight of carcasses and joints	41
SMITH, C. A. Studies on the <i>Hyparrhenia</i> Veld of Zambia. VII. The effects of Cattle Grazing Veld and Dambo at different stocking-rates. (With One Plate and Three Text-figures)	49
BLANCA, W. Heat tolerance in dehydrated steers. (With Four Text-figures)	57
ALSTON, A. M. The influence of N and Mg fertilizers and CaCO ₃ on the absorption of Mg by oats. (With Six Text-figures)	61
TAYLOR, ST C. S. and YOUNG, G. B. Variation in growth and efficiency in twin cattle with live weight and food intake controlled. (With Seven Text-figures)	67
TRAIL, J. C. M. and SACKER, G. D. Factors affecting production records of lambs from a flock of East African Blackheaded sheep	87
SACKER, G. D. and TRAIL, J. C. M. The effect of year, suckling, dry season and type of dam (ewe or gimmer) on milk production in East African Blackheaded sheep as measured by lamb growth	93
TRAIL, J. C. M. and SACKER, G. D. Lamb mortality in a flock of East African Blackheaded sheep	97
REID, D. Studies on the cutting management of grass-clover swards. IV. The effects of close and lax cutting on the yield of herbage from swards cut at different frequencies. (With Three Text-figures)	101
GALLAGHER, J. R., WATKIN, B. R. and GRIMES, R. C. An evaluation of pasture quality with young grazing sheep. I. Live-weight growth and clean wool production. (With One Text-figure)	107
GRIMES, R. C., WATKIN, B. R. and GALLAGHER, J. R. An evaluation of pasture quality with young grazing sheep. II. Chemical composition, botanical composition and <i>in vitro</i> digestibility of herbage selected by oesophageal-fistulated sheep. (With Three Text-figures)	113
BERRY, G. A yield-tenderometer relationship in shelled peas for adjusting yields to a given maturity	121

EKPETE, D. M. and CORNFIELD, A. H. Effects of varying static and changing moisture contents during incubation on ammonia and nitrate levels in soil. (With Four Text-figures)	125
BURT, A. W. A. The nutritive value of ground and pelleted barley straw. I. Ground and pelleted versus long straw for growing Ayrshire heifers. (With One Text-figure)	131
BLAKEMORE, M. Seasonal changes in the amounts of phosphorus and potassium dissolved from soils by dilute calcium chloride solutions. (With Eight Text-figures)	139
ROGERS, H. H. and LAZENBY, A. The evaluation of grasses in micro plots	147

PART 2 (APRIL 1966)

Acknowledgement—Retirement of Sir Bernard Keen, D.Sc., F.R.S.	153
BURNS, MARCA. Merino birthcoat fibre types and their follicular origin. (With Two Plates)	155
MURRAY, D. M. A comparison of cutaneous evaporation rates in cattle exposed to heat in a climate laboratory and in the field. (With One Text-figure)	175
HANBURY, L. F. and MAUGHAN, G. L. Trials with monogerm seed for the mechanization of spring work in sugar beet	181
HANBURY, L. F. and MAUGHAN, G. L. Machine thinning of sugar beet: field trials with chemical and mechanical weed control	189
BINGHAM, J. and WHITMORE, E. T. Varietal differences in wheat in resistance to germination in the ear and α -amylase content of the grain	197
WHITELAW, ANTHEA W. W., ELSLEY, F. W. H., JONES, A. S. and BOYNE, A. W. The effect of protein level in creep feed on the growth rate and body composition of sucking pigs. (With One Text-figure)	203
GRIMES, R. C. An estimate of the energy required for maintenance and live-weight gain by young grazing sheep	211
HADJIPIERIS, G. and HOLMES, W. Studies on feed intake and feed utilization by sheep. I. The voluntary feed intake of dry, pregnant and lactating ewes	217
ROBERTS, H. M. The seed productivity of perennial rye-grass varieties. (With Two Text-figures)	225
TOPPS, J. H., REED, W. D. C. and ELLIOTT, R. C. Studies of the metabolism of cattle given high concentrate diets. (With One Text-figure)	233
BREMNER, P. M. and TAHA, M. A. Studies in potato agronomy. I. The effects of variety, seed size and spacing on growth, development and yield. (With Six Text-figures)	241
BREMNER, P. M. and RADLEY, R. W. Studies in potato agronomy. II. The effects of variety and time of planting on growth, development and yield. (With Seven Text-figures)	253
HAMILTON, HERMAN A., DERMINE, P. O. and HIDIROGLOU, M. Effect of seasonal temperature on the yield and chemical composition of a lucerne-timothy mixture	263
BEVERIDGE, J. L. The effects of delayed planting and soil consolidation on potato yields	271
GREENHALGH, J. F. D., REID, G. W. and McDONALD, I. The indirect estimation of the digestibility of pasture herbage. IV. Regressions of digestibility on faecal nitrogen concentration: effects of different fractions of the herbage upon within and between-period regressions. (With Two Text-figures)	277

CHRISTIAN, K. R. and WILLIAMS, V. J. Rumen fermentation of herbage in sheep receiving carbohydrate supplements. (With Five Text-figures)	285
SMITH, I. D. The onset of the breeding season in Southdown ewes in subtropical Australia	295

PART 3 (JUNE 1966)

MACFARLANE, W. V. and HOWARD, B. Water content and turnover of identical twin <i>Bos indicus</i> and <i>B. taurus</i> in Kenya	297
PIZER, N. H., CALDWELL, T. H., BURGESS, G. R. and JONES, J. L. O. Investigations into copper deficiency in crops in East Anglia	303
EVANS, ALICE M. and GARETH JONES, D. The response to inoculation of the three chromosome races of <i>Trifolium ambiguum</i> sown with and without a companion grass. I. The effect of inoculation on yield of clover and grass	315
GARETH JONES, D. and EVANS, ALICE M. The response to inoculation of the three chromosome races of <i>Trifolium ambiguum</i> sown with and without a companion grass. II. The effect of the method of inoculation on the clover and grass. (With Six Text-figures)	321
TRIST, P. J. O. and BOYD, D. A. The Saxmundham rotation experiments: rotation I. (With Three Text-figures)	327
BOYD, D. A. and TRIST, P. J. O. The Saxmundham rotation experiments: rotation II. 1899-1952	337
HADJIPIERIS, G., JONES, J. G. W., WIMBLE, R. H. and HOLMES, W. Studies on feed intake and feed utilization by sheep. II. The utilization of feed by ewes	341
ELLIS DAVIES, W., GRIFFITH, G. AP and ELLINGTON, A. The assessment of herbage legume varieties. II. <i>In vitro</i> digestibility, water soluble carbohydrate, crude protein and mineral content of primary growth of clover and lucerne. (With One Text-figure)	351
BOND, D. A., FYFE, J. L. and TOYNBEE-CLARKE, GILLIAN. Male sterility in field beans (<i>Vicia faba</i> L.). III. Male sterility with a cytoplasmic type of inheritance. (With Two Text-figures)	359
BOND, D. A., FYFE, J. L. and TOYNBEE-CLARKE, GILLIAN. Male sterility in field beans (<i>Vicia faba</i> L.). IV. Use of cytoplasmic male sterility in the production of F ₁ hybrids, and their performance in trials	369
SCOTT, R. K. and BREMNER, P. M. The effects on growth, development and yield of sugar beet of extension of the growth period by transplantation. (With One Plate and Seven Text-figures)	379
SANSOM, B. F. The metabolism of caesium-137 in dairy cows. (With Three Text-figures)	389
FREE, J. B. The pollination requirements of broad beans and field beans (<i>Vicia faba</i>)	395
GARBOUCHEV, I. P. Changes occurring during a year in the soluble phosphorus and potassium in soil under crops in rotation experiments at Rothamsted, Woburn and Saxmundham. (With Nine Text-figures)	399
COWLING, D. W. The effect of the early application of nitrogenous fertilizer and of the time of cutting in spring on the yield of rye-grass/white clover swards. (With Ten Text-figures)	413
INNES, N. L. Inheritance of resistance to bacterial blight of cotton. III. <i>Herbaceum</i> resistance transferred to tetraploid cotton	433

CONTENTS

	PAGE
MACFARLANE, W. V. and HOWARD, B. Water content and turnover of identical twin <i>Bos indicus</i> and <i>B. taurus</i> in Kenya	297
PIZER, N. H., CALDWELL, T. H., BURGESS, G. R. and JONES, J. L. O. Investigations into copper deficiency in crops in East Anglia	303
EVANS, ALICE M. and GARETH JONES, D. The response to inoculation of the three chromosome races of <i>Trifolium ambiguum</i> sown with and without a companion grass. I. The effect of inoculation on yield of clover and grass.	315
GARETH JONES, D. and EVANS, ALICE M. The response to inoculation of the three chromosome races of <i>Trifolium ambiguum</i> sown with and without a companion grass. II. The effect of the method of inoculation on the clover and grass. (With Six Text-figures)	321
TRIST, P. J. O. and BOYD, D. A. The Saxmundham rotation experiments: rotation I. (With Three Text-figures)	327
BOYD, D. A. and TRIST, P. J. O. The Saxmundham rotation experiments: rotation II, 1899-1952	337
HADJIPIERIS, G., JONES, J. G. W., WIMBLE, R. H. and HOLMES, W. Studies on feed intake and feed utilization by sheep. II. The utilization of feed by ewes	341
ELLIS DAVIES, W., GRIFFITH, G. AP and ELLINGTON, A. The assessment of herbage legume varieties. II. <i>In vitro</i> digestibility, water carbohydrate, crude protein and mineral content of primary growth of clover and lucerne. (With One Text-figure)	351
BOND, D. A., FYFE, J. L. and TOYNBEE-CLARKE, GILLIAN. Male sterility in field beans (<i>Vicia faba</i> L.). III. Male sterility with a cytoplasmic type of inheritance. (With Two Text-figures)	359
BOND, D. A., FYFE, J. L. and TOYNBEE-CLARKE, GILLIAN. Male sterility in field beans (<i>Vicia faba</i> L.). IV. Use of cytoplasmic male sterility in the production of F ₁ hybrids, and their performance in trials	369
SCOTT, R. K. and BREMNER, P. M. The effects on growth, development and yield of sugar beet of extension of the growth period by transplantation. (With One Plate and Seven Text-figures)	379
SANSOM, B. F. The metabolism of caesium-137 in dairy cows. (With Three Text-figures)	389
FREE, J. B. The pollination requirements of broad beans and field beans (<i>Vicia faba</i>)	395
GARBOUCHEV, I. P. Changes occurring during a year in the soluble phosphorus and potassium in soil under crops in rotation experiments at Rothamsted, Woburn and Saxmundham. (With Nine Text-figures)	399
COWLING, D. W. The effect of early application of nitrogenous fertilizer and of the time of cutting in spring on the yield of rye-grass/white clover swards. (With Ten Text-figures)	413
INNES, N. L. Inheritance of resistance to bacterial blight of cotton. III. <i>Herbaceum</i> resistance transferred to tetraploid cotton	433

SUBSCRIPTIONS. Two volumes of three parts (each about 150 pages long) are published annually. The subscription price is 75s. net (U.S.A. \$13.50) per volume (post free); single parts are available at 32s. 6d. net (U.S.A. \$5.50) plus postage. Orders or enquiries may be sent to any bookseller or subscription agent, or to Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1. (U.S.A. and Canada, Cambridge University Press American Branch, 32 East 57th Street, New York, N.Y. 10022, U.S.A.)

*Printed in Great Britain at the University Printing House, Cambridge
(Brooke Crutchley, University Printer)*