



Figure 1. The peaks represent the amount of light emitted by semiconducting carbon nanotubes through interband photoluminescence. The bottom graph depicts light-emission activity in the absence of a magnetic field. The top graph shows a significant shift of light emission peaks to lower energies taken from nanotubes inside a 45-T field. (Figure courtesy of Sasa Zaric, Rice University.)

As reported in the May 21 issue of *Science* (p. 1129), the researchers placed solutions of nanotubes inside a chamber containing very strong magnetic fields. Lasers illuminated the samples, and conclusions were drawn based upon analysis of the light absorbed and emitted by the samples during polarization-dependent magneto-absorption spectroscopy.

Kono said, "Our data show...that the so-called Aharonov-Bohm phase can directly affect the band structure of a solid. The Aharonov-Bohm effect has been observed in other physical systems, but this is the first case where the effect interferes with another fundamental solid-state theorem, that is, the Bloch theorem. This arises from the fact that nanotubes are crystals with well-defined lattice periodicity. I wouldn't be surprised to see a corresponding effect in other tubular crystals like boron nitride nanotubes."

According to the researchers, the band-gap behavior of the nanotubes in a strong magnetic field derives from their quantum

properties. Because of the material's tubular, crystalline structure, electrons are limited to moving around the surface of the tube rather than in the hollow center.

Kono said that this discovery may lead to experiments on one-dimensional magneto-excitons, quantum pairings that are interesting to researchers studying quantum computing, nonlinear optics, and quantum optics.

α -SiAlON Ceramics with High Transparency Obtained After Lu_2O_3 Addition

The most widely studied SiAlON ceramics, for which the two major phases are α and β , are those stabilized with Y_2O_3 . Oxide additions help to stabilize the α phase of the Si_3N_4 -based solution by substituting some of the silicon and nitrogen in the Si_3N_4 lattice. Further addition of a stabilizing element, usually a rare earth, equilibrates the valence difference of the α phase. The smaller the size of the ion added, the larger the temperature

NEC

ion electron BEAM SYSTEMS

THE WORLD LEADER IN MEGAVOLT ACCELERATOR TECHNOLOGY

NATIONAL ELECTROSTATICS CORP.

COMPACT CARBON AMS SYSTEM

MODEL 155DH-2
5 MV Tandem Pelletron®

NEC Pelletron Accelerator Systems provide high quality ion and electron beams with energies from 10's of KeV to 100's of MeV for a wide variety of applications. Complete turn-key systems are available for research implantation, RBS, channeling, ERD, PIXE, NRA and AMS.

Contact NEC for information about systems and ion beam handling and vacuum components.

7540 GRABER ROAD, P.O. BOX 620310, MIDDLETON, WI 53562-0310 U.S.A.
 TELEPHONE: 608-831-7800 ♦ FAX: 608-256-4103 ♦ E-MAIL: nec@pelletron.com ♦ WEB SITE: http://www.pelletron.com

For more information, see <http://www.mrs.org>

and composition ranges where the α phase is stable. In compositions with 100% α phase, the grain-boundary phase is reduced as all of the additives can enter into the structure. Now, by using a novel stabilizing material, Lu_2O_3 , a team of scientists from the Agency of Industrial Science and Technology (AIST) and the Fine Ceramics Research Association in Nagoya, Japan, have obtained a highly dense, transparent Lu- α -SiAlON ceramic.

As reported in the April issue of the *Journal of the American Ceramic Society* (p. 714), M.I. Jones and K. Hirao of AIST, H. Hyuga of the Fine Ceramics Research Association, and colleagues hot-pressed a mixture of Si_3N_4 , Al_2O_3 , AlN, and Lu_2O_3 at 1950°C and 40 MPa for 2 h in a 0.9 MPa nitrogen atmosphere. X-ray diffraction patterns of this material showed that only α -SiAlON was present. Both scanning and transmission electron microscopy observations revealed a fully dense, uniform microstructure of equiaxed grains, with a grain size of $\sim 1 \mu\text{m}$ and with little or no grain-boundary phase present at triple points. Vickers hardness measurements using 98 N load gave results above 19 GPa, and indentation fracture using 98 N

load gave a fracture toughness of $\sim 2.5 \text{ MPa m}^{1/2}$. Four-point bend tests with inner and outer spans of 10 mm and 30 mm, respectively, and a crosshead speed of 0.5 mm/min gave a bending strength of 400 MPa.

Optical transmission measurements using spectrophotometry in the wavelength range of 350–800 nm were performed on 0.5-mm-thick samples. At 350 nm, transmission was $\sim 35\%$, increasing with increasing wavelength. At $\sim 500 \text{ nm}$, transmission was more than 60%, and for wavelengths larger than 600 nm, transmission was $\sim 70\%$.

Similar measurements reported in the literature on β -SiAlON ceramics gave $\sim 40\%$ transmission maximum at $\sim 4.5 \mu\text{m}$ wavelength, with low transmission in the visible region. The investigators attribute the high transparency of Lu- α -SiAlON to the lack of grain-boundary phases, lack of porosity, and the small uniform grain size. The investigators said that they will now study the mechanical properties of this material, which are expected to be better than the more commonly studied Y-stabilized SiAlON, at high temperatures.

SIARI SOSA

Nanostructured Biosensors Produced by Nanosphere Lithography

Biosensors rely on the principle of specific interactions between the sensor support and the biomolecule targeted. Thus, high control over the sensor-surface shape and functionality at the nanoscale is needed. Optical lithography can be used to generate patterned surfaces, but becomes complicated for feature sizes below 200 nm because of diffraction limits. Nanosphere lithography is an alternative method capable of producing nanotopography over large surface areas, as explained by A. Valsesia and a team of researchers at the Institute for Health and Consumer Protection, Ispra, Italy. As reported in *Nano Letters* (Web release date, May 8), the researchers produced polymeric nanoislands with biospecific chemical functionalities, combining plasma deposition and etching techniques with colloidal particle masking.

A polymer film of acrylic acid (PAA) was deposited on silicon wafers by plasma-enhanced chemical vapor deposition. The substrate was later covered by a monolayer of polystyrene particles, with an

The Next Opportunity for Materials Research: Materials Research/Living Systems

Sunday Nov 28, 2004 9:00 a.m. – 5:00 p.m. ♦ Marriott Copley Place

Immediately preceding the 2004 MRS Fall Meeting

This is not an MRS event, but reduced rates will be given to MRS meeting attendees.

Floyd Bloom, Presidential Address AAAS: "This problem is the imminent collapse of the medical system." *Science*, 300, 168 (2003)

Materials researchers **can help** with the national health system crisis. This symposium offers the materials research community an exposure to opportunities for truly innovative, useful research at the interface between materials research and living systems to enter healing (not medical) research. Invited papers by leaders of the field will provide you with spectacular/intriguing, up-to-the-minute reviews of the field. Submitted papers will be accommodated in the "tell and show" session.

Invited Speakers:

Hans Peter Duerr, Director Emeritus Max Planck Institute for Physics, Munich ■ **Jack Houck**, Boeing Aerospace Corp ■ **Mark S. Newkirk**, Founder, Lanxide Co. ■ **Ming Dao**, Dept. of Materials Science & Engineering, MIT ■ **William Tiller**, Prof. & Dept. Chair, Materials Science (Ret) Stanford University ■ **Juliana Brooks**, President Berkshire Labs ■ **Rustum Roy**, Prof. of the Solid State, Emeritus, Penn State ■ **Joie Jones**, Prof. of Radiology, University of California, Irvine ■ **Wayne Jonas**, President Samueli Institute, (fmr) Director NIH Office of Alternative Medicine ■ **R. A. Mashelkar**, Director General, CSIR, India

For details see www.wholepersonhealing.com or contact Meredith Weber (814) 865-2610, maw9@psu.edu

Co-sponsored by:

E-MRS; MRS-I; MRS-Singapore; Huck Life Sciences Institute, PSU; Friends of Health; Campaign for Better Health

For more information, see <http://advertisers.mrs.org>

VISIT: springeronline.com

New and Classic Microscopy Texts and References from Springer

Scanning Electron Microscopy and X-ray Microanalysis

Third Edition

By **Joseph Goldstein, et al.**

"It is an excellent textbook for graduate students, and an outstanding reference for engineers, physical, and biological scientists." **Microscopy and Microanalysis**

Transmission Electron Microscopy

A Textbook for Materials Science

By **David B. Williams & C. Barry Carter**

"The best textbook for this audience available." **American Scientist**
"Ideally suited to the needs of a graduate level course. It is hard to imagine this book not fulfilling most of the requirements of a text for such a course."

Microscope

Electron Microscopy of Nanotubes

Edited by **Zhong-lin Wang & Chun Hui**

The world's prominent scientists in the field address the theory, techniques and application of electron microscopy and associated techniques for nanotube research.

Handbook of Microscopy for Nanotechnology

Volume I: *Optical Microscopy, Scanning Probe Microscopy, Ion Microscopy, and Nanofabrication*

Volume II: *Electron Microscopy*

Edited by **Nan Yao & Zhong-lin Wang**

An indispensable two-volume work exploring microscopy techniques and their applications in this fast growing field!

Contact Information:

Customers in Europe, Middle East, Africa, Asia and Australasia:

Order Dept., P.O. Box 322, 3300 AH Dordrecht, The Netherlands
F +31-78-6576474 T +31-78-6576050 E orderdept@wkap.nl W www.wkap.nl

Customers in the Americas:

Order Dept., P.O. Box 2485, Secaucus, NJ 07096-2485, USA
F +1-201-348-4505 T Toll free 1-800-SPRINGER (8:30am-5:30pm ET) E orders@springer-ny.com W www.springeronline.com

Hardbound, ISBN 0-306-47292-9

January 2003, 586 pp.

€ 76.50 / \$ 75.00 / £ 53.00

**RECOMMENDED
ASTEXTBOOK**

Hardbound, ISBN 0-306-45247-2

September 1996, 703 pp.

€ 130.00 / \$ 143.00 / £ 90.00

Paperback, ISBN 0-306-45324-X

September 1996, 703 pp.

€ 75.00 / \$ 83.00 / £ 52.00



Hardbound, ISBN 1-4020-7361-5

May 2003, 328 pp.

€ 230.00 / \$ 253.00 / £ 159.00

**RECOMMEND TO
YOUR LIBRARIAN**

Hardbound Set, ISBN 1-4020-8003-4

November 2004, 650 pp.

Introductory Offer Valid Until

1 November 2004:

€ 360.00 / \$ 396.00 / £ 249.00



 **Springer**
the language of science

For more information, see <http://advertisers.mrs.org>

tion in recognition of his invention of the practical light-emitting diode in 1962.

Charles Lieber, Mark Hyman Jr. Professor of Chemistry at Harvard University, has been elected into the **National Academy of Sciences**.

Paras Prasad, SUNY Distinguished Professor in the Department of Chemistry in the University at Buffalo's College of Arts and Sciences and Samuel P. Capen Chair, has been awarded the 2004

Morley Medal by the Cleveland section of the American Chemical Society.

Gary L. Smith, a staff scientist at the Department of Energy's Pacific Northwest National Laboratory, has been appointed chair of the ASTM International Committee C26 on Nuclear Fuel Cycle. This prominent and influential committee develops standards important to work done on the nuclear fuel cycle, including

spent nuclear fuel, waste materials, and repository waste packaging and storage. Smith also was honored with the **Harlan J. Anderson Award**, which is presented annually to a member of C26 who has made outstanding contributions toward the successful operation of the committee.

Robert L. Snyder has been named **Distinguished Fellow** of the International Centre for Diffraction Data (ICDD).

The **Franklin Institute** has announced award recipients for 2004, including:

Roger Bacon, Amoco Corporation and Union Carbide, retired, who received the **Benjamin Franklin Medal in Mechanical Engineering** for his fundamental research on the production of graphite whiskers and the determination of their microstructure and properties, for his pioneering development efforts in the production of the world's first continuously processed carbon fibers and the world's first high modulus, high-strength carbon fibers using rayon precursors, and for his contributions to the development of carbon fibers from alternative starting materials;

Robert B. Meyer, Brandeis University, who received the **Benjamin Franklin Medal in Physics** for his creative synthesis of theory and experiment demonstrating that tilted, layered liquid-crystal phases of chiral molecules are ferroelectric, thus launching both fundamental scientific advancement in the field of soft condensed matter physics and in the development of liquid-crystal displays that meet the demands of current technology; and

Robert E. Newnham, The Pennsylvania State University, who received the **Benjamin Franklin Medal in Electrical Engineering** for his invention of multi-phase piezoelectric transducers and their spatial architecture, which has revolu-

tionized the field of acoustic imaging.

The **Presidential Early Career Awards for Scientists and Engineers** have been given to 57 researchers, including the following MRS members:

Susmita Bose (Washington State University);

Christine Orme (Lawrence Livermore National Laboratory);

Michelle L. Pantoya (Texas Tech University);

Bridget Rogers (Vanderbilt University); and

Gregory Neil Tew (University of Massachusetts).

The **Institute for Scientific Information** (Philadelphia, Pa.) has identified the top 10 most cited materials scientists for the period of January 1993–October 2003, including MRS members:

Anthony G. Evans (University of California—Santa Barbara);

Akihisa Inoue (Tohoku University, Japan);

Terry Langdon (University of Southern California);

Galen D. Stucky (University of California—Santa Barbara); and

Ruslan Z. Valiev (Ufa State Aviation Technical University—Russia).

The **International Centre for Diffraction Data** has selected six recipients for the 2004 **Ludo Frevel Crystallography**

Scholarship Program:

Geoffrey Kwai-Wai Kong, University of Melbourne/St. Vincent's Institute of Medical Research, Australia, for exploration into "Crystallographic Studies of the Amyloid Precursor Protein (AAP)";

Chong Lim, University of Illinois at Urbana-Champaign, Urbana for research concerning "Reaction Path and Crystallography of CoSi₂ Formation on Si(001) by Reactive Deposition Epitaxy";

Andrew Locock, University of Notre Dame, for "Crystal Structure and Synchrotron Radiation Study of Uranyl Oxysalts of Phosphate and Arsenate—Implications for Remediation";

Robin T. Macaluso, Louisiana State University, for research involving "X-ray and Neutron Diffraction Studies for Understanding Geometrically Frustrated Systems";

Petra Simoncic, University of Bern, Switzerland, for studies focusing on "Defect Structure of the Natural and Synthetic Zeolites Mordenite—Structure Characterization of Dye Modified, Synthetic Mordenite"; and

Kimberly Tait, University of Arizona, for "Investigations into the Stability, Morphology and the Crystal Structure of the Coexistence of Structure I and Structure II Methane-ethane Clathrate Hydrates—Occurrence and Geological Implications." □

NEW!
MRS ONLINE *Proceedings Library—*
Now available to libraries and institutions!

12-month unlimited access to over 11,000 papers—proceedings volumes published from our 2000 MRS Spring Meeting to the present, with more added daily.

For more information, contact: Anita B. Miller
Materials Research Society
506 Keystone Drive, Warrendale, PA 15086
Tel: 724-779-3004, X 551; Fax: 724-779-8313; amiller@mrs.org

Recommend
To Your Library
Today!

www.mrs.org/publications/