

The Journal of Laryngology and Otology

EDITED BY
A. LOGAN TURNER AND J. S. FRASER

Contents

SOME PROBLEMS WHICH MAY PRESENT THEMSELVES TO THE OCCASIONAL BRONCHO-ŒSOPHAGOSCOPIST	RICHMOND M ⁴ KINNEY
THE STRUCTURAL TYPE OF THE MASTOID PROCESS	{ A. LOGAN TURNER W. G. PORTER
REPORT ON TWO HUNDRED CASES OF TONSILS AND ADENOIDS TREATED BY OPERATION	{ F. G. WRIGLEY G. E. ARCHER
THE PATHOLOGICAL AND CLINICAL ASPECTS OF DEAF- MUTISM	J. S. FRASER
CLINICAL RECORD:—	
A CASE OF FOREIGN BODY IN THE LEFT BRONCHUS, REMOVED BY LOWER (TRACHEAL) BRONCHOSCOPY	J. S. FRASER
A NEW TRACHEOTOMY TUBE AND FALSE MEMBRANE FORCEPS	A. CUBLEY
SOCIETIES' PROCEEDINGS:—	
ROYAL SOCIETY OF MEDICINE—SECTIONS OF OTOTOLOGY AND LARYNGOLOGY.	
ABSTRACTS:—	
EAR.	NOSE AND ACCESSORY SINUSES.
	LARYNX.
LETTERS TO EDITORS.	GENERAL NOTES.

Edinburgh: Oliver and Boyd
London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa, occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.

4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."

7. The Annual Subscription is Forty Shillings or Ten Dollars, and is payable in advance.

8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings (One Dollar) each.

9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings (One Dollar) each.

PHENATE OF SODA SOLUTION

Sol. Sodæ Phenatis (Woolley)

Invaluable as a Mouth and Throat Wash and for
allaying tenderness of the Gums after Teeth Extraction

ANTISEPTIC and ASTRINGENT

Price, Retail, of all Chemists—

$\frac{1}{4}$ -Pint Bottles, 1/6; $\frac{1}{2}$ -Pint, 2/9; Pint, 4/6; Quart, 7/-; $\frac{1}{2}$ -Gallon, 12/6

Special Prices to the Medical and Dental Professions

A DENTIST writes:—"I have found it invaluable in dental practice for syringing the sockets after removal of teeth which have been subject to an acute attack of *periostitis*; the strength used is one part of the solution to 15 parts of hot water, the relief from intense pain being instantaneous."

JAMES WOOLLEY, SONS & CO., LTD.

Manufacturing Chemists

M A N C H E S T E R

GOLD MEDAL.

INTERNATIONAL CONGRESS OF MEDICINE, LONDON, 1913.

The Original Cocaine-free Local Anæsthetic

NOVOCAIN

*Recommended by all the great authorities, and used
in all the chief Hospitals for the past 14 years.*

The Ideal Anæsthetic
IN NOSE AND THROAT OPERATIONS

by Infiltration or the "Block" methods.

Has the effects of Cocaine, but is

Six to Seven Times less Toxic.

Literature on request.

THE SACCHARIN CORPORATION LTD.,

Pharmaceutical Department

72 OXFORD STREET, LONDON, W.1.

Central London Throat and Ear Hospital

GRAY'S INN ROAD

(Near King's Cross Stations)

LARGE OUT-PATIENT CLINICS.
OVER 12,000 NEW PATIENTS LAST YEAR. 50,000 ATTENDANCES.
IN-PATIENT DEPARTMENT, 43 BEDS.
887 PATIENTS ADMITTED.

THE DAILY OUT-PATIENT CLINIC—Monday, Wednesday, Thursday,
Friday, Saturday, 2 P.M. Tuesday, 5 P.M.

THE MINOR OPERATIONS—Daily, 9 A.M., except Saturday.

THE IN-PATIENT DEPARTMENT. MAJOR OPERATIONS—Daily
at 2 o'clock, except Saturday.

LECTURES AND DEMONSTRATIONS—Tuesdays and Fridays, at 4 P.M.

CLINICAL ASSISTANTS

Are appointed from among those gentlemen who have enrolled themselves for
attendance on the practice of the Hospital.

ATTENDANCE OF STAFF

				O.-P. CLINIC.	OPERATIONS.
Dr ABERCROMBIE	Thursday, 2 P.M.	Wednesday, 2 P.M.
Dr WYLIE	Wednesday, 2 P.M.	Thursday, 2.30 P.M.
Dr ATKINSON	Tuesday, 5 P.M.	Wednesday, 3 P.M.
Dr DAN M'KENZIE	Monday, 2 P.M.	Tuesday, 2.30 P.M.
Mr HAROLD KISCH	Friday, 2 P.M.	Monday, 2 P.M.
Mr NICOL RANKIN	Saturday, 2 P.M.	...
Mr ARCHER RYLAND	Saturday, 2 P.M.	...
Dr SALISBURY-SHARPE	Wednesday, 2 P.M.	...
Mr WATKYN-THOMAS	Thursday, 2 P.M.	...
Mr SCANTLEBURY	Monday, 2 P.M.	...

FEES

For attendance on the practice of the Hospital—

Three months 5 guineas	Perpetual ticket 10 guineas
Six months 8 guineas	Operative Surgery Class . 5 guineas

Further particulars on application to

HAROLD KISCH, F.R.C.S.,
Dean.

RICHARD KERSHAW,
Secretary Superintendent.

SURGICAL INSTRUMENTS IN FIRTH'S STAINLESS AND RUSTLESS STEEL

*Illustrated List of the Instruments we make in
the above Metal will be sent on application*

J. GARDNER & SON

Surgical Instrument Manufacturers to Edinburgh Royal Infirmary, etc.

32 FORREST ROAD, EDINBURGH

Works: CANDLEMAKER ROW, EDINBURGH

Telegrams: "FORCEPS, EDINBURGH."

Telephone: No. 747

HOSPITAL FOR DISEASES OF THE THROAT GOLDEN SQUARE, LONDON, W. 1

HONORARY MEDICAL STAFF

SURGEONS.	OUT-PATIENTS.	OPERATIONS.
Mr JEFFERSON FAULDER	Wednesday, 2 P.M.	Thursday, 10 A.M.
Dr W. H. KELSON	Friday, 2 P.M.	Friday, 9.30 A.M.
Mr GEORGE W. BADGEROW	{ Monday, 2 P.M. Tuesday, 6 P.M. }	Wednesday, 9 A.M.
Dr IRWIN MOORE	Friday, 6.30 P.M.	Tuesday, 2 P.M.
Mr LIONEL COLLEDGE	Tuesday, 2 P.M.	Thursday, 2 P.M.
Mr G. W. DAWSON	Thursday, 2 P.M.	Tuesday, 10 A.M.
Mr GILBERT CHUBB	Saturday, 10 A.M.	Friday, 2 P.M.
ASSISTANT SURGEONS.		
Mr F. J. CLEMINSON	{ Tuesday, 6 P.M. Saturday, 10 A.M. }	Monday, 10 A.M.
Mr T. H. JUST	{ Tuesday, 2 P.M. Thursday, 2 P.M. }	Wednesday, 10 A.M.

CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Disease is given daily in the Out-Patient Department from 2 to 5 p.m.; on Tuesdays and Fridays from 6.30 to 9 p.m. Major operations are performed at the times specified above, and minor operations by the Assistant Surgeons.

The Hospital contains 60 beds for In-Patients. There is also an Out-Patient attendance of over 60,000 yearly.

Practitioners and Medical Students are admitted to the Practice of the Hospital and from among them Clinical Assistants are chosen, whose duty it is to assist the member of the staff to whom they are appointed. For further information apply to the Dean—LIONEL COLLEDGE.

INSTRUMENTS AND EQUIPMENT FOR

Examination of Ear, Nose and Throat, Operation on Tonsils, Adenoids, Mastoid, Nasal Septum

As supplied to and used in

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH
THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ARCHD. YOUNG & SON, 57-61 FORREST ROAD, EDINBURGH

Surgical Instrument Makers to Royal Infirmary, Edinburgh

'Phone: Central 669.

Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

GRANDS PRIX:
 Paris, 1900. Brussels, 1910. Buenos Aires, 1910.




Gold Medal, Allahabad, 1910.

DOWN BROS.' SPECIALITIES

A NEW NEEDLE AND SUTURE CARRIER

For Suturing the Pillars of the Fauces to
 arrest hæmorrhage after Tonsillectomy

As made for Mr THOMAS GUTHRIE, M.A., F.R.C.S., of Liverpool
 (Vide *Journal of Laryngology, Rhinology, and Otology*, April 1920).



Manufactured by

DOWN BROS., LIMITED

Surgical Instrument Makers

21 and 23 ST THOMAS'S STREET, LONDON, S.E. 1

Telegrams
 "DOWN, LONDON."

(OPPOSITE GUY'S HOSPITAL)

Telephone
 HOP 4400 (4 lines).

CONTENTS

	PAGE
SOME PROBLEMS WHICH MAY PRESENT THEMSELVES TO THE OCCASIONAL BRONCHO-ŒSOPHAGOSCOPIST. Prof. Richmond M'Kinney, A.M., M.D., F.A.C.S., Tennessee	109
THE STRUCTURAL TYPE OF THE MASTOID PROCESS, BASED UPON THE SKIAGRAPHIC EXAMINATION OF ONE THOUSAND CRANIA OF VARIOUS RACES OF MANKIND. A. Logan Turner, M.D., F.R.C.S.E., and the late Major W. G. Porter, D.S.O., F.R.C.S.E.	115
REPORT ON TWO HUNDRED CASES OF TONSILS AND ADENOIDS TREATED BY OPERATION. F. G. Wrigley, M.D., and G. E. ARCHER, M.B.	122
THE PATHOLOGICAL AND CLINICAL ASPECTS OF DEAF-MUTISM. J. S. Fraser, M.B., F.R.C.S.Ed.	126
CLINICAL RECORD:—	
A Case of Foreign Body in the Left Bronchus, removed by Lower (Tracheal) Bronchoscopy. J. S. Fraser, M.B., F.R.C.S.E.	140
A NEW TRACHEOTOMY TUBE AND FALSE MEMBRANE FORCEPS. A. Cubley, M.R.C.S., L.R.C.P.	141
SOCIETIES' PROCEEDINGS:—	
Royal Society of Medicine—Sections of Otology and Laryngology	143
ABSTRACTS:—	
Ear	149
Nose and Accessory Sinuses	150
Larynx	152
LETTERS TO EDITORS	156
GENERAL NOTES	158

IMMUNISATION AGAINST HAY FEVER

THE DEPARTMENT FOR THERAPEUTIC INOCULATION, ST MARY'S HOSPITAL, LONDON (Director: Sir Almroth E. Wright, M.D., F.R.S., etc.), prepares for supply to the Medical Profession, through the agency of Messrs. PARKE, DAVIS & Co.

“POLLACCINE” (Pollen Vaccine for Hay Fever)

to be administered subcutaneously for the production of immunity to pollen toxin, BOTH AS A PROPHYLACTIC AND CURATIVE OF HAY FEVER. N.B.—The winter or early spring is the best time for prophylactic injections.

A HAY FEVER REACTION OUTFIT is also supplied, which affords a means of determining (*a*) whether a patient is susceptible to pollen toxin; (*b*) the degree of such susceptibility; (*c*) the dosage of “Pollaccine” suited to any case.

A pamphlet entitled “Vaccine Therapy,” which contains full particulars of this very successful treatment, will be supplied on request by

PARKE, DAVIS & Co., 50-54 Beak Street, **LONDON, W.1**
Regent Street,