

# THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S.,  
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,  
Cambridge

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,  
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden



CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y. 10022

*Price 35s. net*

*(U.S.A. \$5.50)*



# INSTRUCTIONS TO AUTHORS

*Failure to comply with the Instructions to Authors may delay publication*

Papers intended for publication should be submitted to Dr G. D. H. Bell, C.B.E., F.R.S., Plant Breeding Institute, Cambridge, or to one of the Associate Editors. It must be understood that, if accepted by the Editorial Board, the paper will not be published elsewhere in the same form.

**MANUSCRIPTS.** Papers, written in English, are accepted from any country and should be typed in double-spacing on one side of the paper with a margin at least 4 cm wide on the left-hand side. Authors should instruct typists on the style required. A top copy and one carbon copy should be submitted.

**SHORT NOTES** may be accepted provided they are based on adequate experimental evidence; special provision is made for their publication with the least possible delay. MSS should not exceed 1500 words in length or their equivalent. For tabulated matter allow 25 words per line of the table (including headings). For line illustrations allow 225 words per quarter of a page.

**TABLES** must be self-explanatory. They should be typed on separate sheets, numbered consecutively and carry an appropriate title. When possible, tables should be arranged so that they can be printed in the normal orientation of the text and without rules.

**LINE DRAWINGS** (with photocopies) should be 25 cm. wide and drawn in black waterproof ink on Bristol board, graph paper with blue lines or tracing paper. Legends should be typed on a separate copy and numbering inserted lightly and clearly in soft pencil on the drawing. Tables and figures should not reproduce the same data.

The approximate position of tables and figures should be noted in the text.

**PLATES** should make a definite contribution to the value of the paper and the number submitted should be kept to a minimum. They should be good quality, unmounted, glossy prints and be lightly numbered in pencil on the reverse side. If several, or coloured, plates are submitted the author may be asked to contribute to the cost of reproducing them.

**TITLE.** The title must be specific and suitable for indexing by the mechanical methods now being employed. The full name and address of the institution in which the research has been carried out should be stated. Change of address may be given as a footnote. A short title, not exceeding 50 characters, should be provided for the running headlines.

**STYLE.** Experimental details and results should be recorded in the past tense and there should be no unnecessary repetition or loose phrases. Manuscripts are likely to be returned for modification if the presentation is not clear and precise.

**LAYOUT.** Authors are recommended to study 'General Notes on the Preparation of Scientific Papers' (Royal Society, London, 2nd edn., 1965). The Editorial Board do not insist upon a rigid format but it is usually convenient to divide the paper into sections, e.g. Introduction, Materials and Methods, Results and Discussion. An excess of headings and sub-headings should be avoided.

Authors are advised to note the following points: a detailed review of literature is not necessary; relevant details should be given of the plant or animal material, the experimental design and chemical or other techniques employed; mean results with their relevant standard errors should be presented rather than detailed data; the statistical methods used should be clearly stated; the discussion should relate the author's experiments to other work on the subject and give the author's conclusions. Footnotes should be avoided.

**SUMMARIES** of papers are placed at the beginning of the text and authors should submit MSS with the summaries so placed. The summary should be factual and suitable for use in abstracting journals; paragraphs should not be numbered.

**REFERENCES.** The bibliography must be given in the form—Surname of authors, initials, year of publication (in parentheses), title of paper, name of journal (abbreviated according to the *World List of Scientific Periodicals*, 4th edn, Butterworths, London), volume and pages of reference. References should be in alphabetical order. In the text a reference should be quoted by the author's name and date (in parentheses). Where there are more than two authors, the initial reference in the text should include the names of all authors but subsequent citations, should be in the form—first author followed by *et al.* Authors should check that all references in the text appear at the end of the paper and vice versa, and that names and dates correspond in the two places.

**PROOF CORRECTION.** Standard proof correction marks (British Standard 1219) should be made as legibly as possible in ink, not pencil. Directions to the printer which are not to be set up in type should be encircled. Captions to illustrations and all references should be checked. Queries marked by the printer should be answered. Proofs are provided in order that authors can check the correctness of the type-setting—excessive alterations may be charged to the author.

**OFFPRINTS.** Contributors will receive 25 copies of their papers free and can order others when they receive the proofs.

# EXPERIMENTAL AGRICULTURE

## Contents of Volume 3, No. 3. July 1967

- J. E. Jackson.** The Study of Variation in Crop Yields from Year to Year.
- M. A. Hollies.** Effects of Shade on the Structure and Chlorophyll Content of Arabica Coffee Leaves.
- D. Stephens.** Experiments with Nitrogen and Magnesium Fertilizers on Coffee in Uganda.
- D. V. Liyanage.** Identification of Genotypes of Coconut Palms Suitable for Breeding.
- D. A. Perry.** Premature Death of Groundnut Plants in Northern Nigeria.
- R. F. Allbrook.** Use of Soil, Water and Leaf Analysis in Growing Oranges in Jordan.
- G. D. Thompson, J. M. Gosnell and P. J. M. de Robillard.** Responses of Sugarcane to Supplementary Irrigation on Two Soils in Natal.
- S. K. De Datta, R. S. Ayyangar and J. T. Magbanua.** Effects of Lindane and Carbaryl on Insects, Soil and Plant Nitrogen, and Grain Yield of Rice.
- H. P. Sikder.** Dormancy of Paddy Seeds in Relation to Different Seed Treatments.

### Book Reviews:

- The Transformation of Rural Communities. L. E. Virone, C. Pellizzi, M. Upton and L. Marcano.
- A Buyers' Market—The Importance of Title and Summary. G. V. Jacks.
- Weeds of the World—Biology and Control. Lawrence J. King.

**Experimental Agriculture** is a quarterly journal published by Cambridge University Press. It is the successor to *The Empire Journal of Experimental Agriculture*.

The subscription price is £3. 15s. (U.S.A. \$13.50) including postage; single parts are available at £1. 5s. each (U.S.A. \$4.50). Orders may be sent to any bookseller or subscription agent, or direct to Cambridge University Press.

### CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1

American Branch: 32 East 57th Street, New York, N.Y. 10022, U.S.A.





## **Aldrin controls soil pests where they attack *underground***

Soil pests are at the root of many growers' problems. And because the damage is underground the realisation that a plant is infested often comes too late. Aldrin gives protection from all kinds of soil pest including wire-worms, whitegrubs and cutworms. Aldrin, endrin and dieldrin are complementary to each other and stable in the presence of other chemicals. They neither affect germination nor cause taint. Furthermore, their use according to recommendation is completely safe both to applicators and consumers. All three are available as materials for further formulation and in forms suitable for the grower.

For details of approved uses and advice on application consult your Shell company or Shell chemicals distributor.








## Phosdrin gives you clean crops-fast

If you sometimes get the feeling that every insect in the world is munching away at your crops, they need Phosdrin. Phosdrin cleans any insect pest from any crop within minutes. And it breaks down so fast that in a matter of hours your crop is absolutely free from insect pests, thoroughly clean for the consumer.

Versatile Phosdrin can also be added to any other organo-phosphorus insecticide to give a dynamic close-to-harvest boost. For further information about Shell's remarkable Phosdrin, contact your Shell company or Shell chemicals agent.





Stainless Steel

## MICRO HAMMER MILL

**pulverizes almost anything—whether hay, cotton, wool or rock samples.**  
 Only two minutes needed to pulverize most samples. Even a few grammes can be ground; maximum charge 120 c.c. Dust-proof closure. Hardened stainless steel grinding mechanism. Slide-in screens for particle size adjustment. Variable speed motor for better grinding control. Price, complete as shown, £78.  
*For full details please quote AS/63/M.H.*

**G** **GLEN CRESTON**  
 The Red House, 37 The Broadway, Stanmore, Middlesex.  
 Telephone: 01-954 4218

---

## ANIMAL PRODUCTION

**JOURNAL OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION**

*Contents of Volume 9, Part 4, November 1967 include the following:*

- PRESCOTT and LAMMING. The influence of castration on the growth of male pigs in relation to high levels of dietary protein.
- DAVIES and OWEN. The intensive rearing of lambs. 1. Some factors affecting performance in the liquid feeding period.
- OWEN, DAVIES, MILLER and RIDGMAN. The intensive rearing of lambs. 2. Voluntary food intake and performance on diets of varying oat-husk and beef tallow content.
- FRAPE and HOCKEN. The effect of pattern of daily feeding of pregnant sows on apparent digestibility.
- HOLMES and MOUNT. Heat loss from groups of growing pigs under various conditions of environmental temperature and air movement.
- BOND, KELLY and HEITMAN, Jr. Physiological response of swine to cycling environmental conditions.
- ULYATT, BLAXTER and McDONALD. The relations between the apparent digestibility of roughages in the rumen and lower gut of sheep, the volume of fluid in the rumen and voluntary feed intake.
- FORBES and ROBINSON. The effect of source and level of dietary protein on the performance of in-lamb ewes.
- DONALD and READ. The performance of Finnish Landrace sheep in Britain.
- DALTON. Selection for growth in mice on two diets.
- KAY, WALKER and MCKIDDIE. The effect of ammonium acetate on the yield and composition of milk from heifers.
- WEBSTER and PARK. The effect of jute coats on the heat losses of two breeds of sheep exposed to different environments.
- JACKSON. The allometric relationship between carcass muscle and carcass bone in Scottish Blackface wether sheep.
- JAMIESON and ROBERTSON. Cattle transferrins and milk production.

The Journal is published quarterly in February, May, August and November. The annual subscription rate is 90s. (U.S.A. \$14.00). Single copy 25s. (U.S.A. \$4.00). Orders and subscriptions may be sent to any bookseller or direct to:

**OLIVER AND BOYD LTD.**  
**Tweeddale Court, 14 High Street, Edinburgh 1**

## A BACTERIOLOGIST

is required in the microbiology section of the Wantage Research Laboratory of the UNITED KINGDOM ATOMIC ENERGY AUTHORITY. He will be concerned with studies on the radiation sensitivity of bacteria, and his work will be in support of the use of ionising radiation for the sterilization of medical equipment and the preservation of food; this topic involves contact both with industry and with other laboratories in the U.K. and abroad. Excellent irradiation facilities are available and there is close cooperation with teams working in biology and chemistry.

### QUALIFICATIONS AND EXPERIENCE

The appointment will be made in either the Scientific Officer or the Senior Scientific Officer grade, and applicants should have a first- or good second-class honours degree in a biological science and experience in microbiology.

### SALARY

The starting salary will be within the range £995-£1685 (Scientific Officer) or £1870-£2310 (Senior Scientific Officer) and will be related to qualifications and experience.

### \* HOUSING \* SUPERANNUATION \*

For Application Forms please write, *quoting reference A. 5207, to:*

*The Personnel Department,  
U.K.A.E.A.,  
Atomic Energy Research Establishment,  
HARWELL, DIDCOT, BERKS.*

### *Announcing a new reprint*

## JOURNAL OF AGRICULTURAL SCIENCE

### *Now Available*

VOLUMES 1-13 1905-1923 (PARTLY IN THE ORIGINAL EDITION)

UNBOUND SET ..... \$390.00 £139. 15. 0.

VOLUMES 1-2, 7-9

PER VOLUME, PAPER BOUND.....30.00 £10. 15. 0.

## JOHNSON REPRINT CORPORATION

111 FIFTH AVENUE NEW YORK N.Y. 10003

JOHNSON REPRINT COMPANY LTD.

BERKELEY SQUARE HOUSE LONDON W1 ENGLAND