The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

CLEFT LARYNX: A CAUSE OF LARYNGEAL OBSTRUCTION	
AND INCOMPETENCE	A. H. CAMERON and V
Otogenic Intracranial Suppuration	ALAN JEANES
Avascular Necrosis of the Incus	A. BROWNLIE SMITH
EXPERIMENTAL STAPEDECTOMY: THE INTERNAL EAR CHANGES	B. H. COLMAN
METABOLIC STUDIES IN A CHILD WITH MÉNIÈRE'S DISEASE	BARBARA E. CLAYTON, DOREEN A. BIRCH and ELIZABETH A. HUGHES
TRANS-SPHENOIDAL HYPOPHYSECTOMY	G. H. BATEMAN
Clinical Records— A Case of Glossopharyngeal Neuralgia .	A. Sinha
Capillary Hæmangioma of the Tympanum with Associated Paralyses (Jugular Foramen Syndrome) Under Observation from March 1940	H. V. Forster
A PRELIMINARY REPORT OF A TECHNIQUE IN TYMPANOPLASTY DESIGNED TO ELIMINATE THE CAVITY PROBLEM	G. D. L. SMYTH

GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

t. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

z. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Perindicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and

no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of

Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

 Single copies will be on sale at 10s. od. each; copies of parts up to Vol.
 LXIII which are available may be purchased at 7s. 6d. each.
 All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to Stechert-Hapner, Inc., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

D Journal of Laryngology and Otology, 1962

CONTENTS

	PAGE
CLEFT LARYNX: A CAUSE OF LARYNGEAL OBSTRUCTION AND IN-	
COMPETENCE. A. H. Cameron and T. C. Williams	
(Birmingham)	381
Otogenic Intracranial Suppuration. Alan Jeanes (London) .	388
Avascular Necrosis of the Incus. A. Brownlie Smith (Edinburgh) $$	403
Experimental Stapedectomy: the Internal Ear Changes. B. H.	
Colman (Edinburgh)	411
Metabolic Studies in a Child with Ménière's Disease. Barbara	
E. Clayton, Doreen A. Birch and Elizabeth A. Hughes	
(London)	42 9
Trans-Sphenoidal Hypophysectomy, G. H. Bateman (London) .	442
Clinical Records—	
A CASE OF GLOSSOPHARYNGEAL NEURALGIA. A. Sinha (New	
Delhi, India)	456
Capillary Hæmangioma of the Tympanum with Associ-	
ATED PARALYSES (JUGULAR FORAMEN SYNDROME) UNDER	
Observation from March, 1940. H. V. Forster (Liverpool)	458
A Preliminary Report of a Technique in Tympanoplasty	
DESIGNED TO ELIMINATE THE CAVITY PROBLEM. G. D. L.	
Smyth (Belfast)	460
General Notes	464

ARCHIVES OF OTOLARYNGOLOGY

Chief Editor:

GEORGE E. SHAMBAUGH, Jr. 40 South Clay Street, Hinsdale, Ill.

The Archives of Otolaryngology is published monthly by the American Medical Association and is an official publication of the Association.

The yearly rate of the Archives of Otolaryngology is: United States, U.S. Possessions, and Canada, one year, \$8.00; two years, \$12.00; all other countries, one year, \$10.00; two years, \$16.00.

Subscription orders should be addressed to: American Medical Association, 535 North Dearborn Street, Chicago 10, Illinois.

'PETERS' NEW CLINIC AUDIOMETER

FOR PURE-TONE AND SPEECH



感ECONSIDER THESE FEATURES:

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to 1 db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd. 152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS Ltd.

VICTORIA WORKS, GELL STREET, SHEFFIELD 3

NO COST OR OBLIGATION!



Conduct the tests yourself or let us make them for you—RIGHT IN YOUR OFFICE!

Now . . . to acquaint you with the latest Zenith development in audiometers, we'll deliver the new Zenith ZA-100T to your office for your professional appraisal. Completely portable, fully transistorized and battery powered, the Zenith ZA-100T can be carried anywhere with ease . . . used anywhere for actual diagnostic testing of hearing loss.

Zenith ZA-100T offers top output accuracy; improved complex masking. Neat carrying case and handle. No tubes to replace. Batteries last up to 120 hours.


See for yourself, or let us show you how the ZA-100T performs these important clinical tests:

- 1. Pure tone air in either headphone
- 2. Pure tone air in either headphone with masking in the opposite headphone
- 3. Pure tone bone
- 4. Pure tone bone with masking in headphone
- 5. Audiometer Weber test
- 6. Audiometer Rinné test

CALL OR WRITE Mr. Adam R. Ramsey. Phone: GROsvenor 4901-3 • 13-14 Queen St., Mayfair, London, W. 1

	-SEND LITERATURE	
Mr. Adam R. Ramsey, Zenith Hear	ring Aid Centre, 13-14 Queer	n St., Mayfair, London, W. 1
1	Please mail addition	onal information on the New
ENITH	Zenith Portable Diagn	ostic Audiometer.
	NAME	
"LIVING SOUND".	ADDRESS	
HEARING AIDS	ADDRESS	
	CITY	DISTRICT

THE MODERN WAY WITH EAR WAX



The results that have been obtained in hospitals and general practices throughout the country confirm that Cerumol is safe and reliable and is the modern way of dealing with ear wax. It avoids discomfort to the patient, inconvenience to the doctor and saves time for everyone. Indeed, in most cases patients can easily instil the drops themselves. The loosened wax then runs out of its own accord and further visits to the surgery are unnecessary.






Active constituents per 100 ml: p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P. 2.7 G., Chlorbutol B.P. 5 G., Ol. Terebinth 10 ml.

Pack for surgery use—dropper vial. Basic N.H.S. cost 2/8. Hospital Pack—2 oz. bottles.

Literature will be gladly supplied on request.

LABORATORIES FOR APPLIED BIOLOGY LTD.
91 AMHURST PARK, LONDON, N.16. Telephone: STAmford 2252/3





CHARLES C THOMAS · PUBLISHER · LAWRENCE AVENUE · SPRINGFIELD · ILLINOIS · U.S.A.



"Strike, but hear me"

Themistocles

And the reply was $\mu\alpha\rho\nu\delta\iota\alpha$ which is hardly surprising when you consider that in that helmet he could hardly have heard him anyway.

Fortunately, few, if any, patients wear Grecian helmets these days and most are delighted to have the name of an independent hearing aid consultant of impeccable reputation murmured tactfully into their ears.

Today more people than ever before can benefit from a carefully selected aid. But careful selection is important. INGRAMS, the Independent Suppliers, have twenty-six different makes—the largest selection in the country—for patients to choose from. Couple this with expert impartial advice and a high reputation and you have the reason why so many E.N.T. Specialists refer their patients to Ingrams.



2 SHEPHERD STREET, LONDON, W.I

Domiciliary visits in any part of the country



POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into intimate and prolonged contact with the tonsillar more rapid tissue repair is prome Each pleasantly flavoured che gum tablet provides 3½ grains ac salicylic acid, permitting frequent Particularly suitable for children.

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum (Category S)

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250 WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$15.00 per year Canada \$15.50 per year Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. EDITOR

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.



AGAINST ALL RESISTANT STAPHYLOCOCCAL INFECTIONS



"When the sensitivity of the strain is unknown, when the infection is dangerous and particularly if it has arisen in hospital, it is wise to begin treatment with Methicillin".

British Medical Journal, 1961 i, 887.




CELBENIN is a product of British research at

BEECHAM RESEARCH LABORATORIES LIMITED

Brentford, England. Telephone: ISLeworth 4111

C.3



'OTOSPORIN' clears infected ears

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' brand Drops.

'Otosporin' is an aqueous suspension containing both neomycin and polymyxin B sulphate which are together effective against practically all the bacteria found in ear infections. They are unlikely to induce bacterial resistance or skin sensitisation, and neither of them gives rise to cross-resistance or cross-sensitisation to penicillin and other antibiotics. Their effectiveness is visibly enhanced by the hydrocortisone in 'Otosporin'; this, by reducing inflammation, not only relieves pain, but provides greater access for the antibiotics.

'OTOSPORIN' drops

issued in bottles of 5 c.c.



BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.) LONDON