March 1949

Vol. LXIII. No. 3

HOWARTH

TUMARKIN DINGLEY

D. DAVIS

G. H. CAIGER

The Journal of Laryngology and Otology

EDITED BY WALTER HOWARTH

WITH THE ASSISTANCE OF G. H. BATEMAN R. G. MACBETH V. E. NEGUS R. SCOTT STEVENSON J. F. SIMPSON

Contents

THE LAD OF AN LAA	WALTER
SEPTICÆMIA AFTER TONSIL OPERATIONS	E. WATSON
ON THE EVOLUTION OF THE AUDITORY CONDUCTING APPARATUS-I	А.
Some Observations on Antro-choanal Polypus .	A. R.
The Clinical Aspect of Perceptive Deafness—So- called Nerve or Internal Ear Deafness	E. D
CLINICAL RECORD— Associated Oesophageal and Gastric Stric- tures following Swallowing of Caustic	

Societies' Proceedings-Royal Society of Medicine-Section of Laryngology with Section of Otology

Abstracts---The Ear The Nose The Larynx

SODA

THE OESOPHAGUS MISCELLANEOUS

OBITUARY

London Headley Brothers 109 Kingsway, W.C.2

Monthly, 4/- net post free

Annual Subscriptions 40/- net

https://doi.org/10.1017/S0022215100046211 Published online by Cambridge University Press

ADVERTISEMENTS

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

WITH THE ASSISTANCE OF G. H. BATEMAN R. G. MACBETH V. E. NEGUS R. SCOTT STEVENSON J. F. SIMPSON

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter added.

4. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.

7. The Annual Subscription commencing with the January issue is Two Pounds sterling, post free, and is payable in advance.

8. Single copies, both of the present and the previous series, are on sale at Four Shillings each.

9. All Subscriptions, advertising and business communications should be sent to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.

United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. STECHERT & Co., 31-33 East 10th Street, New York, or may be sent direct to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2, England.

i



Please mention The Journal of Laryngology-when replying to advertisements

ii



DOWN BROS. AND MAYER & PHELPS HAVE AMALGAMATED. THE PERSONAL MANAGEMENTS REMAIN AS HERETOFORE.

ADVERTISEMENTS

PRESCRIBE THE EASY EFFECTIVE METHOD

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.



NOW READY.

THE ACOUSTIC METHOD

For the Training of the Deaf and Hard-of-Hearing Child

By MAX A. GOLDSTEIN, M.D., LL.D.

This Volume contains 244 pages; 50 illustrations Textile Leather (Waterproof) Binding

\$3.00 Postage Prepaid

Twelve chapters, including Evolution of the Acoustic Method — Definition and Principles of the Acoustic Method — The Practice of the Acoustic Method — The Pupil: (1) The Deaf Child; (2) The Hard-of-Hearing Child; (3) The Pre-School Deaf Child — The Teacher — Case Recording — Tests of Hearing — Audiometers — The Audiogram — Hearing Aids — Tactile Training — Anatomy of the Ear.

Published by THE LARYNGOSCOPE PRESS 640 South Kingshighway St. Louis, Mo.

Please mention The Journal of Laryngology when replying to advertisements

CVS--225



THE S.D. PORTABLE AUDIOMETER A.C./D.C.

 $T_{\rm strong\ carrying\ case,\ offers\ great\ accuracy\ combined}$ with convenience in use.

It incorporates an extremely stable beat frequency oscillator giving a continuous range of frequency, and a built-in valve voltmeter not only allows accurate zero setting of frequency but ensures a constant result whatever the conditions of voltage or of valve life.

A crystal microphone and amplifier give excellent speech reproduction and in addition enable speech level tests to be made. A masking note of mixed low frequency and a manual mute are also provided.

Our Peepshow for testing the hearing of young children can be used with this Audiometer.

ALFRED PETERS & SONS LTD. FARGATE HOUSE · SHEFFIELD 1



THE SD/2 AUDIOMETER

THIS instrument offers not only great accuracy but incorporates some unique features, which allow a most comprehensive range of tests to be made and ensures a constant result under all conditions of voltage and valve life.

It includes among many facilities an automatic interruptor circuit, as well as a continuous tone : twin matched earphones allowing the test and masking tones to be switched to either ear, while a balance control enables the response of each ear to be matched simultaneously.

A built-in crystal microphone and amplifier give excellent speech reproduction and allow speech level tests to be made, while the built-in meter and cathode ray tube ensure continuing accuracy of frequency and output.

Our Peepshow for testing young deaf children may be used with this Audiometer.

ALFRED PETERS & SONS LTD. FARGATE HOUSE · SHEFFIELD 1

THE AMPLIVOX AUDIOMETER



The Basic Instrument of Modern Otology

NEW TESTS NOW POSSIBLE

Speech-loss measurement in decibels now obtainable through dynamic microphone and speech input meter.

Loudness balance control gives measurement of the recruitment factor.

Input for group-test equipment and gramophone.

CONSISTENT ACCURACY OF RESULTS

Eleven exact test frequencies 125-12,000 c.p.s.

Voltage compensation ensures that signal intensity does not vary should mains voltage do so.

CALIBRATED MASKING TONE

Masking intensity varies equally with normal hearing acuity over range 125-4,000 c.p.s., permitting accurate masking control. Calibrated in decibels.

SIMPLICITY OF OPERATION

Twin matched headphones (on double headband) for all air conduction tests; bone conductor on single headband, or interchangeable with one 'phone.

Hearing Loss dial calibrated in 5 dB steps from minus 10 dB to plus 100 dB.

Same figures on dial are read for air and bone conduction, and for all frequencies.

Full details are available from the manufacturer, who will gladly arrange demonstrations, if required.

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.I. (Welbeck 2591)

Introducing NEW AND REALLY EFFECTIVE NON-TOXIC INTRAVENOUS IRON THERAPY



EACH 5 c.c. AMPOULE CONTAINS MGS. 100 ELEMENTAL IRON OF 2 % 1 N THE FORM OF Δ SOLUTION FOR INTRAVENOUS **ADMINISTRATION**

SUPPLIED IN BOXES OF 5 AMPOULES OF 5 C.C. AND IN BOXES OF 10 AMPOULES OF 5 C.C.

INDICATED IN CASES OF



BENGER'S LIMITED . HOLMES CHAPEL . CHESHIRE

Please mention The Journal of Laryngology when replying to advertisements

CONTENTS

PAGE

	107
Septicæmia after Tonsil Operations. E. Watson Williams (Bristol)	115
ON THE EVOLUTION OF THE AUDITORY CONDUCTING APPARATUS—I. A. Tumarkin (Liverpool)	119
Some Observations on Antro-Choanal Polypus. A. R. Dingley (London)	141
THE CLINICAL ASPECT OF PERCEPTIVE DEAFNESS—SO-CALLED NERVE OR INTERNAL EAR DEAFNESS. E. D. D. Davis (London)	144
Clinical Record—	
Associated Oesophageal and Gastric Strictures following Swallowing of Caustic Soda. G. H. Caiger (Durban)	154
Societies' Proceedings-	
Royal Society of Medicine—Section of Laryngology with Section of Otology	159
Abstracts	
Ear	170
Ear Present Methods for Testing Auditory Function. Marvin F. Jones : Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy.	170
Ear Present Methods for Testing Auditory Function. Marvin F. Jones ; Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy. Nose	170 171
Ear Present Methods for Testing Auditory Function. Marvin F. Jones ; Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy. Nose A New Method of Treating Angiomatous Growths of the Nose. E. Urbantschitsch.	170 171
Ear Present Methods for Testing Auditory Function. Marvin F. Jones : Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy. Nose A New Method of Treating Angiomatous Growths of the Nose. E. Urbantschitsch. Larynx	170 171 171
 Ear Present Methods for Testing Auditory Function. Marvin F. Jones : Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy. Nose A New Method of Treating Angiomatous Growths of the Nose. E. Urbantschitsch. Larynx Streptomycin in Tuberculous laryngitis. P. Milot. 	170 171 171
Ear Present Methods for Testing Auditory Function. Marvin F. Jones : Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy. Nose A New Method of Treating Angiomatous Growths of the Nose. E. Urbantschitsch. Larynx Streptomycin in Tuberculous laryngitis. P. Milot. Oesophagus	170 171 171 172
Ear	170 171 171 172
Ear Present Methods for Testing Auditory Function. Marvin F. Jones : Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy. Nose . A New Method of Treating Angiomatous Growths of the Nose. E. Urbantschitsch. Larynx . Streptomycin in Tuberculous laryngitis. P. Milot. Oesophagus . Carcinoma of the Oesophagus. Richard H. Sweet.	170 171 171 172 172
Ear Present Methods for Testing Auditory Function. Marvin F. Jones : Problems of Diagnosis in Obstruction of the Eustachian Tube. Frederick T. Hill ; Psychogenic Deafness. W. G. Hardy. Nose . Nose . A New Method of Treating Angiomatous Growths of the Nose. E. Urbantschitsch. Larynx . Streptomycin in Tuberculous laryngitis. P. Milot. Oesophagus . Carcinoma of the Oesophagus. Richard H. Sweet. Miscellaneous . Streptomycin. Geoffrey Marshall, et. al.; Cancer Research. R. R. Spencer; Identification of Malignant Tissue. Henry S. Greene; The Volume of the Bronchial Tree at Various Levels and its Possible Physiological Significance. A. C. Hilding and David Hilding; Novocaine as a Therapeutic Agent in Oto-rhino-Laryngology. N. Hibler; Neuron Arcs of Clinical Significance in Laryngology. A. C. Furstenberg and Elizabeth Crosby.	170 171 171 172 172
Ear	170 171 171 172 172