October 1972

Vol. LXXXVI No. 10

The Journal of Laryngology and Otology

EDITED BY SIR GEOFFREY BATEMAN

> ASSISTANT EDITOR LIONEL TAYLOR

Contents

 Laryngectomy: The influence of muscle reconstruc- tion on the mechanism of oesophageal voice 		
production	I. C. SIMPSON, J. C. S. SMITH	
	and MARGARET T. GORDON	961~
 Reconstructive surgery of the oral cavity and pharynx following extensive resections in head 		
and neck regions	L. H. HIRANANDANI	991~
Herpes zoster of the head and neck	R. J. PAYTEN and J. D. K. DAWES	1031
Recurring infections of the upper respiratory tract		
and behaviour of serum immunoglobulins .	O. SALA and V. COLLETTI	1057~
Clinical records—		
Tympanic membrane repair	A. G. KERR	1063-
Carcinoma of the hypopharynx at an early age .	P. B. RAO,	
	P. S. NARAYANAN	1.3457
	and K. R. GUPTA	1069~
A bullet in the vocal cord	A. CARDOSO and S. GOMES	1073
Post-nasal obstruction of amyloid, secondary to		
Waldenstrom's macroglobulinaemia	H. W. ELCOCK	
	and P. M. G. B. GRIMALDI	1075 -
A convenient method of examining the post-nasal		
space	W. P. R. GIBSON	1081 -
Ameloblastomas of the maxilla	BRIAN L. WOLFOWITZ	1085
Book review		1091 -
General notes		1093
		State State of the second

Headley Brothers Ltd Ashford, Kent

Annual Subscription 18 Published Ofling by Aamt 303 University Press

Monthly, f. I net, post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY SIR GEOFFREY BATEMAN

ASSISTANT EDITOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951), *Journal of Laryngology and Otology*, **65**, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.

8. Single copies of current or back numbers (when available) will be on sale at f_{I} (including postage) each.

9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

The Invicta Press, AshFord, Kent.

C Journal of Laryngology and Otology Ltd., 1972.

ALERGIC RHINITIS A completely fresh approach

The unique way in which sodium cromoglycate prevents asthmatic reactions has been the subject of over 150 clinical trials. Prompted by this success, more recent investigators have shown that, in the form of RYNACROM, sodium cromoglycate has a similar protective effect on the nasal mucosa and can provide year-round prophylaxis in allergic rhinitis.²







RYNACROM is not a decongestant, It anticholinergic, antihistamine or steroid. It Its action is unlike any other form of F treatment.

In the face of challenge – pollen, house dust, feathers, pets, etc – RYNA-CROM (sodium cromoglycate) prevents the degranulation of those cells which normally rupture and release histamine and inflammatory agents. Thus regular insufflation of RYNACROM provides continuous prophylaxis from a condition which, hitherto, has been difficult to control symptomatically and even more difficult to prevent. A number of patients who have failed to respond to other forms of treatment have greatly benefited from RYNACROM!

RYNACROM does not produce inconvenient side effects associated with conventional therapy.

1. Practitioner 1972 208 671

2. J Laryngol & Otol 1972 86 725

Further information is available from



FISONS LIMITED-PHARMACEUTICAL DIVISION Loughborough, Leicestershire, England



1374

"A safe and effective method of treating house dust mite sensitivity"

This was the conclusion reached by a group of British clinicians, in a preliminary report on ALLPYRAL-MITE FORTIFIED HOUSE DUST.

ii

For those patients with house dust mite sensitivity, ALLPYRAL-MITE FORTIFIED HOUSE DUST offers specific hyposensitisation therapy; the preliminary report, on an uncontrolled trial, suggests that good results might be achieved in as many as 83% of patients.


1. Munro-Ashman, D. et al (1970) - IN PRESS,



Like all Allpyral allergen extracts, mite fortified house dust is prepared by pyridine extraction and alum precipitation. This type of extract has been shown to give fewer reactions than the traditional aqueous extracts.

Full information is available on request

STORE LABORATORIES. DIVISION OF MILES LABORATORIES LTD STOKE COURT, STOKE POGES, SLOUGH, BUCKS. TEL: FARNHAM COMMON 2151



THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$25.00 per year Canada \$27.00 per year Foreign \$27.00 per year

ESTABLISHED 1896

Joseph H. Ogura, M.D. Editor

222 PINE LAKE ROAD, COLLINSVILLE, ILLINOIS 62234



British evidence confirms value of

Serc is the first drug to offer comprehensive action against all the manifestations of Meniere's syndrome. A British trial "now confirms its clinical value. Objective tests of hearing and vestibular function in 11 patients before and after treatment with Serc showed a dramatic improvement in many cases. There was an overall average gain in hearing over the whole group in both ears: Studies of nystagmus suggested an improvement in vestibular function. 'Subjectively, 9 out of 11 patients claimed an improvement in the symptom of vertigo and all 11 claimed reduction in tinnitus. "Journal of Laryngology, 1971. 85.369.

> Serc is supplied as tablets each containing 8 mg. betahistine dihydrochloride. Further information available on request.

in Meniere's syndrome

SEFC: the first and only specific treatment for Meniere's syndrome

duphar outphar LABORATORIES LIMITED WEST END SOUTHAMPTON TEL 04218 2251

Please mention The Journal of Laryngology and Otology when replying to advertisements

esforthe ad irge

calgitex cium STATIC - ABSORBABLE - SOLUBLE LENGTH 1 metre LIZED-READY FOR USE

Calgitex Alginate Gauze, is already being used with successful results by ENT Surgeons throughout the world. Calgitex is highly suitable for packing procedures due to its soft texture and slow absorption rate. Optes Group

> samples 2

DDRY 2

Gaule. me

xxx1.

01.00

Perivale

literature of

- * Extensive compatibility with anti-biotics. Waltsonth Road.
- * Non adherent.
- Trenter of the * Easy and painless removal.
- * Specially made for the ENT Surgeon.

calgitex

is a registered trade mark.

vi

vii

AMPLIVOX 84 The successor to the world's most widely used clinical Audiometer.



Take a look at all the advantages you get with this superb audiometer.


- Pure tone at eleven frequencies—now including 750 Hz
- Bone conduction at eight frequencies
- Narrow band masking via insert and headphones Automatic presentation
- ISO specification
- Trimpot calibration
- Continuously variable second channel for ABLB (Fowler) recruitment test
- Tone decay test
- Illuminated patient's signal

PLUS Calibrated speech audiometry via microphone or tape.

Write now for illustrated brochure to :

AMPLIVOX HEARING CONSERVATION LTD

Beresford Avenue, Wembley, Middx. HAO 1RU. Phone: 01-902 8991



Richards otology implants, such as the widely used Schuknecht Gelfoam and wire* stapedectomy prosthesis, reflect more than a decade of experience in meeting the requirements of middle ear surgery. The precisely symmetrical placement of wire in the virgin Gelfoam[®] mass is of particular importance in assuring accurate centering of the device in the oval window. The consistently smooth contours of the slim (.004" dia.) wire are characteristic of the dimensional and structural integrity with which every Richards implant is hand-crafted. Seven available prosthesis sizes allow for anatomical variations.

A broad selection of middle ear prostheses in the materials and configurations to fulfill your specific surgical requirements is available from Richards. Each has been subjected to the same rigorous design and quality standards. Each comes presterile in its own reusable sterilizing case.

*Type 316L stainless steel

Registered trademark of Upjohn





PETERS

Audiometers and Sound Proof Rooms for clinics, hospitals, schools and factories all over the world

Literature and further information from:



Head Office: 55 Clarkehouse Road, Sheffield S10 2LE Telephone 0742 64434 **Regional Sales and Service Centres**

London: 45 New Cavendish Street, London W1 Telephone 01–935 2604

South West England: 7 St. Augustine's Parade, Bristol BS1 4 HX Telephone 0272 20737

Please mention The Journal of Laryngology and Otology when replying to advertisements

WWWREW (6000) WEW (6000) WASSE050505 Series 3050 Electronystagmograph

The series 3050 Electronystagmograph is the most notable advance in the field of vertigo diagnosis to date. This portable, compact unit provides new high definition fine line recordings from direct writing heated stylus, easy chart loading with minimal chart waste, and dual speed drive, 5 and 10 mm per sec. Nystagmus duration and intensity are recorded free of distortion or artifact thanks to highly stable, high performance circuitry. Patient safety stringently observed.

The 3050 electronystagmograph is another product of Watson Victor's long experience – it's fully transistorised and measures a most compact 12" x 12" x 5". Power requirements: 240 Volt 50Hz or 110 Volt 60Hz, This includes the powering of inbuilt calibration lights.

U.K. Distributors: AMPLIVOX Beresford Ave, Wembley, Middlesex, England.



For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

Ashford, Kent

Please mention The Journal of Laryngology and Otology when replying to advertisements



The efficacy of SUDAFED as a decongestant has recently been demonstrated:

"In a double blind trial, oral pseudoephedrine (60 mg) was shown to produce a significant increase in maximal nasal flow..."

Europ J clin Pharmacol, (1971) 3, 182

Unlike many decongestants SUDAFED* does not cause drowsiness because it contains no antihistamine. SUDAFED leaves your patient breathing clearly and thinking clearly.

Each SUDAFED tablet contains 60 mg of pseudoephedrine hydrochloride.

Also available: SUDAFED Elixir containing 30 mg pseudoephedrine hydrochloride in each 5 ml.

(D) Full information is available on request. **Calmic Limited, Medical Sales Division** (The Wellcome Foundation Ltd.) **Dartford, Kent, DA1 5AH** *Trade Mark

