ERRATUM

ANIMAL PRODUCTION, Volume 20, part 3, p. 426

A NOTE ON THE PREDICTION OF SILAGE INTAKE BY CATTLE

by I. R. RICHARDS and K. M. WOLTON

In equation (2) the coefficient of DMP should be *negative* (thus: SFWI = -0.358 DMP etc.)

Summary: Every article should have a short summary (not more than 250 words) complete in itself and understandable without reference to the paper. The summary will be printed at the beginning of the paper.

References: Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. Bibliographical details should be in the following order: author's name, initials, year, title of paper, title of journal (abbreviated according to the World List of Scientific Periodicals), volume of journal, first and last page of paper. References should be listed in alphabetical order. When abstracts are referred to, the page reference should be followed by (Abstr.).

Examples:

BLAXTER, K. L. and WILSON, R. S. 1962. The voluntary intake of roughages by steers. Anim. Prod. 4: 351-358.

HAMMOND, J. 1932. Growth and the Development of Mutton Qualities in the Sheep. Oliver and Boyd, Edinburgh.

In the text, references should be made by giving author and year; at the first mention all authors should be named, thereafter the first author followed by et al. should be used for papers with more than two authors.

Proofs are supplied once and must be returned corrected to the Editors within seven days. Only essential corrections should be made.

Reprints: Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof stage.

Animal Production is published six times a year in two volumes. Annual subscription is £14.00 (or \$42.00 in the U.S.A. and Canada) and the price for a single part is £2.50 (or \$7.50) net.

Proceedings of the British Society of Animal Production recommenced annual publication as a new series in 1972. Annual subscription is £2.50 (\$7.50 U.S. and Canada) or available with a joint subscription to Animal Production at £15.50 (\$46.50).

Business matters, including regular subscriptions and sales (current and back numbers of the Journal and the Proceedings) should be addressed to Longman Group, Journals Division, 43/45 Annandale Street, Edinburgh EH7 4AT.

Senior Editor

GERALD WIENER, A.R.C. Animal Breeding Research Organisation.

Editors

W. G. HILL, Institute of Animal Genetics.

A. M. RAVEN, West of Scotland Agricultural College.

J. A. F. Rook, Hannah Research Institute.

J. C. TAYLER, Grassland Research Institute.

A. J. F. Webster, Rowett Research Institute.

CONTENTS

	PAGE
HOLTMANN, W. B., FAHMY, M. H., MACINTYRE, T. M. and MOXLEY, J. E. Evaluation of female reproductive performance of 28 one-way crosses produced from eight breeds of swine	199
MADSEN, O. and VINTHER, K. Performance of purebred and crossbred dairy cattle in Thailand	209
Russell, W. S. The growth of Ayrshire cattle: an analysis of linear body measurements	217
HANCOCK, J. and LOUCA, A. Polledness and intersexuality in the Damascus breed of goat	227
ROWLINSON, P., BOUGHTON, H. G. and BRYANT, M. J. Mating of sows during lactation: Observations from a commercial unit.	233
MACMILLAN, K. L. and WATSON, J. D. Fertility differences between groups of sires relative to the stage of oestrus at the time of insemination	243
Speedy, A. W. and Owen, J. B. Factors affecting the cessation of oestrous activity in ewes	251
KIRTON, A. H., O'HARA, P.J., CAIRNEY, I. M., BISHOP, W. H. and NOTTINGHAM, P. M. Determination of age of lamb carcasses from pelvic ossification.	257
FRISCH, J. E. The relative incidence and effect of bovine infectious kerato- conjunctivitis in <i>Bos indicus</i> and <i>Bos taurus</i> cattle	265
KING, R. H. and TAVERNER, M. R. Prediction of the digestible energy in pig diets from analyses of fibre contents	275
CAMPBELL, R. G., TAVERNER, M. R. and MULLANEY, P. D. The effect of dietary concentrations of digestible energy on the performance and carcass characteristics of early-weaned pigs	285
COLE, D. J. A., BROOKS, P. H., ENGLISH, P. R., LIVINGSTONE, R. M. and LUSCOMBE, J. R. Propionic acid-treated barley in the diets of bacon pigs	295
Young, N. E. and Newton, J. E. A comparison between rotational grazing and set stocking with ewes and lambs at three stocking rates	303
JAYASURIYA, M. C. N. and Owen, E. Sodium hydroxide treatment of barley straw; effect of volume and concentration of solution on digestibility and intake by sheep	313
HOLZER, Z., LEVY, D., TAGARI, H. and VOLCANI, R. Soaking of complete fattening rations high in poor roughage. 1. The effect of moisture content and spontaneous fermentation on nutritional value	323
Braude, R., Mitchell, K. G. and Pittman, R. J. A note on rationing of growing pigs according to age	337
HOLMES, C. W. and GRACE, N. D. A note on the metabolism of Ca, P, Mg, Na and K by pigs growing at a high ambient temperature	341
DE BLAS, J. C. and GALVEZ, J. F. A note on the retention of energy and nitrogen in rabbits	345

COPYRIGHT © 1975 THE BRITISH SOCIETY OF ANIMAL PRODUCTION Printed in Great Britain by T. & A. CONSTABLE LIMITED

ISBN 0003-3561