

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S.,
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,
Cambridge

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden



CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Price 40s. net
(U.S.A. \$6.00)

INSTRUCTIONS TO AUTHORS

Failure to comply with the Instructions to Authors may delay publication

Papers intended for publication should be submitted to Dr G. D. H. Bell, C.B.E., F.R.S., Plant Breeding Institute, Cambridge, or to one of the Associate Editors. It must be understood that, if accepted by the Editorial Board, the paper will not be published elsewhere in the same form.

MANUSCRIPTS. Papers, written in English, are accepted from any country and should be typed in double-spacing on one side of the paper with a margin at least 4 cm wide on the left-hand side. Authors should instruct typists on the style required. A top copy and one carbon copy should be submitted.

SHORT NOTES may be accepted provided they are based on adequate experimental evidence; special provision is made for their publication with the least possible delay. MSS should not exceed 1500 words in length or their equivalent. For tabulated matter allow 25 words per line of the table (including headings). For line illustrations allow 225 words per quarter of a page.

TABLES must be self-explanatory. They should be typed on separate sheets, numbered consecutively and carry an appropriate title. When possible, tables should be arranged so that they can be printed in the normal orientation of the text and without rules.

LINE DRAWINGS (with photocopies) should be 25 cm. wide and drawn in black waterproof ink on Bristol board, graph paper with blue lines or tracing paper. Legends should be typed on a separate copy and numbering inserted lightly and clearly in soft pencil on the drawing. Tables and figures should not reproduce the same data.

The approximate position of tables and figures should be noted in the text.

PLATES should make a definite contribution to the value of the paper and the number submitted should be kept to a minimum. They should be good quality, unmounted, glossy prints and be lightly numbered in pencil on the reverse side. If several, or coloured, plates are submitted the author may be asked to contribute to the cost of reproducing them.

TITLE. The title must be specific and suitable for indexing by the mechanical methods now being employed. The full name and address of the institution in which the research has been carried out should be stated. Change of address may be given as a footnote. A short title, not exceeding 50 characters, should be provided for the running headlines.

STYLE. Experimental details and results should be recorded in the past tense and there should be no unnecessary repetition or loose phrases. Manuscripts are likely to be returned for modification if the presentation is not clear and precise.

LAYOUT. Authors are recommended to study 'General Notes on the Preparation of Scientific Papers' (Royal Society, London, 2nd edn, 1965). The Editorial Board do not insist upon a rigid format but it is usually convenient to divide the paper into sections, e.g. Introduction, Materials and Methods, Results and Discussion. An excess of headings and sub-headings should be avoided.


Authors are advised to note the following points: a detailed review of literature is not necessary; relevant details should be given of the plant or animal material, the experimental design and chemical or other techniques employed; mean results with their relevant standard errors should be presented rather than detailed data; the statistical methods used should be clearly stated; the discussion should relate the author's experiments to other work on the subject and give the author's conclusions. Footnotes should be avoided.

SUMMARIES of papers are placed at the beginning of the text and authors should submit MSS with the summaries so placed. The summary should be factual and suitable for use in abstracting journals; paragraphs should not be numbered.

REFERENCES. The bibliography must be given in the form—Surname of authors, initials, year of publication (in parentheses), title of paper, name of journal (abbreviated according to the *World List of Scientific Periodicals*, 4th edn, Butterworths, London), volume and pages of reference. References should be in alphabetical order. In the text a reference should be quoted by the author's name and date (in parentheses). Where there are more than two authors, the initial reference in the text should include the names of all authors but subsequent citations, should be in the form—first author followed by *et al.* Authors should check that all references in the text appear at the end of the paper and vice versa, and that names and dates correspond in the two places.

PROOF CORRECTION. Standard proof correction marks (British Standard 1219) should be made as legibly as possible in ink, not pencil. Directions to the printer which are not to be set up in type should be encircled. Captions to illustrations and all references should be checked. Queries marked by the printer should be answered. Proofs are provided in order that authors can check the correctness of the type-setting—excessive alterations may be charged to the author.

OFFPRINTS. Contributors will receive 25 copies of their papers free and can order others when they receive the proofs.



Stainless Steel

MICRO HAMMER MILL

pulverizes almost anything—whether hay, cotton, wool or rock samples.
 Only two minutes needed to pulverize most samples. Even a few grammes can be ground; maximum charge 120 c.c. Dust-proof closure. Hardened stainless steel grinding mechanism. Slide-in screens for particle size adjustment.
 Variable speed motor for better grinding control. Price, complete as shown, £84.
 For full details please quote AS/63/M.H.

G **GLEN CRESTON**
 The Red House, 37 The Broadway, Stanmore, Middlesex.
 Telephone: 01-954 4218

ANIMAL PRODUCTION

JOURNAL OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Contents of Volume 10, Part 1, February 1968 include the following:

- COBIC.** Castration experiments with Yugoslav Simmental cattle.
 I. The effect of castration on growth and live weight gains.
- WILLIS and PRESTON.** The performance of different breeds of beef cattle in Cuba.
- MILLER.** Some responses of hill ewes and lambs to artificial shelter.
- SLEE and HALLIDAY.** Some effects of cold exposure, nutrition and experimental handling on serum free fatty acid levels in sheep.
- GALAL.** Estimates of genetic parameters of growth rate in sheep with reference to the method of estimation.
- OWEN and RIDGMAN.** Further studies of the effect of dietary energy content on the voluntary intake of pigs.
- CHAMBERLAIN and LUCAS.** The nutritive value of separated milk for pigs. I. A comparison of two diets containing separated milk with a standard all-meal diet.
- HINKS.** The use of station and field tests for the improvement of milking performance in dairy cattle. I. Variation in milk yield and butterfat in test station records.
- SYKES and SLEE.** Acclimatization of Scottish Blackface sheep to cold. 2. Skin temperature, heart rate, respiration rate, shivering intensity and skinfold thickness.
- KAY, BOWERS and MCKIDDIE.** The protein requirements of rapidly growing steers.
- RUSSEL, GUNN and DONEY.** Components of weight loss in pregnant hill ewes during winter.
- RUSSEL, GUNN, SKEDD and DONEY.** Relationships between chemical and physical composition of Scottish Blackface ewes.
- BURT.** A note on the effect of giving milk substitute only once a day to early-weaned calves.
- CRESSWELL, GILL and FRASER.** A note on the use of skim-milk in the feeding of store-lambs.

The Journal is published quarterly in February, May, August and November. The annual subscription rate is 90s. (U.S.A. \$14.00). Single copy 25s. (U.S.A. \$4.00). Orders and subscriptions may be sent to any bookseller or direct to:

OLIVER AND BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh 1

EXPERIMENTAL AGRICULTURE

Volume 4, Number 1. January 1968

Reviews

- L. Kasasian:** Chemical weed control in tropical root and vegetable crops.
C. Bould: Leaf analysis as a diagnostic method and advisory aid in crop nutrition.

Articles

- T. M. Wormer and D. Ngugi:** Calculating the weight of young coffee trees from non-destructive observations.
E. V. Doku: Flowering, pollination and pod formation in bambara groundnut (*Voandzeia subterranea*) in Ghana.
D. Stephens: Fertilizer trials on cotton and other annual crops on small farms in Uganda.
A. El-Hamidi, M. A. Moursi and S. S. Ahmed: Effects of nitrogen and spacing on castor bean in sandy soils in Egypt.
Ambika Singh and R. P. Roysharma: Long term experiments with fertilizers and manures on sugarcane in India.
A. A. Opoku and D. Jordan: Comparison of ground cover plants during establishment of cocoa on clear-felled land in Ghana.
G. P. Tewari: Responses of grasses and legumes to fertilizer treatments in Nigeria.
D. L. Curtis: The relation between yield and date of heading of Nigerian sorghums

Experimental Agriculture is a quarterly journal published by Cambridge University Press. It is the successor to *The Empire Journal of Experimental Agriculture*.

The subscription price is £5 (U.S.A. \$18.00) including postage; single parts are available at £1. 15s. each (U.S.A. \$5.00). Orders may be sent to any bookseller or subscription agent, or direct to Cambridge University Press.

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1

American Branch: 32 East 57th Street, New York, N.Y. 10022, U.S.A.

CORRIGENDUM

**Retention of calcium, phosphorus, magnesium, sodium and potassium
by the developing sheep foetus**

BY A. C. FIELD AND N. F. SUTTLE

J. agric. Sci., Camb. **69**, 422

The authors regret that in table 8 in the column entitled 'Secretion during lactation (g/day), the figure for Mg should be 0·40 instead of 2·58'.