NOTES FOR AUTHORS

The *Bulletin of Entomological Research* publishes original research papers concerning insects, mites, ticks or other arthropods of economic importance in agriculture, forestry, stored products, biological control, medicine, animal health and natural resource management. The geographical scope of the *Bulletin* is worldwide but with emphasis on the tropics. Taxonomic papers are accepted if relevant. Short review papers, although normally by invitation, will also be considered for publication.

Page Format. The *Bulletin* is printed in a two-column format (column width of 80 mm) with a text area of 170×225 mm.

Text. Papers should be typed, on one side of the paper only, with double line spacing and ample margins (at least 1.5 cm) on each side and with no underlining or bold in text except for scientific names. Draft quality print from a word-processor is not acceptable. Standard abbreviations (e.g. fig. and figs) and metric units must be used. Guidelines for taxonomic papers are available.

When the paper has been accepted word-processed text stored on floppy disk is encouraged, providing the software is IBM/DOS compatible, but floppy discs must be accompanied by a hard copy. This will enable papers to be handled rapidly, and with fewer type-setting errors.

Abstract. Each paper must commence with a carefully prepared, accurate, informative abstract, in one paragraph, that is complete in itself and intelligible without reference to text or figures. It should not exceed 250 words. A short title should be provided as a running head

Tables. Tables should be reduced to the simplest form, and should not be used where text or illustrations give the same information. They should be submitted on separate sheets at the end of the article and must fit conveniently into single column, full width or land-scape (if absolutely necessary) format. Table captions should be typed on a separate sheet.

Illustrations. Copies only of artwork should be submitted. The original illustrations should accompany the paper after acceptance and revision. Text figures, line drawings, computer-generated figures and graphs should be of sufficient size and quality to allow for reduction by half or two-thirds. Half-tone photographs are acceptable where they are a real contribution to the text. Figure and captions should be typed on a separate sheet

in the following format:

Figs 23–26. Figs 23–24, <u>Urophora</u> eggs: 23, <u>U. hispanica</u>; 24, <u>U. stigma</u>. Figs 25–26, spermathecae: 25, <u>U. maura</u>; 26, <u>U. stigma</u>; scale lines=0.05 mm.

Voucher specimens. The deposition of voucher specimens should be considered where appropriate.

References. References must be based on the name and year system, give full journal titles and conform to the following styles:

Powell, W. (1986) Enhancing parasitoid activity in crops. pp. 319–340 in Waage, J. & Greathead, D. (Eds) Insect parasitoids. London, Academic Press (Symposium, Royal Entomological Society of London No. 13).

Southwood, T.R.E. (1978) <u>Ecological methods with particular reference to the study of insect populations</u>. 2nd edn. 524 pp. London, Chapman & Hall

Zhou, X., Carter, N. & Mumford, J. (1989) A simulation model describing the population dynamics and damage potential of the rose grain aphid, Metopolophium dirhodum (Walker) (Hemiptera: Aphididae), in the UK.

<u>Bulletin of Entomological Research</u> 79, 373–380.

Citation of authors in the text should appear in the form: Polaszek (1990) or (Polaszek, 1990). More than one author should be cited in chronological order as: (Holloway et al., 1987; Walker & Huddleston, 1988).

Offprints. 50 copies of each paper are provided free to the author (or major author) of each paper. Further copies may be obtained on payment, and the number required should be specified and ordered at proof stage.

Manuscripts. Three copies of the manuscript and artwork should be submitted to:

The Editor
Bulletin of Entomological Research
International Institute of Entomology
56, Queen's Gate
London
SW7 5JR, UK.

Bulletin of Entomological Research

Attathom, T., Chongrattanameteekul, W., Chanpaisang, J. & Siriyan, R. Morphological diversity and toxicity of delta-endotoxin produced by various strains of <i>Bacillus thuringiensis</i>	167
Byrne, F. J., Bedford, I. D., Devonshire, A. L. and Markham, P. G. Esterase variation and squash induction in B-type <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae)	175
Cahill, M., Byrne, F. J., Gorman, K., Denholm, I. & Devonshire, A. L. Pyrethroid and organophosphate resistance in the tobacco whitefly <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae)	181
Caillaud, C. M., Dedryver, C. A., Di Pietro, J. P., Simon, J. C., Fima, F. & Chaubet, B. Clonal variability in the response of <i>Sitobion avenae</i> (Homoptera: Aphididae) to resistant and susceptible wheat	189
Fishpool, L. D. C., Fauquet, C., Fargette, D., Thouvenel, JC., Burban, C. & Colvin, J. The phenology of <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) populations on cassava in southern Côte d'Ivoire	197
Gagné, R. J. Contarinia maculipennis (Diptera: Cecidomyiidae), a polyphagous pest newly reported for North America	209
Hargrove, J. W., Holloway, M. T. P., Vale, G. A., Gough, A. J. E. & Hall, D. R. Catches of tsetse (Glossina spp.) (Diptera: Glossinidae) from traps and targets baited with large doses of natural and synthetic host odour	215
Hemingway, J., Lindsay, S. W., Small, G. J., Jawara, M. & Collins, F. H. Insecticide susceptibility status in individual species of the <i>Anopheles gambiae</i> complex (Diptera: Culicidae) in an area of The Gambia where pyrethroid impregnated bednets are used extensively for malaria control	229
Izraylevich S. & Gerson U. Spatial patterns of the parasitic mite Hemisarcoptes coccophagus (Astigmata: Hemisarcoptidae): host effect, density-dependence of aggregation and implications for biological control	235
Leak, S. G. A., Mulatu, W., Rowlands, G. J. & D'Ieteren, G. D. M. A trial of a cypermethrin 'pour-on' insecticide to control Glossina pallidipes, G. fuscipes fuscipes and G. morsitans submorsitans (Diptera: Glossinidae) in south-west Ethiopia	241
Martin, J. H. & Malumphy, C. P. Trioza vitreoradiata, a New Zealand jumping plant louse (Homoptera: Psylloidea), causing damage to Pittosporum spp. in Britain	253
Ofuya, T.I. & Credland, P.F. Differences in the susceptibility of seeds of selected varieties of cowpea to <i>Bruchidius atrolineatus</i> (Coleoptera: Bruchidae)	259
Peng, R.K., Christian, K. & Gibb, K. The effect of the green ant, Oecophylla smaragdina (Hymenoptera: Formicidae), on insect pests of cashew trees in Australia	279
Prapanthadara, L., Hemingway, J. & Ketterman, A. J. DDT-resistance in Anopheles gambiae (Diptera: Culicidae) from Zanzibar, Tanzania, based on increased DDT-dehydrochlorinase activity of glutathione S-transferases	267
Stonedahl, G. M., Malipatil, M. B. & Houston, W. A new mirid (Heteroptera) pest of cashew in northern Australia	275
van Rijn, P. C. J., Mollema, C. & Steenhuis-Broers, G. M. Comparative life history studies of Frankliniella occidentalis and Thrips tabaci (Thysanoptera:Thripidae) on cucumber	285

© CAB INTERNATIONAL, 1995

All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without prior permission of the copyright owner.