INSTRUCTIONS TO AUTHORS

The Lichenologist is an international journal and welcomes papers and short communications from contributors anywhere in the world on any aspect of lichenology.

Manuscripts must be original, clearly and precisely presented in English and submitted in triplicate exclusively to the Senior Editor: Dr P. D. Crittenden, School of Life and Environmental Sciences, University of Nottingham, University Park, Nottingham, NG7 2RD, U.K. A cover sheet should accompany the manuscript including the following information: title and a short running title of not more than 6 words for page headings (not required for Short Communications); name and contact details for the corresponding author (i.e. postal address, telephone and fax numbers, and email address); the total number of pages (text plus references) and numbers of figures and tables. Authors submitting a manuscript do so on the understanding that, if it is accepted, copyright of the paper will be assigned exclusively to the publisher (see Copyright below).

Text. This must be typewritten on A4 $(210 \times 297 \text{ mm})$ or letter $(8.5 \times 11 \text{ inch})$ in double spacing with 2.5 cm margins all round. On all points of style concerning text and tables consult recent copies of the journal. Words to be italicized should be either underlined or typed in italics but not both. Complete scientific names (genus, species and authority) must be cited at first mention. Thereafter the generic name may be abbreviated to the initial except at the beginning of a sentence or where the abbreviation might result in confusion with other genera. Authors must return their revised manuscripts with a PC compatible disk. Documents should preferably be in Word 97 or more recent versions. Recent issues should be consulted for layout of new species, new combinations, synonymy and lists of specimens examined. Examples of style are given below. The spelling of locality names in the British Isles and abroad must follow the most recent editions of maps published by the Ordnance Survey and *The Times Atlas of the World*, respectively.

Examples of style employed in

(a) description of new species:

Ramalina jamesii Krog sp. nov.

Thallus saxicola, ascendens vel plus minusve inclinatus . . . etc.

Typus: Portugal, Madeira, Porto Santo, Pico do Facho, 33°05′N, 16°19′W, on acidic rock, 350 m alt., 7 April 1988, H. Krog & E. Timdal 6163 (O—holotypus; BM, UPS—isotypi).

(b) citation of described species or new combinations:

Pyrenopsis furfurea (Nyl.) Th. Fr.

Bot. Notiser 1866: 58 (1866); type: Scotland, Ben Lawers, 1864, Jones (H-NYL 42916—lectotype; BM—isolectotype).

Pyrenopsidium terrigenum (Th. Fr.) Forss., Nova Acta R. Soc. Scient. Upsal. ser. 3, 13(6): 81 (1985).—Pyrenopsis haematopsis (Sommerf.) \(\beta \). terrigena Th. Fr. in Hellbom, \(\beta \) fvers K. Vetens Akad. Forh. 22(6): 478 (1865); type: Sweden, Lule Lappmark, Skarfi, 1864, Hellbom (UPS—holotype).

(c) citation of specimens examined:

Long lists of citations are discouraged. Data should be reproduced as either maps or lists containing only data essential for locating specimens. Complete lists, with the above format, can be deposited with *The Lichenologist* and other appropriate Institutions, and their location noted in the text.

Selected specimens examined. British Isles: Scotland: V.C.96, Easterness: Abernethy Forest, near Forest Lodge, 38/01.16, on Pinus lignum, 1975, Coppins [2199] & Rose (BM, E).—Germany: Bayern: Allgauer Alpen, 1957, Schoppel & Poelt [Poelt, Lichenes Alpinum no. 56] (H).—Australia: Tasmania: Weindorfers Forest, 41°38′S, 145°56′E, 920 m, 1988, Kantvilas 68/88 (E); Cox Bight, behind west beach, sea-level, 1985, J. A. Elix 20945 (ANUC). Victoria: Bellel Creek, c. 1800 m, 5 vi 1983, M. E. Hale (HO).

Tables. These must be self-explanatory and each presented on separate pages outside the main text. A short title should be provided with any additional information contained in footnotes. Vertical columns should be separated by spacing; vertical lines must be avoided.

Figures. Refer to all drawings, diagrams, graphs and photographs as figures. These should be of the highest quality and suitable for direct reproduction. Each figure should be presented on a separate page. Plan figures to appear within a single column (67 mm) or for reproduction across two columns (139 mm).

Drawings, diagrams and graphs should be submitted in black ink on white card, white paper or tracing film at up to twice the size they will finally appear. Preferred symbols for graphs are \bullet , \bigcirc , \blacksquare , \square , \blacktriangle , \triangle .

Photographs (colour or black and white) should be submitted at the size they will appear. All photographs should be printed on glossy paper; several may be grouped together by mounting on white card with a narrow gap between them.

Subdivisions of figures should be labelled with capital letters, e.g. A, B, C, etc. No letters, arrows, scales, etc. should be done on the original figures; indicate these on mounts or photocopies accompanying each manuscript.

All **legends** for figures should be provided on a separate page to be included with the text of the paper after the references.

References. Citations in the text should take the form: Green & White (1988) or (Brown 1988a, b, 1989; Smith & Jones 1999). Multiple citations should be ordered chronologically. When papers are by three or more authors, give only the name of the first author followed by *et al.* (e.g. Halonen *et al.* 1998) throughout the text. At the end of the text, list the references alphabetically using the following standard forms:

Culberson, C. F. & Kristinsson, H. (1970a) A standardized method for identification of lichen products. *Journal of Chromatography* **46:** 85–93.

Hale, M. E. (1983) The Biology of Lichens. 3rd Edn. London: Arnold.

Hawksworth, D. L. (1976) Lichen chemotaxonomy. In *Lichenology: Progress and Problems* (D. H. Brown, D. L. Hawksworth & R. H. Bailey, eds): 139–184. London: Academic Press.

When citing an Academic Press journal, include the digital object identifier (DOI), if noted, from the article's title page. Please note the following examples:

McCarthy, P. M. (2000) Key to the saxicolous taxa of *Porina*. *Lichenologist* 32: 1–13. doi:10.1006/lich.1999.0213 Fos, S. & Clerc, P. (2000) The lichen genus *Usnea* on *Quercus robur* in Iberian cork-oak forests. *Lichenologist* 32: 67–88. doi:10.1006/lich.1999.0242

References should be listed in alphabetic sequence with: single authors, by date; two authors, alphabetically, then by date; three or more authors by date only.

Abbreviations, etc. For guidance on units, symbols, chemical nomenclature and abbreviations consult Instructions to authors for the *The New Phytologist*.

Digital Object Identifier. Academic Press assigns a unique digital object identifier (DOI) to every article it publishes. The DOI appears on the title page of the article. It is assigned after the article has been accepted for publication and persists throughout the lifetime of the article. Due to its persistence, it can be used to query Academic Press for information on the article during the production process, to find the article on the Internet through various Web sites, including IDEAL, and to cite the article in academic references. When citing an article in a reference section, it is important to include the article's DOI in the reference as volume and page information is not always available for articles published online. The References section, above, shows samples of DOI included in references. Further information may be found at http://www.academicpress.com/doi.

Copyright. Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the British Lichen Society. The Copyright Transfer Agreement, which may be copied from the pages immediately preceding these Instructions for Authors or found on the journal home page listed on the back cover, should be signed by the appropriate person(s) and should accompany the original submission of a manuscript to this journal. The transfer of copyright does not take effect until the manuscript is accepted for publication. Copyright in the paper for the United States of America shall be assigned to the Society. It is the policy of the publisher that authors need not obtain permission in the following cases only: (1) to use their original figures or tables in their future works; (2) to make copies of their papers for use in their classroom teaching; and (3) to include their papers as part of their dissertations.

Offprints. In consideration for the assignment of copyright, the Society will supply 50 offprints of each paper or Short Communication but not of Book Reviews. Further offprints may be ordered at extra cost at the proof stage. Reprints must be ordered directly from Academic Press Ltd when the author returns the proofs of their article.

Page charges are not levied, but if funds to cover printing costs are available quicker publication, or that of unusually long papers, can be facilitated. Authors are responsible for the cost of coloured illustrations.

Books dealing with any aspect of lichenology will be reviewed. Publishers wishing to have works reviewed in *The Lichenologist* should send them to Dr B. J. Coppins, Royal Botanic Gardens, Inverleith Row, Edinburgh, EH3 5LR, in the first instance.

Notice: While the Senior Editor and Editors endeavour to check the accuracy of statements in contributions in as far as they are able, it should be emphasized that views expressed in papers in *The Lichenologist* are those of their authors and do not necessarily represent those of the British Lichen Society, Academic Press Ltd, the Senior Editor, or the Editors.

BRITISH LICHEN SOCIETY

OFFICERS 2001

President and Conservation Officer

A. Fletcher, Ph.D., F.L.S., The Holly Hayes Environmental Resources Centre, Leicestershire Museums Service, 216 Birstall Road, Birstall, Leicester LE4 4DG

Vice President

A. M. Coppins, 37 High Street, East Linton, Lothian EH3 5LR

Secretary

P. A. Wolseley, M.A., c/o Department of Botany, The Natural History Museum, Cromwell Road, London SW7 5BD

Treasurer

F. S. Dobson, F.L.S., 57 Acacia Grove, New Malden, Surrey KT3 3BU

Assistant Treasurer

J. M. Gray, Penmore, Perranuthnoe, Penzance, Cornwall TR20 9NF

Regional Treasurer (Americas)

S. Clayden, Ph.D., The Herbarium, New Brunswick Museum, 277 Douglas Avenue, Saint John, New Brunswick E2K 1E5, Canada

Senior Editor (Lichenologist)

P. D. Crittenden, Ph.D., School of Life and Environmental Sciences, University of Nottingham, University Park, Nottingham NG7 2RD

Editor (Bulletin)

P. W. Lambley, The Cottage, Elsing Road, Lyng, Norwich, Norfolk NR9 5RR

Mapping Recorder and Archivist

M. R. D. Seaward, D.Sc., F.L.S., F.I.Biol., Department of Environmental Science, The University, Bradford, West Yorkshire BD7 1DP

Librarian

D. L. Hawksworth, C.B.E., D.Sc., F.L.S., F.I.Biol., F.R.S.A., MycoNova, 114 Finchley Lane, Hendon, London NW4 1DG

Curator

R. K. Brinklow, B.Sc., Dundee Museums and Art Galleries, Albert Square,
Dundee DD1 1DA

Field Meetings Secretary

I. G. Pedley, 48 Woodlands Drive, Groby, Leicester LE6 0BQ, UK

Members of Council

J. W. Bates J. C. Duckworth P. S. Dyer B. W. Edwards P. W. James I. G. Pedley J. M. Simkin S. Street

Membership of the British Lichen Society is open to all individuals (not institutions) anywhere in the world interested in any part of lichenology. Subscriptions, due on joining and afterwards on 1 January each year, are: ordinary members, £25; associate members, £18·50; senior associate members, £7·50; junior associate members, £5·00 (US dollar rates are double the sterling rates). Members receive the *Bulletin* of the British Lichen Society and issues of *The Lichenologist* published in the year they join, and afterwards while they remain members of the Society, free of charge. Associate members do not receive *The Lichenologist*. Details of the membership, facilities and activities of the Society and an application form may be found on the British Lichen Society web site at http://www.theBLS.org.uk or obtained from the Secretary (address above).

Book Review

| MANGELSON, N. F., St. CLAIR, L. L., REES, L. B., GRANT, P. G. and SOUTHON, J. R. | profiles in the crustose lichen <i>Rhizocarpon</i> geographicum (L.) DC. | 539 |
|---|---|-----|
| Short Communications | | |
| FRÖBERG, L., BJÖRN, L. O., BAUR, A. and BAUR, B. | Viability of lichen photobionts after passing through the digestive tract of a land snail | 543 |
| GRUBE, M. | A simple method to prepare foliicolous lichens for anatomical and molecular studies | 547 |

Accurate lifespan estimates cannot be obtained from ¹⁴C

551

The Lichenologist

Volume 55 Part 6 November 2001

| Articles | | |
|---|--|-----|
| ORANGE, A. | Lepraria atlantica, a new species from the British Isles | 461 |
| SØCHTING, U. and STORDEUR, R. | Caloplaca thuringiaca sp. nov., a species from the Caloplaca holocarpa complex | 467 |
| ETAYO, J., PAZ-BERMÚDEZ, G. and DIEDERICH, P. | Gelatinopsis roccellae (Leotiales, Ascomycota), a new lichenicolous fungus on Roccella from NW Spain | 473 |
| CALATAYUD, V., ETAYO, J. and DIEDERICH, P. | Paralethariicola aspiciliae (Ostropales, Odontotremataceae), a new genus and species of lichenicolous fungi | 477 |
| JØRGENSEN, P. M. and JAMES, P. W. | A new <i>Erioderma</i> taxon from the Azores | 483 |
| COPPINS, B. J. and MAY, P. F. | Micarea neostipitata, a new species with pale stipitate pycnidia from eastern North America | 487 |
| GRUBE, M. | Coniarthonia, a new genus of arthonioid lichens | 491 |
| CÁCERES, M. E. S., DIEDERICH, P., LÜCKING, R. and SÉRUSIAUX, E. | Chiodecton epiphyllum is a lichenicolous fungus on Coenogonium flavicans and belongs in the genus Plectocarpon (Arthoniales: Roccellaceae) | 503 |
| MAKHIJA, U. and ADAWADKAR, B. | Contributions to the lichen flora of the Lakshadweep (Laccadive) Islands, India | 507 |
| VÁCZI, P. and HAWKSWORTH, D. L. | Polycoccum crespoae sp. nov., the first report of a lichenicolous fungus on Chondropsis semiviridis (Parmeliaceae) | 513 |
| TIBELL, L. | Cybebe gracilenta in an ITS/5.8S rDNA based phylogeny belongs to Chaenotheca (Coniocybaceae, lichenized Ascomycetes) | 519 |
| MIKHAILOVA, I. N. and SCHEIDEGGER, C. | Early development of <i>Hypogymnia physodes</i> (L.) Nyl. in response to emissions from a copper smelter | 527 |

Continued on inside back cover

The Lichenologist, Vol. 33, Part 5 was published on 4 October 2001





