

MATHEMATICAL PROCEEDINGS

(formerly *Proceedings*)

*of the
Cambridge Philosophical Society*

VOLUME 116



Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

40 West 20th Street, New York, NY 10011-4211, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1994

Printed in Great Britain by the University Press, Cambridge

INDEX FOR VOLUME 116

	PAGE
Abercrombie, A. G. Subgroups and subrings of profinite rings	209
Aravinda, C. S. Bounded geodesics and Hausdorff dimension	505
Ashwin, P. & Stork, P. Permissible symmetries of coupled cell networks	27
Baker, R. C. & Brüdern, J. On sums of two squarefull numbers	1
Barnett, C., Goldstein, S. & Wilde, I. Quantum stochastic integration and quantum stochastic differential equations	535
Basile, A., Bukhvalov, A. V. & Yakubson, M. Y. The generalized Yosida–Hewitt theorem	527
Baxter, L. A. & Li, L. Renewal theory in a random environment	179
Benammar, M. & Evans, W. D. On the Friedrichs extension of semi-bounded difference operators	167
Bertin, J. & Vanhaecke, P. The even master system and generalized Kummer surfaces	131
Brunetti, M. A family of $2(p-1)$ -sparse cohomology theories and some actions on $h^*(BC_{p^n})$	223
Brüdern, J. & Baker, R. C. On sums of two squarefull numbers	1
Budak, T., Isik, N. & Pym, J. S. Subsemigroups of Stone–Čech compactifications	99
Bukhvalov, A. V., Yakubson, M. Y. & Basile, A. The generalized Yosida–Hewitt theorem	527
Byott, N. P. Corrigendum: Some self-dual local rings of integers not free over their associated orders	569
Carlson, J. F. & Robinson, G. R. Varieties and modules with vanishing cohomology	245
Dales, H. G. & Jarchow, H. Continuity of homomorphisms and derivations from algebras of approximable and nuclear operators	465
Darko, P. W. The $L^2\bar{\partial}$ -problem on manifolds with piecewise strictly non-smooth pseudoconvex boundaries	147
Dietz, J. Stable splittings of classifying spaces of metacyclic 2-groups	285
Donkin, S. On Schur algebras and related algebras III: integral representations	37
Echterhoff, S. Duality of induction and restriction for abelian twisted covariant systems .	301
El-Mabhouh, A. A construction of a compact right topological semigroup	317
Evans, W. D. & Benammar, M. On the Friedrichs extension of semi-bounded difference operators	167
Fiedler, T. Triple points of unknotting discs and the Arf invariant of knots	119
Gambaudo, J.-M., Guaschi, J. & Hall, T. Period-multiplying cascades for diffeomorphisms of the disc	359
Girela, D., Lorente, M. & Sarrión, M. D. Embedding derivatives of weighted Hardy spaces into Lebesgue spaces	151
Goldstein, S., Wilde, I. & Barnett, C. Quantum stochastic integration and quantum stochastic differential equations	535
Grant, K. & Van-Brunt, B. Hyperbolic Weingarten surfaces	489
Greim, P., Jamison, J. E. & Kamińska, A. Almost transitivity of some function spaces .	475
Guaschi, J., Hall, T. & Gambaudo, J.-M. Period-multiplying cascades for diffeomorphisms of the disc	359
Hall, T., Gambaudo, J.-M. & Guaschi, J. Period-multiplying cascades for diffeomorphisms of the disc	359
Hartley, B. & Zalesskii, A. E. The ideal lattices of the complex group rings of finitary special and general linear groups over finite fields	7
Huebschmann, J. Holonomies of Yang–Mills connections for bundles on a surface with disconnected structure group	375

Işık, N., Pym, J. S. & Budak, T. Subsemigroups of Stone–Čech compactifications	99
Jamison, J. E., Kamińska, A. & Greim, P. Almost transitivity of some function spaces	475
Jarchow, H. & Dales, H. G. Continuity of homomorphisms and derivations from algebras of approximable and nuclear operators	465
Jones, K. N. & Reid, A. W. Non-simple geodesics in hyperbolic 3-manifolds	339
Kamińska, A., Greim, P. & Jamison, J. E. Almost transitivity of some function spaces	475
Kaniuth, E. & Markfort, A. Locally compact groups whose conjugation representations satisfy a Kazhdan type property or have countable support	79
Katz, D. Complexes acyclic up to integral closure	401
Lau, A. T., Milnes, P. & Pym, J. S. Compactifications of locally compact groups and quotients	451
Le Maohua. A note on the diophantine equation $(x^m - 1)/(x - 1) = y^n$	385
Li, L. & Baxter, L. A. Renewal theory in a random environment	179
Lorente, M., Sarrión, M. D. & Girela, D. Embedding derivatives of weighted Hardy spaces into Lebesgue spaces	151
Lyubashenko, V. Existence of R matrix for a quantized Kac–Moody algebra	193
Markfort, A. & Kaniuth, E. Locally compact groups whose conjugation representations satisfy a Kazhdan type property or have countable support	79
Mason, A. W. & Odoni, R. W. K. Free quotients of subgroups of the Bianchi groups whose kernels contain many elementary matrices	253
Milnes, P., Pym, J. S. & Lau, A. T. Compactifications of locally compact groups and quotients	451
Odoni, R. W. K. & Mason, A. W. Free quotients of subgroups of the Bianchi groups whose kernels contain many elementary matrices	253
Pan, Y. H^1 boundedness of oscillatory singular integrals with degenerate phase functions	353
Pan, Y. Convolution estimates for some degenerate curves	143
Peres, Y. The self-affine carpets of McMullen and Bedford have infinite Hausdorff measure	513
Pym, J. S., Budak, T. & Işık, N. Subsemigroups of Stone–Čech complifications	99
Pym, J. S., Lau, A. T. & Milnes, P. Compactifications of locally compact groups and quotients	451
Quigg, J. C. Full and reduced C^* -coactions	435
Reid, A. W. & Jones, K. N. Non-simple geodesics in hyperbolic 3-manifolds	339
Robinson, G. R. & Carlson, J. F. Varieties and modules with vanishing cohomology	245
Ruškuc, N. On the rank of completely 0-simple semigroups	325
Sarrión, M. D., Girela, D. & Lorente, M. Embedding derivatives of weighted Hardy spaces into Lebesgue spaces	151
Skowroński, A. Minimal representation-infinite artin algebras	229
Smart, N. P. S -integral point on elliptic curves	391
Stafford, J. T. & Zhang, J. J. Examples in non-commutative projective geometry	415
Stork, P. & Ashwin, P. Permissible symmetries of coupled cell networks	27
Stratmann, B. Diophantine approximation in Kleinian groups	57
Suleiman, I. A. I. & Wilson, R. A. The 2-modular characters of Conway's group Co_2	275
Tadie. On the bifurcation of steady vortex rings from a Green function	555
Teragaito, M. Roll-spun knots (Corrigenda)	191
Van-Brunt, B. & Grant, K. Hyperbolic Weingarten surfaces	489
Vanhaecke, P. & Bertin, J. The even master system and generalized Kummer surfaces	131
Wilde, I., Barnett, C. & Goldstein, S. Quantum stochastic integration and quantum stochastic differential equations	535
Wilson, R. A. & Suleiman, I. A. I. The 2-modular characters of Conway's group Co_2	275

- Yakubson, M. Y., Basile, A. & Bukhvalov, A. V.** The generalized Yosida–Hewitt theorem 527
Zalesskii, A. E. & Hartley, B. The ideal lattices of the complex group rings of finitary
special and general linear groups over finite fields 7
Zhang, J. J. & Stafford, J. T. Examples in non-commutative projective geometry 415

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta/(1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , \circ , \bullet , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; I , l , 1 ; ε , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign **I** may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams redrawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 116 (Pt 3) 385–576 (1994) 0305-0041 November 1994

CONTENTS

	PAGE
LE MAOHUA. A note on the diophantine equation $(x^m - 1)/(x - 1) = y^n$	385
SMART, N. P. S -integral points on elliptic curves	391
KATZ, D. Complexes acyclic up to integral closure	401
STAFFORD, J. T. & ZHANG, J. J. Examples in non-commutative projective geometry	415
QUIGG, J. C. Full and reduced C^* -coactions	435
LAU, A. T., MILNES, P. & PYM, J. S. Compactifications of locally compact groups and quotients	451
DALES, H. G. & JARCHOW, H. Continuity of homomorphisms and derivations from algebras of approximable and nuclear operators	465
GREIM, P., JAMISON, J. E. & KAMIŃSKA, A. Almost transitivity of some function spaces	475
VAN-BRUNT, B. & GRANT, K. Hyperbolic Weingarten surfaces	489
ARAVINDA, C. S. Bounded geodesics and Hausdorff dimension	505
PERES, Y. The self-affine carpets of McMullen and Bedford have infinite Hausdorff measure	513
BASILE, A., BUKHVALOV, A. V. & YAKUBSON, M. Y. The generalized Yosida–Hewitt theorem	527
BARNETT, C., GOLDSTEIN, S. & WILDE, I. Quantum stochastic integration and quantum stochastic differential equations	535
TADIE. On the bifurcation of steady vortex rings from a Green function	555
BYOTT, N. P. Corrigendum: Some self-dual local rings of integers not free over their associated orders	569
PROCEEDINGS OF MEETINGS	571

© The Cambridge Philosophical Society 1994

Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0305-0041(199411)116:3;1-E