

CAMBRIDGE

JOURNALS

# Acta Neuropsychiatrica

Published on behalf of the Scandinavian College of  
Neuropsychopharmacology (SCNP)


## Editor-in-Chief

Gregers Wegener, Aarhus University, Denmark

*Acta Neuropsychiatrica* is an international journal that publishes translational high-quality research papers in neuropharmacology neuropsychiatry and neuroscience. The journal provides a forum for original basic and clinical research from disciplines and research areas relevant to the pathophysiology, neurobiology, and treatment of neuropsychiatric disorders.

*Acta Neuropsychiatrica* provides its readership with the latest perspectives from current and emerging fields of psychiatry, neurology, pharmacology, genetics and neuroimaging. Such research may derive from the full spectrum of biological and psychological fields of inquiry encompassing classical and novel techniques/strategies. Emphasis will be given to translational original research that is of wide interest and clearly advances the field.

*Acta Neuropsychiatrica* welcomes Full-length Original Research Articles, Short Communications, Perspectives, as well as Review Articles. Debate is encouraged in the form of Letters to the Editor. All articles published in *Acta Neuropsychiatrica* undergo peer review.



## *Acta Neuropsychiatrica*

is available online at:

<http://journals.cambridge.org/neu>

## To subscribe contact Customer Services

### Americas:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

[subscriptions\\_newyork@cambridge.org](mailto:subscriptions_newyork@cambridge.org)

### Rest of world:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email [journals@cambridge.org](mailto:journals@cambridge.org)

## Free email alerts

Keep up-to-date with new  
material – sign up at

[journals.cambridge.org/neu-alerts](http://journals.cambridge.org/neu-alerts)

For free online content visit:  
<http://journals.cambridge.org/neu>



CAMBRIDGE  
UNIVERSITY PRESS

## INSTRUCTIONS FOR CONTRIBUTORS

### SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

**Declaration of Interest:** A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

**REFERENCES** (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

**Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC** (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

**Cleckley HJ** (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

**Brewer WJ, Wood SJ, DeLuca C, Pantelis C** (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

*doi (when published online prior to printed issue)*

**Lauritsen MB, Pedersen CB, Mortensen CB** (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

*URL*

**World Bank** (2003). Quantitative techniques for health equity analysis – Technical Notes ([http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq\\_tn07.pdf](http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf)). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

**FIGURES AND TABLES** Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

**PROOFS AND OFFPRINTS** Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

# PSYCHOLOGICAL MEDICINE

## CONTENTS

### REVIEW ARTICLES

**Self-injurious thoughts and behaviors as risk factors for future suicide ideation, attempts, and death: a meta-analysis of longitudinal studies**

Ribeiro JD, Franklin JC, Fox KR, Bentley KH, Kleiman EM, Chang BP & Nock MK 225

**Psychotic experiences and risk of self-injurious behaviour in the general population: a systematic review and meta-analysis**

Honings S, Drukker M, Groen R & van Os J 237

**Meta-analysis of Theory of Mind (ToM) impairment in bipolar disorder**

Bora E, Bartholomeusz C & Pantelis C 253

### ORIGINAL ARTICLES

**Explaining risk for suicidal ideation in adolescent offspring of mothers with depression**

Hammerton G, Zammit S, Thapar A & Collishaw S 265

**Differing brain structural correlates of familial and environmental risk for major depressive disorder revealed by a combined VBM/pattern recognition approach**

Opel N, Zwanzger P, Redlich R, Grotegerd D, Dohm K, Arolt V, Heindel W, Kugel H & Dannlowski U 277

**Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory**

Bonnin CM, Reinares M, Martínez-Arán A, Balanzá-Martínez V, Sole B, Torrent C, Tabarés-Seisdedos R, García-Portilla MP, Ibáñez A, Amann BL, Arango C, Ayuso-Mateos JL, Crespo JM, González-Pinto A, Colom F, Vieta E & The CIBERSAM Functional Remediation Group 291

**Predicting non-familial major physical violent crime perpetration in the US Army from administrative data**

Rosellini AJ, Monahan J, Street AE, Heeringa SG, Hill ED, Petukhova M, Reis BY, Sampson NA, Bliese P, Schoenbaum M, Stein MB, Ursano RJ & Kessler RC 303

**Impact of childhood adversities on specific symptom dimensions in first-episode psychosis**

Ajnakina O, Trotta A, Oakley-Hannibal E, Di Forti M, Stilo SA, Kolliakou A, Gardner-Sood P, Gaughran F, David AS, Dazzan P, Pariante C, Mondelli V, Morgan C, Vassos E, Murray RM & Fisher HL 317

**The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium**

Benjet C, Bromet E, Karam EG, Kessler RC, McLaughlin KA, Ruscio AM, Shahly V, Stein DJ, Petukhova M, Hill E, Alonso J, Atwoli L, Bunting B, Bruffaerts R, Caldas-de-Almeida JM, de Girolamo G, Florescu S, Gureje O, Huang Y, Lepine JP, Kawakami N, Kovess-Masfety V, Medina-Mora ME, Navarro-Mateu F, Piazza M, Posada-Villa J, Scott KM, Shalev A, Slade T, ten Have M, Torres Y, Viana MC, Zarkov Z & Koenen KC 327

**Can community midwives prevent antenatal depression? An external pilot study to test the feasibility of a cluster randomized controlled universal prevention trial**

Brugha TS, Smith J, Austin J, Bankart J, Patterson M, Lovett C, Morgan Z, Morrell CJ & Slade P 345

**Altered serotonin transporter binding potential in patients with obsessive-compulsive disorder under escitalopram treatment: [<sup>11</sup>C]DASB PET study**

Kim E, Howes OD, Park JW, Kim SN, Shin SA, Kim B-H, Turkheimer FE, Lee Y-S & Kwon JS 357

**Error-related brain activity dissociates hoarding disorder from obsessive-compulsive disorder**

Mathews CA, Perez VB, Roach BJ, Fekri S, Vigil O, Kupferman E & Mathalon DH 367

**Paralimbic and lateral prefrontal encoding of reward value during intertemporal choice in attempted suicide**

Vanyukov PM, Szanto K, Hallquist MN, Siegle GJ, Reynolds CF III, Forman SD, Aizenstein HJ & Dombrovski AY 381

**No change in neuropsychological dysfunction or emotional processing during treatment of major depression with cognitive-behaviour therapy or schema therapy**

Porter RJ, Bourke C, Carter JD, Douglas KM, McIntosh WW, Jordan J, Joyce PR & Frampton CMA 393

**Genetic and environmental aetiology of the dimensions of Callous-Unemotional traits**

Henry J, Pingault J-B, Boivin M, Rijdsdijk F & Viding E 405

**Maternal depression and anxiety predicts the pattern of offspring symptoms during their transition to adulthood**

Gonçalves H, Pearson RM, Horta BL, González-Chica DA, Castilho E, Damiani M, Lima RC, Gigante DP, Barros FC, Stein A & Victora CG 415

**Synergistic effect between back pain and common mental disorders and the risk of future disability pension: a nationwide study from Sweden**

Dorner TE, Alexanderson K, Svedberg P, Tinghög P, Ropponen A & Mittendorfer-Rutz E 425

**The nature of anhedonia and avolition in patients with first-episode schizophrenia**

Lui SSY, Liu ACY, Chui WWH, Li Z, Geng F, Wang Y, Heerey EA, Cheung EFC & Chan RCK 437