The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

Contents

CARCINOMA	G. H. BATEMAN
ATTEMPT AT ABLATION OF THE PITUITARY GLAND BY IMPLANTATION OF RADIOACTIVE MATERIAL	FRANK ELLIS -
Some Pathological Findings in Cases with Radio- active Pituitary Implants	D. R. OPPENHEIMER
Suggestions on the Fenestration of the Oval. Window	A. Covas
CLINICAL RECORDS— PLASMA CELL GRANULOMAS OF THE PHARYNX AND LARYNX	D. A. BARLEY
AN Unusual Complication Following Tonsil-	H. MARKOWICZ
CLINICAL NOTE—	and E. Shanon
PSYCHOGALVANIC AUDIOMETRY	P. DENES and J. H. NEAME

London

Headley Brothers Ltd

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10 !- net post free

The Journal of Laryngology and Otology

FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization 1952.

It is most important that authors should verify personally the accuracy o

every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and

no extra matter added, Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., 109 Kingsway London, WCz.

5. Orders for reprints should be sent when returning galley proofs, and for

this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English,

French, Italian, or German) it will be welcomed.
7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers Ltd., 109 Kingsway, London, WC2.
8. The annual subscription is four guineas sterling (U.S.A. \$15) post free,

and is payable in advance.


9. Single copies will be on sale at ros. od. each; copies of parts up to Vol.

LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers Ltd., 109 Kingsway London, WCz.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WCz, England.



- ★ They can try the different makes of hearing aids★ They get impartial advice on all makes of hearing aids

recommend your patients to S. C. INGRAM

- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- ★ They can compare at one consultation the different makes one with another

S. C. INGRAM Independent Hearing Aid Consultant

On the approved List of the National Institute for the Deaf

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.I Hyde Park 9042

PERDILATAL

in the treatment of sudden perceptive deafness and Méniere's syndrome.

- * Vascular spasm may well be responsible for the majority of these cases.1
- * Vascular changes in the labyrinth are an important factor in the physiopathology of Ménière's disease.2
- * In the treatment of Ménière's disease emphasis must be put upon early restoration of blood flow to the inner ear.3
- * Perdilatal in doses of at least 6 mg. 4 times a day is the most effective vasodilator for the treatment of these conditions.4
- 1 Fowler, E. P. Ann. Otorhinolaryng., 1950, 59, 980.
- 2 Atkinson, M. Proc. roy. Soc. Med., 1946, 39, 807
- 3 Wilmot, T. J. Brit. med. J., 1957, 2, 1047.
- **4** Wilmot, T. J. Paper read on February 6th, 1959 at a Meeting of the Section of Otology, Roy. Soc. Med.

Perdilatal is available in tablets of 6 mg. as PERDILATAL FORTE in 50's, 250's and 1,000's.



Smith & Nephew Pharmaceuticals Limited

WELWYN GARDEN CITY · HERTFORDSHIRE

In schools for the DEAF—multitone Telesonic INDUCTION LOOP SYSTEM brings new advantages

- 1 Can be installed in adjoining classrooms without risk of 'spill over'.
- 2 Combines good hearing with complete freedom of movement. Unaffected by distance between pupil and teacher.
- 3 Clear speech at high amplification.
- 4 Any number of pupils may use the same installation.
- 5 The child can use the instrument as a normal hearing aid outside school.



The Kindergarten Class at the London Residential School for Jewish Deaf Children where all classrooms have been installed with the Multitone Telesonic Induction Loop System

Write for further details to:

multitone

ELECTRIC COMPANY LTD., 12-20 UNDERWOOD STREET, LONDON, N.I.

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief-and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into intimate and prolonged contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Asperqui

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250 WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT


Official organ for the American Laryngological Rhinological and Otological Society

Price \$14.00 per year Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. EDITOR

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.



MODEL

For the first time it is now possible, with a compact and simple audiometer, to obtain accurate and reliable air and bone conduction measurements—even in cases of severe unilateral deafness.

This exclusive-featured audiometer is Amplivox Model 81, the outcome of many years' research and experience in the field of audiometry. In its development, considerable emphasis has been placed on simplicity of operation and long-term stability.

AUDIOME

* Filtered White Noise masking excludes all unwanted frequencies except the critical band around the pure tone frequency in use. This permits high masking intensities to be used without discomfort and fatigue to the subject under test.

Only Amplivox Model 81 Audiometer has these features:

- ★ Threshold calibration to British or American Standards.
- * Filtered White Noise masking tone to 5% band width above and below frequency being tested.
- * Insert-type earphone for masking increases inter-aural attenuation to 90dB.
- Indicator light signals when controls are wrongly set for a particular test—also monitors speech level.

All enquiries to:

AMPLIVOX LIMITED

Medical Acoustic Division, 80 New Bond Street, London, W.1. Telephone: HYD 9888

The Journal of Laryngology and Otology

CONTENTS

	PAGE
Destruction of the Pituitary in Cases of Carcinomatosis	
Secondary to Mammary Carcinoma. G. H. Bateman	
(London)	631
Attempt at Ablation of the Pituitary Gland by Implantation	
OF RADIOACTIVE MATERIAL. Frank Ellis (Oxford)	654
Some Pathological Findings in Cases with Radioactive Pitui-	
TARY IMPLANTS. D. R. Oppenheimer (Oxford)	670
Suggestions on the Fenestration of the Oval Window.	
A. Coyas (Athens)	679
Clinical Records—	
Plasma Cell Granulomas of the Pharynx and Larynx. D. A.	
Barley (Plymouth)	685
An Unusual Complication Following Tonsillectomy.	
H. Markowicz and E. Shanon (Tel Aviv)	688
CLINICAL NOTE—	
Psychogalvanic Audiometry. P. Denes and J. H. Neame	
(London)	690
General Notes	695

For Advertisement space in this Journal apply to:
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2