

In June 2011, the University of Cambridge Institute of Continuing Education (ICE) will host an extraordinary event. For three days, some of the world's finest psychiatrists, both practitioners and academics, will give their time to speak on the most recent advances in the field of neuropsychopharmacology.

Held at historic Madingley Hall, this residential programme is led by world-renowned clinician and author **Dr Stephen Stahl** (*Essential Psychopharmacology*) and **Professor Peter B Jones**, Head of Psychiatry at the University of Cambridge School of Clinical Medicine.

Delegates will be invited to attend morning seminars, join discussion groups each afternoon and participate fully with speakers and colleagues.

The three-day residential course costs £1,850, to include room and board at Madingley Hall; book before 1 January 2011 for a £200 discount on the full price. Online booking is available at **www.ice.cam.ac.uk/cnp**.

Speakers include Dr Stephen M Stahl, Professor Peter Jones, Professor Barbara J Sahakian, Professor Trevor Robbins, Professor Ed Bullmore and Professor Phillip Cowen.

Topics covered at the course will include the major disease states and their neurobiology across the spectrum of mental illness and the mechanisms of action of the psychopharmacologic agents used to treat these conditions. Throughout the course, the application of these concepts and clinical skills will be illustrated with reference to a wide range of descriptive case studies. Full details can be found on **www.ice.cam.ac.uk/cnp**.

www.ice.cam.ac.uk/cnp







INSTRUCTIONS FOR CONTRIBUTORS

PAPERS Papers for publication from Europe and Australasia, except those on genetic topics, should be addressed to the UK Editor, Professor Robin M Murray, Psychological Medicine Editorial Office, Cambridge University Press, University Printing House, Cambridge CB2 8BS, UK. Email: Ismith@cambridge.org. Papers from the Americas, Asia, Africa and the Middle East, and all papers dealing with genetic topics, irrespective of country, should be sent to the US Editor, Professor Kenneth S Kendler, MCV, PO Box 980126, Richmond, VA, 23298-0126, USA (Street address: Virginia Biotechnology Center One, Room 1-123, 800E Leigh Street, Richmond, VA, 23219, USA), Email: bherrmann@vcu.edu.

Submissions by email attachments are preferred. Alternatively contributors who wish may send one hard copy of the text, tables and figures, plus an identical copy on computer disk, giving details of format used (e.g. MS Word etc.). Authors should also accompany their submission with a list of 5 or more suggested suitable referees to aid the peer review process.

A covering letter signed by all authors should confirm agreement to submission. The letter should also give full mailing, fax and email contact details of the author who will handle correspondence. Submission of a paper will be held to imply that it contains original work that has not been previously published and that it is not being submitted for publication elsewhere. This should be confirmed in the letter of submission. When an article has been accepted for publication, the authors should email their final version or send a copy on computer disk (indicating format used, e.g. Mac/PC, MS Word/Word Perfect, etc.) together with one hard copy of the typescript and good quality copies of all tables, figures, etc. However, the publisher reserves the right to typeset the material by conventional means if an author's disk proves unsatisfactory.

The following information must be given on the first page (title sheet): (1) title and short title for running head (not more than 60 characters): (2) authors' names, (3) department in which the work was done, (4) word count of text excluding abstract, tables/figures and reference list. Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- If necessary, guidelines for statistical presentation may be found in: Altman DG, Gore SM, Gardner MJ & Pocock SJ (1983). Statistical guidelines for contributors to medical journals. British Medical Journal 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL

EDITORIAL	
Why we need more debate on whether psychotic symptoms lie on a continuum with normality David AS	1935
David AS	1935
REVIEW ARTICLE	
Is guided self-help as effective as face-to-face psychotherapy for depression and anxiety disorders? A systematic review and meta-analysis of comparative outcome studies	
Cuijpers P, Donker T, van Straten A, Li J & Andersson G	1943
COMMENTARIES	
The continuum hypothesis of psychosis: David's criticisms are timely	
Sommer IE	1959
Extended psychosis phenotype – yes: single continuum – unlikely	
Kaymaz N & van Os J	1963
ORIGINAL ARTICLES	
The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder Fisher HL, Jones PB, Fearon P, Craig TK, Dazzan P, Morgan K, Hutchinson G, Doody GA, McGuffin P, Leff J, Murray RM	
& Morgan C	1967
Salience of working-memory maintenance and manipulation deficits in schizophrenia	
Hill SK, Griffin GB, Kazuto Miura T, Herbener ES & Sweeney JA	1979
Neural correlates of visuospatial working memory in	
the 'at risk mental state' Broome MR, Fusar-Poli P, Matthiasson P, Woolley JB,	
Valmaggia L, Johns LC, Tabraham P, Bramon E, Williams SCR,	
Brammer MJ, Chitnis X, Zelaya F & McGuire PK	1987
Memory and strategic processing in first-degree relatives of obsessive compulsive patients	
Segalàs C, Alonso P, Real E, Garcia A, Miñambres A, Labad J, Pertusa A, Bueno B, Jiménez-Murcia S & Menchón JM	2001
Moderators and predictors of response to cognitive- behavioral therapy augmentation of pharmacotherapy in obsessive-compulsive disorder	
Maher MJ, Huppert JD, Chen H, Duan N, Foa EB, Liebowitz MR & Simpson HB	2013

A functional MRI study of verbal fluency in adults with bipolar disorder and their unaffected relatives Allin MPG, Marshall N, Schulze K, Walshe M, Hall M-H, Picchioni M, Murray RM & McDonald C	2025
Childhood traumata, Dexamethasone Suppression Test and psychiatric symptoms: a trans-diagnostic approach Faravelli C, Gorini Amedei S, Rotella F, Faravelli L, Palla A, Consoli G, Ricca V, Batini S, Lo Sauro C, Spiti A & Catena dell'Osso M	2037
Outreach and screening following the 2005 London bombings: usage and outcomes Brewin CR, Fuchkan N, Huntley Z, Robertson M, Thompson M, Scragg P, d'Ardenne P & Ehlers A	2049
Functioning and disability levels in primary care out-patients with one or more anxiety disorders Sherbourne CD, Sullivan G, Craske MG, Roy-Byrne P, Golinelli D, Rose RD, Chavira DA, Bystritsky A & Stein MB	2059
Impact of severity and type of depression on quality of life in cases identified in the community Nuevo R, Leighton C, Dunn G, Dowrick C, Lehtinen V, Dalgard OS, Casey P, Vázquez-Barquero JL & Ayuso-Mateos JL	2069
Psychological distress and circulating inflammatory markers in healthy young adults Goldman-Mellor S, Brydon L & Steptoe A	2079
Predictability of oppositional defiant disorder and symptom dimensions in children and adolescents with ADHD combined type Aebi M, Müller UC, Asherson P, Banaschewski T, Buitelaar J, Ebstein R, Eisenberg J, Gill M, Manor I, Miranda A, Oades RD, Roeyers H, Rothenberger A, Sergeant J, Sonuga-Barke E, Thompson M, Taylor E, Faraone SV & Steinhausen H-C	2089
BOOK REVIEW Delusions and Other Irrational Beliefs Langland-Hassan P	2101
Correspondence	2105





